

ROYAL WARRANT HOLDERS  
TO HIS MAJESTY THE KING

**WILLIAM BULL & SONS**

**Catalogue of Plants**

INCLUDING

**ORCHIDS,**

**NEW AND RARE STOVE,**

**GREENHOUSE & HARDY PLANTS,**

**ROSES, FRUIT TREES, &c.**

---

**New Plant, Seed and Bulb Merchants.**

**KING'S ROAD,**

**CHELSEA, LONDON, S.W.**

TELEPHONE NO. 692 WESTERN.



# CONTENTS.

(Price at end of Catalogue.)

	PAGES
NEW PLANTS	1 & 2
BROCK PLANTS	3 to 24
GREENHOUSE PLANTS	25 to 36
GREENHOUSE BRONCHODENDRONS	37 & 38
CROFT AND OTHER SUCCULENTS	39
HARDY PLANTS	40 to 48
HARDY PERENNIALS AND HERBACEOUS PLANTS	49 to 49
ORCHIDS	51 to 71
OFFICIAL PLANTS AND TROPICAL FRUIT	72 & 73
PALMS AND CYCADS	74 to 77
PEACH	78 to 88
PALAEONOMA	89 to 92
FOCUS	93, 92 & 93
GLADIUS	94 & 95
BECONIA	96 to 98
ROSEMARY, GERANIUM, HYDRANGEA AND GLOXINIA	100
REFURBED BULBS AND ROOTS	103
HARDY NYMPHAEAS	104
ROSES	105 to 111
FRUIT TREES, VINES AND STRAWBERRIES	112

## TERMS OF SALE.

Although every possible care is taken in the production of all Plants, Seeds, Bulbs and Roots, we give no warranty, expressed or implied, as to description, quality, productiveness or any other matter, of any Plants, Seeds, Bulbs or Roots supplied by us, and we will not be in any way responsible for the crop.

All orders will be executed on these terms only.

## FOREIGN ORDERS.

Owing to the great difficulty of collecting accounts abroad, we respectfully intimate to new customers that a remittance must accompany all foreign orders sufficient in amount to cover cost of order, packing and carriage, or an order must be sent for payment in London.

COPYRIGHT RESERVED. ENTERED AT STATIONERS' HALL.



**EPIPHYLLUM DELICATUM.**

For description and price, *vide* page 1.





AGAPANTHUS INSIGNIS. For description and price, *vide* page 1.





**CESPEDESIA DISCOLOR**

For description and price, *vide* page 1.



**MARANTA INSIGNIS.**

For description and price, *vide* page 2.





# NEW PLANTS

## ANNOUNCED FOR THE FIRST TIME

BY

## WILLIAM BULL & SONS.

---

### AGAPANTHUS INSIGNIS.

This striking new *Agapanthus* has been imported from South Africa, and forms a very desirable addition to plants suitable for Conservatory decoration. The strap-like arching leaves are bright green, the basal portion milk white, this colour extending some distance up the midrib. The inflorescence is produced on stout erect scapes crowned with immense heads, consisting of a multitude of elegant lilac flowers faintly shaded with lavender. The individual blossoms are borne on very long pedicels, thus forming magnificent spherical heads of bloom very striking and effective in appearance. *Vide* illustration, page ii. 21s.

### CESPEDESIA DISCOLOR.

Awarded a First Class Certificate by the Royal Horticultural Society.

This striking ornamental Stove Plant belongs to the Natural Order *Ochnaceæ*, and is one of a small group of South American trees, bearing showy yellow flowers in large bractless panicles. The chief decorative feature of *C. discolor*, however, lies in the ornamental coloration of its young growth, which is rapidly developed from terminal buds, the five or six long drooping lanceolate leaves composing it being of a pale cinnamon buff, or biscuit colour, faintly suffused with rose and veined with pale yellow, forming a striking contrast to the dark green of the mature leaves. *Vide* illustration, page iii. 21s.

### EPIPHYLLUM DELICATUM.

Awarded a First Class Certificate by the Royal Horticultural Society.

A charming new species introduced from Brazil, producing a profusion of wax-like bluish-tinted flowers. It is in many respects similar to the well-known *E. truncation*, but differs in the following particulars:—The flowers are larger, much lighter in colour, of more regular formation, the petals being longer and less reflexed, while the tube of the corolla and style are less abruptly bent at the base. In growth it is more erect, the broad flat segments being oval in outline with three or four acute teeth on each margin. The flowers are terminal, white, tinted with delicate rose pink or blush, a narrow ring of carmine surrounding the mouth of tube, from which protrude the long curved style and yellow anthers. *Vide* illustration, page i. 21s.

**MARANTA INSIGNIS.**

Award of Merit from the Royal Horticultural Society.

A very distinct and striking *Maranta* introduced from Brazil. It has long semi-erect lanceolate leaves of a light green colour, darkly shaded on the margins and ornamented on the central portion with very dark green oval blotches arranged alternately, a small round blotch being oppositely placed on each side of the midrib. The under sides of the leaves are of a bright maroon red colour. *Vide* illustration, page iv. 10s. 6d.

**MARANTA TIGRINA.**

Of compact habit and sturdy growth, this is a desirable addition to ornamental Stove Plants. It grows from 9 inches to a foot high, producing ovate lanceolate leaves on petioles, sheathing for their entire length. The leaf blades are of a velvety lustrous grass green colour, strikingly marked on each side of a grey midrib, with broad transverse bars of rich deep olive green, the markings dividing near the undulate margins into two tips. Introduced from Brazil. 10s. 6d.

**NEW SINGLE-FLOWERED ZONAL PELARGONIUMS.**

**CLEOPATRA**, a very beautiful variety, producing fine trusses of large round flowers, perfect in shape, of a charming tint of lilac rose, the two upper petals lighter at the base. 3s. 6d.

**CREON**, fine trusses of salmon-scarlet flowers of good shape. 3s. 6d.

**DAWN**, a showy variety, fiery orange scarlet, with white centro shaded violet. 3s. 6d.

**ELECTOR**, purplish carmine, the two upper petals marked with orange at the base. 3s. 6d.

**GIDOUR**, grand trusses of salmon-scarlet flowers, upper petals marked with white. 3s. 6d.

**HAFIZ**, handsome trusses of rich scarlet flowers, centro white shaded with violet. 3s. 6d.

**LEANDER**, cherry crimson shaded violet in centre, basal half of upper petals white. 3s. 6d.

**NEW FUCHSIAS.**

**ARTUS**, very short and broad rosy scarlet sepals well reflexed; immense spreading double white corolla of good shape, veined scarlet at the base.

**CADMUS**, crimson scarlet sepals beautifully recurved; pure white single corolla, veined scarlet at base; flower of fine shape, the petals regularly three-lobed.

**DELVINO**, broad and well-reflexed carmine crimson sepals, irregular double rose corolla, suffused and veined with carmine; very free flowering.

**ELYSIAN**, broad crimson sepals well reflexed, long single rose coloured corolla of good shape, suffused and feathered with deep carmine.

**ENID**, dark crimson tube and shell-shaped sepals covering a very double extended plum purple corolla with scarlet flakings and markings.

**FABIAN**, coral red tube and very broad reflexed sepals; immense double corolla, soft mauve pink, faintly freckled with white, suffused magenta at base.

**GLENROY**, very broad rosy carmine sepals well recurved over short tube, immense irregular double corolla of great length, slaty blue heavily suffused rose.

**HAMLET**, short coral red tube and sepals, the latter fully recurved; very double violet blue corolla, freely striped with rosy red; very distinct.

**IXION**, an immense flower with massive well-reflexed sepals, and an irregular semi-double wide spreading corolla of a bright rosy purple, the base of petals lighter.

**JULIUS**, long well-reflexed bright red sepals; large single rosy lavender corolla.

**MURIEL**, long bright crimson-red tube and recurved sepals, single corolla with flattish carmine rose petals, darkly veined at base, the margins suffused with bright rosy purple.

**NAUTILUS**, sepals soft carmine rose, broad and beautifully recurved; corolla very double and of good shape, French white suffused and veined at base with rose.

**RAGLAN**, large double white corolla, heavily suffused and veined bright carmine; short tube and reflexed carmine sepals.

**SIGNET**, broad recurved light carmine sepals; single pure white corolla veined with bright carmine.

**TIBER**, very short tube and broad reflexed carmine sepals; large double purplish rose corolla. Very free flowering.

**VIRGIL**, semi-double white corolla veined rosy carmine; long and broad extended scarlet sepals.

**WARRIOR**, short crimson tube and well recurved sepals; very long, bell-shaped single corolla, bluish purple changing to red.

**YULETIDE**, long bright carmine sepals well reflexed; well shaped single corolla, purple and rose passing to deep rose shaded with purple. The foliage is remarkable for its Holly-like appearance; very free flowering.

Price 3/6 each.



# SELECT LIST OF NEW AND RARE STOVE PLANTS.

For General List of Stove Plants, see page 13.

## AGLAONEMA VERSICOLOR.

An attractive ornamental foliage stove plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membranous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green interspersed among patches of lighter green, and some of milky white. 5s.

## AMARYLLIS (HIPPEASTRUMS).

This deservedly popular family cannot be too highly recommended. The ease with which they are cultivated and the gorgeously beautiful flowers they produce at almost any season, make them most desirable in any collection. By gradually drying the bulbs they can be put to rest at any time during the year, and then when required, if started in a gentle heat, they quickly develop their large Lily-like blossoms, which are of various colours, generally embracing crimson, white and red, scarlet, rose-flaked, striped white and crimson, with various shades of colours. Choice selections of good sorts, 2, 3, 4, 5, and 6 guineas per dozen.

## ANTHURIUM ANDREANUM ALBUM.

This charming white-flowered variety of the well-known *Anthurium Andreanum* has been imported from Brazil. In growth and shape of flower it is a counterpart of the type, but the spathe are of a shining ivory white, lasting a long time in perfection. A very chaste and desirable addition to our flowering stove plants. 10s. 6d., 15s. and 21s.

AMARYLLIS.

## ANTHURIUM ANDREANUM ROSEUM.

A most charming hybrid raised from *A. Andreanum*, the spathe being of a shining rose pink colour ornamented by a tricoloured spadix, the basal portion being white, the centre golden, and the tip lemon green. The foliage is of the same handsome character as the type. 10s. 6d., 15s. and 21s.

## ANTHURIUM ANDREANUM SALMONEUM.

Another very pleasing variation of *Anthurium Andreanum* will be found in this plant, which produces large cordato-shaped spathe of a clear salmon colour, the corrugations in the spathe being well marked. The basal half of the spadix is white, the apical portion yellow. This forms a charming companion to the brilliant crimson scarlet-flowered typical species. 21s.

## ANTHURIUM ANDREANUM SANGUINEUM.

An exceedingly fine variety of the type, with very rich dark crimson spathe, ornamented with a golden yellow spadix and shining as if varnished. The spathe is of good shape and the corrugations well marked. 10s. 6d., 15s. and 21s.

## ANTHURIUM SCHERZERIANUM MAXIMUM.


A magnificent variety of this attractive flowering plant, producing gigantic flower spathe which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant this splendid variety will always occupy a foremost place. *See illustration, page 4.* 2 and 3 guineas.

## ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathe flushed with salmon, in striking contrast to the rich scarlet spathe of the type. Owing to the enduring character of the spathe, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 10s. 6d. and 15s.

## ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well-known *A. Scherzerianum*, differing from the type in the colour of its spathe, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. This is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathe lasting a long time in perfection. 10s. 6d.



**ANTHURIUM SCHERZERIANUM MAXIMUM.**

For description and price, *vide* page 3.




**BILLBERGIA AMÆNA.**

This handsome and free-flowering species has pale green channelled leaves, minutely spined on the margins. The inflorescence is extremely showy; the peduncle, which is semi-erect and about as long as the leaves, is clothed for the greater part of its length with brilliant vermilion-scarlet bracts, and terminated by a loose spike of about seven green flowers with recurved petals and protruding orange anthers, in striking contrast to the deep bluish-purple tips of the calyx. It is a native of Brazil. 10s. 6d.

**BILLBERGIA NOBILIS.**

Awarded a First Class Certificate by the Royal Horticultural Society.

A magnificent species with semi-erect broad serrated leaves marked transversely with a grey pulverescence. The handsome inflorescence is produced on a long drooping spike, furnished




on the central portion with large lanceolate, spreading bracts of the most ornamental character, the colour being a brilliant cerise carmine. The flowers are green, the petals rolling back and exposing the greyish-blue anthers. This handsome species is without doubt one of the most beautiful and striking of Bromeliads. 31s. 6d.

**BOUGAINVILLEA FORMOSA.**

A showy and handsome flowering variety introduced from Brazil. Owing to its free growth and abundant flowering qualities under comparatively cool treatment, this plant is admirably adapted for the decoration of warm greenhouses and conservatories. It is of semi-scandent habit, and bears its richly coloured bright purplish mauve bracts in wonderful profusion. 5s.

**BILLBERGIA NOBILIS.****CAMOENSIA MAXIMA.**

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in erect racemes from the axils of the leaves; the petals are white, veuose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 21s.



**DRACÆNA VICTORIA.**

For description and price, *vide* page 7.



**CEROPEGIA WOODII.**

A very ornamental and graceful trailing plant with slender greyish branches bearing small orbicular fleshy leaves, most prettily marbled with silvery white on the upper surface. Intermingled with the leaves are small globose tubers from which roots emerge. The flowers are pinkish in colour, tubular, distended at the base and expanding at the top into five dark purple segments united at the tips in the form of a crown. The variegated foliage and curious structure commend this plant alike to the connoisseur and to the botanist. It is a native of Natal, and will form a most interesting and excellent basket plant for a warm greenhouse, and is suitable for rockeries or other decorative purposes. 2s. 6d., 2s. 6d. and 5s.

**CRYPTANTHUS NITIDUM.**


This exceedingly pretty ornamental-foliaged Bromeliad has been imported from Brazil, and is remarkable for its compact rosette-like growth. It is a stemless species with densely crowded, spreading foliage of a most attractive character and neat growth. The leaves are sessile, lanceolate acuminate, wavy and denticulate at the margins, dark olive green, with a broad band of cream colour on either side of the midrib, heavily suffused with reddish pink. The under surface is silvery white with raised reticulations. 2s. 6d., 3s. 6d. and 5s.

**DRACÆNA VICTORIA.**

Awarded a First Class Certificate by the Royal Horticultural Society.

This exceedingly attractive new Dracæna is certainly one of the most handsome species yet introduced. It has been imported from Brazil, and belongs to the same section as *D. Lindenii*, from which it is quite distinct not only in the style of its variegation, but in the brightness and constancy

of the coloration, the golden yellow of the leaves deepening with age instead of losing colour, as does *D. Lindenii*. Of noble habit, the plant is furnished with broad and gracefully recurving leaves, wavy at the margins, the whole leaf being bright golden yellow, with a central band of bright green, ornamented with narrow streaks varying in colour from greyish to creamy yellow. *Vide* illustration, page 6. 31s. 6d.

**EXACUM MACRANTHUM.****EUGENIA MYRIOPHYLLA.**

This pretty and compact growing plant has been imported from Brazil, and is of extremely neat habit. The leaves are linear, opposite and almost sessile, dark green, the young growths of a pale yellowish green minutely spotted with chocolate red. The flowers are white. 3s. 6d. and 5s.

**EXACUM MACRANTHUM.**

A native of Ceylon, and one of the most beautiful blue flowering plants known, succeeding in a warm Greenhouse or Stove. It is neat in habit and foliage, and grows about 18 inches high, flowering freely and presenting when in bloom a lovely appearance. The flowers are about two inches in diameter, of a rich indigo blue with striking yellow anthers. 5s.



**FICUS RADICANS VARIEGATA.** For description and price, *vide* page 9.



**FICUS RADICANS VARIEGATA.**

Awarded a First Class Certificate by the Royal Horticultural Society.

This charming and effective variety of *Ficus radicans* is without doubt destined to become "a plant for everyone," its easy culture, effective variegation and regular growth making it one of the best ornamental variegated plants ever sent out. The elegant appearance of this pretty plant and its effective variegation are most striking, the leaves being freely and irregularly margined with white, the variegation sometimes extending to nearly the entire leaf, some of the young shoots and leaves being wholly white. As a variegated plant for a hanging pot or vase it cannot be excelled, while its bright and cheerful variegation will commend it to everyone as an ideal plant for the margins of stages and growing as single plants round sticks or on a trellis. *Vide* illustration, page 8. 2s. 6d.

**FICUS REPENS VARIEGATA.**

A variegated form of this useful wall-creeper, the leaves being prettily marmorated and speckled with creamy white. 3s. 6d.

**GMELENA HYSTRIX.**

A scandent plant from the East Indies, with the habit of a Bougainvillea, and therefore most suitable for covering the roofs and pillars of stoves. The flowers are of a very decorative character, most freely borne in dense terminal drooping spikes formed of acuminate bracts, beautifully veined with purplish red. The corolla is nearly 3 inches long and golden yellow. 3s. 6d.

**GRAPTOPHYLLUM PICTURATUM.**

A very striking and effective stove plant of free growth, furnished with opposite lanceolate leaves, having a central variegation of rich golden yellow, maturing with age into creamy yellow. 5s.

**GRIFFINIA HYACINTHINA.**

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

**HYPOLYTRUM SCHRADERIANUM.**

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts, green with purplish-red margins, traversed on the upper surface by two ribs running equidistant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. 31s. 6d.

**JASMINUM NITIDUM.**

A charming new species of slender growth, introduced from the Admiralty Islands, producing a profusion of deliciously scented snow-white flowers, born in three-flowered umbels. The blossoms, which are composed of ten to twelve ray-like petals, are large, and have an exceedingly elegant and graceful appearance. The leaves are obovate, of a bright shining green colour. This pretty new species will be found a charming addition to warm-house climbers. *Vide* illustration, page 10. 5s.

**KENDRICKIA WALKERI.**

A handsome climbing Melastomaceous plant introduced from Ceylon. The flowers are large and are borne in terminal umbels, the calyx rosy purple, the four fleshy petals nearly an inch long, being coloured bright red. The creeping stems, which support themselves by means of aerial roots, have opposite ovate or oblong fleshy leaves about  $1\frac{1}{2}$  inch long, the margins clothed with glandular hairs, and the surface with whitish dots, as in some *Sonerilas*. 5s.

**MARANTA PICTA.**

Award of Merit, Royal Horticultural Society.

A most ornamental and distinct species introduced from Brazil. It is of compact growth, the blade of the leaf broadly lanceolate acuminate, wavy at the margin, of a rich velvety deep green colour, strikingly ornamented with a central variegation of yellowish green, the colour extending along the upper side of each principal vein nearly half-way across the leaf blade, thence decreasing in a premorse manner to the base of the next vein. The under side of the leaf is of a deep claret colour. 5s. and 7s. 6d.



**JASMINUM NITIDUM.**

For description and price, *vide* page 9.



**MIMOSA ARGENTEA.**

A pretty variegated species imported from Brazil, and one of the same section as that to which the ordinary Sensitive Plant belongs. It is of climbing habit with very slender, hairy stems and branches, furnished with elegant bipinnate leaves. Each leaf bears two, rarely three, pairs of spreading pinnae, each bearing about forty oblong leaflets, green at the tips and silvery grey on the basal half; the under side of the leaflet is of a pinkish colour, as also are the young growths. This will be found a very neat and pretty climbing plant for the stove. 5s.

**NIDULARIUM INNOCENTII STRIATUM.**

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from 8 to 12 inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. *vide* illustration, page 12. 5s., 7s. 6d. and 10s. 6d.

**PLEROMA CANDIDA.**

A free-flowering Melastomaceous plant introduced from South Australia. It is of shrubby habit, well furnished with dark green ovate-lanceolate leaves, densely covered with soft silky hair, the five longitudinal veins very prominent on the under side. The flowers, which are borne in loose terminal heads, are individually about  $1\frac{1}{2}$  to  $1\frac{3}{4}$  inch in diameter, the petals being of snowy whiteness. This will be found a desirable flowering plant for the warm conservatory or stove. 5s.

**RUBUS MOLUCCANUS (REFLEXUS).**

A free-growing ornamental climbing plant with five-lobed villose leaves, the middle lobe much extended. The leaf blades are greyish green, the central portions next the midrib and side ribs being dark olive green, producing a very effective variegation. 5s.

**SELAGINELLA WATSONI.**

A very pretty variegated Lycopod of compact plumose growth; many of the branchlets are creamy white, while the segments of others are prettily margined with the same colour. 2s. 6d., 3s. 6d. and 5s.

**STAPELIA GIGANTEA.**


This remarkable plant was discovered in Zululand by the late Mr. R. W. Plant, and, unlike other species, is very easy of cultivation, succeeding admirably in any stove where an abundance of heat can be afforded. The pale green fleshy growths are terete and four-angled, the angles being furnished with small erect teeth. The flowers are of immense size, stellate in outline, full grown specimens attaining a diameter of 14 inches, the ground colour dull yellow closely barred with irregular short wavy lines of brownish red, the surface thickly clothed with soft reddish brown hairs. The corona is dark reddish purple, the middle lobe of the flower being produced into a small spur. 21s.

**TILLANDSIA LINDENIANA VERA.**

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers, the contrast of which with the rose-coloured scape presents a most charming appearance. 5s., 7s. 6d. and 10s. 6d.

**VRIESIA PURPURASCENS.**

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. Introduced from Brazil. 15s. and 21s.



**NIDULARIUM INNOCENTII STRIATUM.** For description and price, *vide* page 11.



## STOVE PLANTS.

**ABROMA**

SINUOSA, 5s.

**ABUTILON**SELLOVIANUM MARMORATUM,  
3s. 6d.**ACALYPHA**GODEFFIANA, 3s. 6d.  
HISPIDA (SANDERIANA), 2s. 6d.  
and 3s. 6d.  
ILLUSTRATA, 3s. 6d.  
MACROPHYLLA, 2s. 6d. and  
3s. 6d.  
OBOVATA, 3s. 6d.  
TRIUMPHANS, 3s. 6d.**ACANTHUS**

MONTANUS, 3s. 6d.

**ADANSONIA**

DIGITATA (BAOBAB), 10s. 6d.

**ÆCHMEA**PAMPAULIOERA, 10s. 6d.  
PIOTA, 5s. and 7s. 6d.**ÆGLE**MARMELOS (*Bengal Quince*),  
5s.**ÆSCHYNANTHUS**LOBBIANUS, 2s. 6d. and  
3s. 6d.**AGLAONEMA**COSTATUM, 3s. 6d.  
MARANTIFOLIUM (OBLONGI-  
FOLIUM), 3s. 6d.  
PICTUM, 3s. 6d.  
— COMPACTUM, 5s.  
— GRACILE, 5s.  
VERSICOLORE, 7s. 6d. *vide*  
description, page 3.**ALLAMANDA**CHELSONI, 3s. 6d.  
GRANDIFLORA, 3s. 6d. & 5s.  
HENDERSONI, 3s. 6d.  
MAGNIFICA, 3s. 6d.  
NOBILIS, 3s. 6d.  
VIOLOEA, 5s. and 7s. 6d.  
WILLIAMSII, 3s. 6d. and 5s.**ALOCASIA**GIGANTEA (LONGILOBA), 3s. 6d.  
and 5s.  
HYBRIDA, 7s. 6d.  
INTERMEDIA, 7s. 6d.  
JENNINGSII, 3s. 6d.  
LINDENI, 5s. and 7s. 6d.  
LOWII GRANDIS, 7s. 6d. and  
10s. 6d.  
MACRORHIZA VARIEGATA, 5s.  
and 7s. 6d.  
MARGINATA, 7s. 6d.  
MARTIN CAHUZAC, 7s. 6d.  
and 10s. 6d.  
METALLICA (*cuprea*), 3s. 6d.  
and 5s.  
MORTFONTAINENSIS, 5s. and  
7s. 6d.  
RODGESIANA, 10s. 6d.  
SANDERIANA, 5s. and 7s. 6d.**ALOCASIA**THIBAUTIANA, 3s. 6d. & 5s.  
WATSONIANA, 7s. 6d. and  
10s. 6d.**ALPINIA**MUTIOA, 7s. 6d.  
VITTATA, 3s. 6d. and 5s.**AMARYLLIS**, *see* page 3.**AMASONIA**PUNICEA (*calycina*), 3s. 6d.  
and 5s.**AMOMUM**CARDAMOMUM, 3s. 6d.  
VITTATUM, 5s.**AMORPHOPHALLUS**

CAMPANULATUS, 5s. &amp; 7s. 6d.


**ANCHOMANES**

DUBIUS, 10s. 6d.

**ANCYLOGYNE**

LONGIFLORA, 3s. 6d.

**ANDROPOGON**CITRATUS (*Lemon Grass*),  
3s. 6d. and 5s.**ANGECTOCHILUS**DAWSONIANUS, 7s. 6d. and  
10s. 6d.  
— LANOECOLATUS, 31s. 6d.  
INTERMEDIUS, 15s. and 21s.  
LOWII, 63s.  
PETOLA, 10s. 6d., 15s. & 21s.  
SETACEUS, 21s. and 31s. 6d.  
TURNERI, 21s. and 31s. 6d.**ANONA**CHERIMOLIA (*Cherimoyer*),  
5s.  
MURICATA (*Sour Sop*), 15s.  
RETIICULATA (*Netted - leaf*  
*Custard Apple*), 15s.  
SQUAMOSA (*Sweet Sop*),  
10s. 6d.**ANTHURIUM**ANDREANUM, 5s. and 7s. 6d.  
— ALBUM, 10s. 6d., 15s.  
and 21s.  
— ROSEUM, 10s. 6d., 15s.  
and 21s.  
— SALMONEUM, 21s.  
— SANGUINEUM, 10s. 6d.,  
15s. and 21s.  
BAKERI, 10s. 6d.  
CANDIDUM, 3s. 6d.  
CRUENTUM, 15s. and 21s.  
CRYSTALLINUM, 3s. 6d., 5s.  
and 7s. 6d.  
— ILLUSTRE, 10s. 6d.,  
15s. and 21s.  
DECHARDI, 3s. 6d. and 5s.  
FERRIERENSE, 3s. 6d. & 5s.  
FLOBIBUNDUM, 3s. 6d.  
GALEOTTIANUM, 5s.  
HARRISHI PULCHRUM, 7s. 6d.  
and 10s. 6d.  
HYBRIDUM, 7s. 6d. & 10s. 6d.  
INTERMEDIUM, 7s. 6d. and  
10s. 6d.  
LEUCONEURUM, 3s. 6d.  
LUOIDUM, 5s.  
MACROLOBUM, 5s. and 7s. 6d.  
MAGNIFICUM, 3s. 6d.  
MOOREANUM, 15s. and 21s.**ANTHURIUM**NYMPHÆAFOLIUM, 10s. 6d.  
REGALE, 3s. 6d. and 5s.  
REINE DES BELGES, 10s. 6d.  
ROTHSCHILDIANUM, 5s., 7s. 6d.  
and 10s. 6d.  
SCHERZERIANUM, 3s. 6d. & 5s.  
— ALBUM GRANDIFLORUM,  
15s. and 21s.  
— FORMOSUM, 2 and 3  
guineas.  
— GIGANTEUM, 1, 1½ and  
2 guineas.  
— MADAME DALLIERE,  
7s. 6d., 10s. 6d. & 15s.  
— MAXIMUM, *see* page 3.  
— ROSEUM, *see* page 3.  
— RUBRUM, 1 and 1½  
guinea.  
— SANGUINEUM, *see* page  
3.  
TRIUMPHANS, 10s. 6d. & 15s.  
VEITCHII, 5s., 7s. 6d. and  
10s. 6d.  
WAROQUEANUM, 5s. and  
7s. 6d.**ANTIGONON**INSIGNE, 7s. 6d.  
LEPTOSUM ALBUM, 5s. and  
7s. 6d.**APHELANDRA**AURANTIACA ROEHLII, 3s. 6d.  
BLANCHETIANA (AMONA),  
3s. 6d. and 5s.  
CHAMISSONIANA, 3s. 6d. & 5s.  
CRISTATA (*tetragona*), 3s. 6d.  
LEOPOLDII, 3s. 6d.**ARALIA**CHABRIERI, 3s. 6d. and 5s.  
ELEGANTISSIMA, 5s. & 7s. 6d.  
GUILFOYLEI, 5s.  
LEPTOPHYLLA, 3s. 6d.  
RETIICULATA, 3s. 6d. and 5s.  
VEITCHII, 5s. and 7s. 6d.  
— GRACILLIMA, 5s. & 7s. 6d.  
*See* also page 30.**ARAUJA**GRANDIFLORA (SCHUBERTIA  
GRAVEOLENS), 5s.**ARDISIA**MAMILLATA, 3s. 6d.  
OLIVERI, 3s. 6d.  
PRIMULIFOLIA, 3s. 6d.**ARISTOLOCHIA**CAUDATA, 10s. 6d.  
DUOHARTREI, 3s. 6d.  
ELEGANS, 3s. 6d.  
GIAS STURTEVANTI, 5s.  
WESTLANDI.**ARTOCARPUS**EBURNEUS, 5s.  
INTEGRIFOLIUS (The Jack  
Fruit), 10s. 6d.**ASPARAGUS**Of sorts, *vide* page 30.



CROTON ELEGANTISSIMUS.



**ATACCIA** (*Tacca*)  
CHRISTATA, 5s., 7s. 6d. and  
10s. 6d.

**ATALANTIA**  
MONOPHYLLA, 7s. 6d.

**AVERRHOA**  
BILIMBI, 7s. 6d.

**BARLERIA**  
STRIOSA (CERULEA), 5s.

**BAUHINIA**  
ACUMINATA, 5s.  
PICATA, 5s.

**BEAUMONTIA**  
ORANDIFLORA, 3s. 6d. and 5s.  
JERDONIÆ, 5s.

**BELOPERONE**  
ATROPURPUREA, 5s.

**BERTOLONIA**  
VELUTINA, 5s.  
VITTATA, 5s.

**BIGNONIA**  
AURANTIACA, 7s. 6d. and  
10s. 6d.

CHAMBERLAYNI, 3s. 6d. & 5s.  
PICATA, 3s. 6d. and 5s.  
RETICULATA, 5s.  
ROEZLIANA, 5s.  
— VILLOSA, 5s.  
See also page 30.

**BILLBERGIA**  
AMENA, 10s. 6d.  
CHLOROSTICTA, 10s. 6d. & 15s.  
EXSCAPA, 21s.  
FARINOSA, 10s. 6d.  
IRIDIFOLIA, 7s. 6d.  
NOBILIS, 31s. 6d.  
See page 5.  
NUTANS, 5s.  
PYRAMIDALIS, 10s. 6d.  
SAUNDERSII, 10s. 6d.

**BOUGAINVILLEA**  
FORMOSA, 5s.  
See page 5.  
GLABRA, 3s. 6d. and 5s.  
— CYPRINI, 3s. 6d. and  
5s.  
— SANDERIANA, 3s. 6d.  
and 5s.

LATERITA, 3s. 6d. and 5s.  
REFULOENS, 3s. 6d. and 5s.  
SPECIOSA, 3s. 6d. and 5s.  
SPECTABILIS, 3s. 6d. and 5s.

**BROWNEA**  
COCINEA, 21s.  
ERECTA, 1 and 1½ guinea.  
HYBRIDA, 1½ guinea.

**BRUNFELSIA** (*Franciacea*)  
AMERICANA, 5s.  
CALYCINA, 3s. 6d. and 5s.  
— CONFERTIFLORA  
(LAURIFOLIA), 3s. 6d.  
— EXIMIA, 3s. 6d.  
— LINDENIANA, 3s. 6d.  
— MAONIFICA, 5s.  
— VIOLACEA ORANDI-  
FLORA, 3s. 6d. and 5s.

**BRUNSVIGIA**  
JOSEPHINÆ, 7s. 6d. and  
10s. 6d.

**BURCHELLIA**  
CAPENSIS, 3s. 6d. and 5s.

**CALADIUM**, *vide* Index.

**CALLIPHURIA**  
HARTWEGIANA, 3s. 6d.  
SUBEDENTATA, 3s. 6d.

**CANISTRUM**  
NICOLAI, 10s. 6d.

**CAPPARIS**  
FRONDOSA ("Spanish  
Caper"), 5s.

**CARAGUATA**  
ZAHNII, 5s.

**CAREX**  
ELEGANS VARIEGATA, 3s. 6d.  
SCAPOSa, 3s. 6d.

**CARICA**  
QUERCIFOLIA, 7s. 6d.  
PAPAYA (PAPAU), 7s. 6d.

**CECROPIA**  
PALMATA, 7s. 6d.

**CENTRADENIA**  
FLORIBUNDA ROSEA, 3s. 6d.

**CEROPEGIA**  
GARDNERI, 3s. 6d. and 5s.  
WOODI, 2s. 6d., 3s. 6d. & 5s.  
See page 7.

**CHAMÆCLADON**  
RUBENS, 5s.

**CHAMERANTHEMUM**  
BRYCHII VARIEGATUM,  
3s. 6d.  
VERBENACEUM, 3s. 6d.

**CHIRITA**  
SINENSIS, 3s. 6d.

**CIENKOWSKIA**  
KIRKII, 3s. 6d.

**CINCHONA**  
HYBRIDA, 7s. 6d.  
SUCCUBRA, 7s. 6d.

**CINNAMOMUM**  
CASSIA (*Cassia*), 10s. 6d.  
ZEYLANICUM (*Cinnamon*),  
7s. 6d.

**CISSUS**  
ALBO-NITENS, 3s. 6d.  
DISCOLOR, 3s. 6d. and 5s.  
LINDENI, 3s. 6d. and 5s.

**CITROSMIA**  
THEA, 5s.

**CLAVIJA**  
ORNATA, 10s. 6d.

**CLERODENDRON**  
BALFOURIANUM, 3s. 6d.  
and 5s.

DELECTUM, 3s. 6d. and 5s.  
FALLAX, 3s. 6d. and 5s.  
3s. 6d. and 5s.  
FRAGRANS FLORE PLENO,  
3s. 6d. and 5s.  
MACROSIPHON, 3s. 6d. and 5s.  
NUTANS, 3s. 6d. and 5s.  
SPECIOSUM, 3s. 6d. and 5s.  
SPLENDENS, 3s. 6d. and 5s.

**COCOLOBA**  
UVIFERA (Sea Side Grape),  
5s.

**COCHLIOSTEMA**  
JACOBIANUM, 5s. and 7s. 6d.

**COFFEA**  
LIBERICA, 3s. 6d. and 5s.  
MOCHENSIS, 3s. 6d. and 5s.

**COLA**  
ACUMINATA (Kola Nut).  
10s. 6d.

**COMBRETUM**  
GRANDIFLORUM, 5s.  
PURPUREUM, 5s.

**CORYNOSTYLIS**  
HYBANTHUS ALBIFLORA,  
3s. 6d.

**CRINUM**  
AUGUSTUM, 21s., 31s. 6d.  
and 42s.  
ERUBESCENS, 7s. 6d.  
See also page 30.

**CROSSANDRA**  
UNDULÆFOLIA, 3s. 6d. & 5s.

**CROTON** (*Codiaeum*)  
ADONIS, 3s. 6d. and 5s.  
AIGBURTHIENSIS, 3s. 6d. & 5s.  
AIGBURTH GEM, 3s. 6d.  
and 5s.

ALBERT TRUFFAUT, 3s. 6d.  
and 5s.

AMABILIS, 3s. 6d. and 5s.

ANDREANUS, 3s. 6d.

ANEITUMENSIS, 3s. 6d. & 5s.

ANGUSTIFOLIUS, 3s. 6d.

AUREO-PUNCTATUS, 3s. 6d.  
and 5s.

BARON ALPHONSE DE  
ROTHSCHILD, 3s. 6d. & 5s.

— NATHANIEL DE ROTHS-  
CHILD, 3s. 6d. and 5s.

BARON FRANK SEILLIÈRE,  
3s. 6d.

BARONNE JAMES DE ROTHS-  
CHILD, 3s. 6d.

B. COMTE, 3s. 6d. and 5s.

BEAUTY, 3s. 6d. and 5s.

BOBS, 3s. 6d. and 5s.

BRITISH EMPIRE, 3s. 6d.  
and 5s.

CAUDATUS TORTILIS, 3s. 6d.  
and 5s.

CHANTRIERI, 3s. 6d. & 5s.

CHESLONII, 5s.

CHRYSOPEOLIS, 3s. 6d. & 5s.

COMTE DE GERMANY, 3s. 6d.  
and 5s.

COUNTESS, 3s. 6d. and 5s.

CRONSTADTI, 3s. 6d. & 5s.

CUPID, 3s. 6d. and 5s.

DAVISII, 3s. 6d. and 5s.

DELIGHT, 3s. 6d. and 5s.

DE SMET-DUVIVIER, 3s. 6d.  
and 5s.

DIANA, 5s. and 7s. 6d.

DISRAELI, 3s. 6d. and 5s.

DISTINCTION, 3s. 6d. and 5s.

DOMEAT, 3s. 6d. and 5s.

DUKE OF BUCCLEUCH, 3s. 6d.  
and 5s.

EARL OF DERBY, 3s. 6d.  
and 5s.

EBURNEUS, 3s. 6d. and 5s.

ELEGANTISSIMUS, 3s. 6d. & 5s.

ELVIRA, 5s. and 7s. 6d.

ELYSIAN, 5s. and 7s. 6d.

EMPEROR ALEXANDER III.,  
3s. 6d. and 5s.

ETNA, 3s. 6d. and 5s.



DIEFFENBACHIA SPLENDENS.



**CROTON (Codiaeum)**

- EUONE CHANTRIER, 3s. 6d. and 5s.  
 EUTERPE, 3s. 6d. and 5s.  
 EVANSIANUS, 3s. 6d. and 5s.  
 EXCURRENS, 10s. 6d.  
 FASCIATUS (HENDERSONI), 3s. 6d. and 5s.  
 FLAMBEAU, 3s. 6d. and 5s.  
 FLAMINIO, 3s. 6d. and 5s.  
 FORMOSUS, 3s. 6d. and 5s.  
 GLORIOSUS (Princess of Wales), 5s.  
 GOLDEN GEM, 3s. 6d. & 5s.  
 GOLDEN RINO, 3s. 6d. & 5s.  
 GOLDII, 3s. 6d. and 5s.  
 GORDONII, 3s. 6d. and 5s.  
 HAMMONDII, 3s. 6d. and 5s.  
 HAWKERII, 3s. 6d. and 5s.  
 HENDERSONI (FASCIATUS), 3s. 6d. and 5s.  
 HERCULES, 3s. 6d. and 5s.  
 HER MAJESTY, 3s. 6d. & 5s.  
 HERMON, 5s. and 7s. 6d.  
 HEROICUS, 5s.  
 HOOKERIANUS, 3s. 6d. & 5s.  
 INIMITABILIS, 3s. 6d. & 5s.  
 INTERRUPTUS AUREUS, 3s. 6d. and 5s.  
 — ELEOANS, 3s. 6d. & 5s.  
 JOHANNIS, 3s. 6d.  
 — ELEOANS, 3s. 6d. & 5s.  
 JUPITER, 3s. 6d. and 5s.  
 LADY ZETLAND, 3s. 6d. and 5s.  
 LAINOII, 3s. 6d. and 5s.  
 LORD WOLSELEY, 3s. 6d. and 5s.  
 LUOY, 3s. 6d. and 5s.  
 MADAME BOUDNAY, 3s. 6d. and 5s.  
 MADAME LEMONIER, 3s. 6d. and 5s.  
 MADLLE. MARIE VAN HOUTTE, 3s. 6d.  
 MAONIFICENT, 3s. 6d. & 5s.  
 MAJESTIOUS, 3s. 6d. and 5s.  
 MARMORATA, 3s. 6d. and 5s.  
 MARS, 3s. 6d. and 5s.  
 MASSANOEANUS, 3s. 6d. & 5s.  
 MAYII, 3s. 6d. and 5s.  
 MEMPHIS, 3s. 6d. and 5s.  
 MOORHANUS, 3s. 6d. and 5s.  
 NORTEPONTANENSIS, 3s. 6d. and 5s.  
 MORTHII, 3s. 6d. and 5s.  
 MRS. DORMAN, 3s. 6d. & 5s.  
 MRS. HARRY GREEN, 5s. and 7s. 6d.  
 MRS. ICKTON, 3s. 6d. & 5s.  
 MRS. MCLEOD, 3s. 6d. and 5s.  
 MRS. ROBERT GREEN, 3s. 6d. and 5s.  
 MRS. SWAN, 3s. 6d. and 5s.  
 MUSAIUS, 3s. 6d. and 5s.  
 MUTABILIS, 3s. 6d. and 5s.  
 NESTOR, 3s. 6d. and 5s.  
 NEWMANII, 3s. 6d. and 5s.  
 NOBILIS, 3s. 6d. and 5s.  
 PICTURATUS, 3s. 6d. and 5s.

**CROTON (Codiaeum)**

- PRINCE OF ORANGE, 15s.  
 PRINCE OF WALES, 3s. 6d. and 5s.  
 PRINCESS MATHILDE, 3s. 6d. and 5s.  
 PRINCESS OF WALDEOK, 3s. 6d. and 5s.  
 PRINCESS OF WALES (GLORIOSUS), 5s.  
 QUEEN VICTORIA, 3s. 6d. and 5s.  
 REIDII, 3s. 6d., 5s. and 7s. 6d.  
 RODECKIANUS, 3s. 6d. & 5s.  
 RUBERRIMUS, 3s. 6d. and 5s.  
 RUSSELLII, 3s. 6d. and 5s.  
 SOEPTE, 5s. and 7s. 6d.  
 SINITZINIANUS, 3s. 6d. & 5s.  
 SUNBEAM, 3s. 6d. and 5s.  
 SUNRISE, 3s. 6d. and 5s.  
 SUNSET, 3s. 6d. and 5s.  
 SUNSHINE, 3s. 6d. and 5s.  
 SUPERBUS, 3s. 6d. and 5s.  
 THOMSONII, 3s. 6d. and 5s.  
 UNDULATUS, 3s. 6d. and 5s.  
 VAN CERSTEDII, 3s. 6d. and 5s.  
 VEITCHII, 3s. 6d. and 5s.  
 WARRENII, 3s. 6d. and 5s.  
 WEISMANNI, 3s. 6d.  
 — SUPERBA, 3s. 6d. & 5s.  
 WILLIAMSHII, 3s. 6d. and 5s.  
 WILSONI, 3s. 6d. and 5s.  
 YOUNGII, 3s. 6d. and 5s.  
**CRYPTANTHUS (Tillandsia)**  
 ACAULIS, 3s. 6d.  
 — ZEBRINA, 5s.  
 — AUREA, 7s. 6d.  
 BEUCKERII, 7s. 6d. and 10s. 6d.  
 BIVITTATA, 5s. and 7s. 6d.  
 NITIDUM, 2s. 6d., 3s. 6d. & 5s.  
 See description, page 7.

**CUPANIA**

- GRANDIDENS, 5s.

**CURCULIGO**

- RECURVATA, 1s. 6d. & 2s. 6d.  
 — STRIATA, 7s. 6d.  
 — VARIEGATA, 5s. & 7s. 6d.

**CURMERIA**

- PICTURATA, 3s. 6d.

**CYANOPHYLLUM**

- BOWMANNI, 3s. 6d. and 5s.  
 MAGNIFICUM, 3s. 6d. and 5s.

**CYANTOTIS (Tradescantia)**

- ZANONIA, 3s. 6d.

**CYPERUS**

- ALTERNIFOLIUS, 1s. 6d. and 2s. 6d.  
 — VARIOATUS, 3s. 6d.  
 FERTILIS, 3s. 6d.  
 LAXUS, 1s. 6d. and 2s. 6d.  
 — VARIOATUS, 3s. 6d. and 5s.

**CYRTANTHERA (Jacobinia)**

- CHRYSOSTEPHANA, 3s. 6d.  
 MAGNIFICA POHLIANA, 3s. 6d.

**CYRTODEIRA**

- FULGIDA, 2s. 6d. and 3s. 6d.  
 METALLICA, 2s. 6d. & 3s. 6d.

**CYTOSPERMA (Alocasia)**

- JOHNSTONII, 5s.

**DALECHAMPIA**

- ROEZLIANA ALBA, 3s. 6d.  
 — ROSEA, 3s. 6d.

**DAVIDSONIA**

- PRURIENS (Queensland Plum), 15s. and 21s.

**DESMODIUM**

- GYRANS (Telegraph Plant), 3s. 6d.

**DICHORISANDRA**

- MUSAICA, 5s. and 7s. 6d.  
 UNDATA, 5s.

**DIEFFENBACHIA**

- AMAZONICA, 3s. 6d. and 5s.  
 BARAQUINIANA, 3s. 6d.  
 BAUSEI, 3s. 6d.  
 BOWMANII, 3s. 6d.  
 CARDEII, 3s. 6d. and 5s.  
 COSTATA, 5s.  
 EBURNEA, 3s. 6d. and 5s.  
 FLAVO-VIRENS, 3s. 6d.  
 GRANDIS, 3s. 6d.  
 ILLUSTRIS, 5s.  
 INSIGNIS, 5s.  
 LEOPOLDII, 3s. 6d. and 5s.  
 LUCINDA, 3s. 6d.  
 MACULOSA, 3s. 6d.  
 MAGNIFICA, 3s. 6d.  
 MEMORIA CORSI, 3s. 6d.  
 NEBULOSA, 3s. 6d.  
 NOBILIS, 3s. 6d.  
 PICTA, 3s. 6d.  
 PRINCEPS, 5s.  
 REGINA, 3s. 6d. and 5s.  
 REX, 3s. 6d. and 5s.  
 SHUTTLEWORTHII, 3s. 6d.  
 SPLENDENS, 3s. 6d.  
 TRIUMPHANS, 5s.  
 VELUTINA, 3s. 6d.  
 WEIRII, 3s. 6d.

**DIOSCOREA**

- ANGECTOCYLUS, 5s. & 7s. 6d.  
 ARGYREA, 5s. and 7s. 6d.  
 BULBIFERA, 5s.  
 CHRYSOPHYLLA, 5s.  
 DISCOLOR VARIEGATA, 3s. 6d.  
 ILLUSTRATA, 3s. 6d.  
 METALLICA, 5s.  
 SPECIOSA, 5s.

**DIPLADENIA**


- AMABILIS, 3s. 6d.  
 AMENA, 3s. 6d.  
 ATROPURPUREA, 7s. 6d.  
 BOJIVENSIS, 2s. 6d.  
 BEARLEYANA, 5s. & 7s. 6d.  
 HARRISII (ODONTODENIA SPECIOSA), 10s. 6d.  
 MAGNIFICA (ACUMINATA), 3s. 6d. and 5s.  
 SPLENDENS, 3s. 6d. and 5s.

**DORSTENIA**

- AROENTEA, 5s.  
 BARTHERI, 7s. 6d.  
 CAULESCENS, 7s. 6d.  
 CONTRAYERVA, 5s.  
 THOMSONII, 7s. 6d.

**DRACENA**

- ALEXANDER LAING, 3s. 6d. and 5s.  
 ALEXANDRA, 3s. 6d. and 5s.



HELICONIA ILLUSTRIS.



**DRACENA**

- ALSACE-LORRAINE, 3s. 6d. and 5s.  
 AMABILIS, 3s. 6d.  
 ANGUSTATA, 3s. 6d. and 5s.  
 ANGUSTIFOLIA, 3s. 6d. and 5s.  
 ARGENTEO-STRATA, 2 and 3 guineas.  
 ARTHUR LAING, 3s. 6d. & 5s.  
 AURANTIAOA, 3s. 6d. and 5s.  
 BARTETH, 3s. 6d. and 5s.  
 BAUSEI, 3s. 6d. and 5s.  
 BELLA, 3s. 6d. and 5s.  
 BERKELEYI, 3s. 6d. and 5s.  
 BROWNI, 3s. 6d. and 5s.  
 COMPACTA ALBA, 3s. 6d. & 5s.  
 — ROSEA, 3s. 6d. and 5s.  
 CONGESTA, 3s. 6d.  
 COOPERI, 3s. 6d. and 5s.  
 COULLINGII, 3s. 6d. and 5s.  
 CRISTULA, 3s. 6d.  
 DISTINCTION, 3s. 6d. and 5s.  
 DUCUETTI, 10s. 6d., 15s. and 21s.  
 DUCHESS OF YORK, 3s. 6d. and 5s.  
 EDMONTONIENSIS, 3s. 6d. and 5s.  
 ELEGANTISSIMA, 3s. 6d. & 5s.  
 ERNESTI, 3s. 6d. and 5s.  
 EXCELLENT, 3s. 6d. and 5s.  
 EXQUISITE, 3s. 6d. and 5s.  
 FORMOSA, 3s. 6d. and 5s.  
 FRAGRANS, 3s. 6d. and 5s.  
 — VARIEGATA, 7s. 6d.  
 FREDERICI, 3s. 6d. and 5s.  
 GODSEFFIANA, 3s. 6d.  
 GOLDIEANA, 5s., 7s. 6d. and 10s. 6d.  
 GRACILIS, 3s. 6d.  
 GRANDIDENS, 3s. 6d. and 5s.  
 GUILFOYLEI, 3s. 6d. and 5s.  
 HAROLDIANA, 3s. 6d. & 5s.  
 HENDERSONII, 3s. 6d. & 5s.  
 HIS MAJESTY, 5s. and 7s. 6d.  
 HYBRIDA, 3s. 6d. and 5s.  
 INSIGNIS, 3s. 6d. and 5s.  
 JAMESII, 3s. 6d. and 5s.  
 J. LUTHER, 3s. 6d. and 5s.  
 LADY DORINGTON, 3s. 6d. and 5s.  
 LADY MOSLEY, 3s. 6d. & 5s.  
 LINDENI, 3s. 6d. and 5s.  
 LORD ROBERTS, 3s. 6d. & 5s.  
 LORD WOLSELEY, 3s. 6d. & 5s.  
 LOUISA, 3s. 6d. and 5s.  
 MADAME BERGMANN, 3s. 6d. and 5s.  
 MAGNIFICA, 3s. 6d. and 5s.  
 MARGINATA ROSEA, 5s. and 7s. 6d.  
 MASSANGIANA (FRAGRANS VARIEGATA), 7s. 6d.  
 MAYII, 3s. 6d. and 5s.  
 MISS GLENDINNING, 3s. 6d. and 5s.  
 MRS. BAUSE, 3s. 6d. and 5s.  
 MRS. C. J. FREAKE, 3s. 6d. and 5s.  
 MRS. LAIRD, 3s. 6d. and 5s.  
 MRS. ROBERT TURNER, 3s. 6d. and 5s.

**DRACENA**

- MRS. WILLS, 3s. 6d. and 5s.  
 NIGRA RUBRA, 3s. 6d. and 5s.  
 NORWOODIENSIS, 3s. 6d. & 5s.  
 PENDULA, 3s. 6d. and 5s.  
 PIRYNIODES, 7s. 6d.  
 PRINCE OF WALES, 5s. & 7s. 6d.  
 PRINCE CHARLES OF DENMARK, 3s. 6d. and 5s.  
 PRINCE MANOUK BEY, 3s. 6d. and 5s.  
 PRINCESS MAY, 5s. & 7s. 6d.  
 REGINA, 3s. 6d.  
 RENARDIE, 3s. 6d. and 5s.  
 ROSE LAING, 3s. 6d. and 5s.  
 ROSSII, 3s. 6d. and 5s.  
 RUBRA, 3s. 6d.  
 SALMONEA, 3s. 6d. and 5s.  
 SANDERIANA, 3s. 6d.  
 SIDNEYI, 3s. 6d.  
 SMITHII, 5s. and 7s. 6d.  
 STELLA, 3s. 6d. and 5s.  
 STRICTA, 3s. 6d. and 5s.  
 SUPERBA, 3s. 6d. and 5s.  
 SUPERBIENS, 3s. 6d. and 5s.  
 SURCULOSA MACULATA, 5s.  
 THE QUEEN, 5s. and 7s. 6d.  
 THE SIRDAR, 5s. and 7s. 6d.  
 TRIUMPHANS, 3s. 6d. and 5s.  
 VICTORIA, *vide* page 7, 31s. 6d.  
 WILLSII, 3s. 6d. and 5s.  
 WILSONI, 3s. 6d. and 5s.  
 See also page 31.

**DRACONTIUM**

- ASPERUM, 5s.  
 CARDEBI, 7s. 6d.

**DRIMOPSIS**

- KIRRII, 5s.

**ECHITES**

- PICTA, 3s. 6d. and 5s.  
 See also Dipladenia.

**ENCEPHALARTOS, *vide* Index.****ENCHOLIRION**

- CORALLINUM, 7s. 6d.

**EPIPREMNUM**

- MIRABILE ("TONGA PLANT"), 3s. 6d. and 5s.

**ERANTHEMUM**

- ALBO-MARGINATUM, 3s. 6d.  
 CINNABARINUM, 5s.  
 MACROPHYLLUM, 5s.  
 PULCHELLUM, 3s. 6d.  
 VELUTINUM, 5s.  
 VERBENACEUM (CHAMERANTHEMUM), 3s. 6d.

**ERYTHROXYLON**

- Coca (*Coca*), 15s.

**EUADENIA**

- EMINENS, 10s. 6d.

**EUCHARIS**

- AMAZONICA, 2s. 6d. & 3s. 6d.; 24s. and 36s. per dozen.  
 MASTERSII, 3s. 6d.

**EUGENIA**

- JAMBOS (*Rose Apple*), 10s. 6d.  
 LANCEOLATA, 7s. 6d.  
 MYRIOPHYLLA, 3s. 6d. and 5s.  
 PIMENTA (PIMENTA OFFICINALIS), 5s.  
*vide* also page 31.

**EUPHORBIA**

- JACQUINIEFLORA, 3s. 6d.  
 SPLENDENS, 3s. 6d.

**EURYCLES**

- CUNNINGHAMII, 3s. 6d.

**EVODIA**

- ELEGANS, 3s. 6d.

**EXOSTEMMA**

- CHONTALENSIS, 10s. 6d.

**FICUS**

- ALTISSIMA, 3s. 6d. and 5s.  
 AUSTRALIS, 3s. 6d.  
 BARBATA, 2s. 6d. and 3s. 6d.  
 CANNONI (ARTOCARPUS), 3s. 6d.  
 DIVERSIFOLIA, 7s. 6d.  
 EBURNEA, 5s.  
 ELASTICA VARIEGATA, 3s. 6d. and 5s.  
 EXSCULPTA, 3s. 6d. and 5s.  
 FALCATA, 3s. 6d. and 5s.  
 INDICA, 3s. 6d.  
 LACINIATA METALLICA (ARTOCARPUS), 3s. 6d.  
 MACROCARPA, 5s.  
 MACROPHYLLA, 5s.  
 MOORII, 5s.  
 RADICANS, 1s. 6d. and 2s. 6d.  
 — VARIEGATA, 2s. 6d., 3s. 6d., and 5s. For description, *vide* page 9.  
 RELIGIOSA (*Sacred Indian Fig*), 7s. 6d.  
 REPENS (STIPULATA), 1s. 6d. and 2s. 6d.  
 — VARIEGATA, 3s. 6d.  
 See description page 9.  
 SYCOMORUS (*Sycamore Tree of Scripture*), 7s. 6d.  
 SYRINGIFOLIA, 5s.  
 See also Greenhouse Plants.

**FILICUM**

- DECIPIENS, 3s. 6d. and 5s.  
 (Syn. *Pteridophyllum zeylanicum*.)

**FITTONIA**

- AROXYNEURA, 3s. 6d.  
 GIGANTEA, 3s. 6d.  
 PEARCEI, 3s. 6d.

**FRANCISCEA, *see* BRUNFELSIA.****GARCINIA**

- LIVINGSTONI, 10s. 6d.

**GARDENIA**

- CITRIODORA, 3s. 6d.  
 FLORIDA, 2s. 6d. and 3s. 6d.  
 GLOBOSA, 5s.  
 RADICANS, 3s. 6d.

**GEISSOMERIA**

- MARMORATA, 3s. 6d.

**GESNERA**


- CALYPSO, 5s.  
 DUVALII, 3s. 6d.  
 LEOPOLDII, 3s. 6d.  
 — ALBO-CARMINEA, 3s. 6d.  
 — ROSEA-LILACINA, 3s. 6d.  
 MACRANTHA, 3s. 6d.  
 See also page 100.

**GLOBBA**

- ALBA, 5s. and 7s. 6d.

**GLONERIA (*Psychotria*)**

- JASMINIFLORA, 3s. 6d.



NEPENTHES RAFFLESIANA INSIGNIS.



**GLORIOSA**

SUPERBA, 3s. 6d.

**GLOXINIA**, *vide* page 100.**GMELINA**

HYSTRIX, 3s. 6d. and 5s.

*See* description, page 9.**GOETHEA**

STRICTIFLORA, 3s. 6d.

**GONOLOBUS**

CUNDURANGO, 10s. 6d.

**GRAPTOPHYLLUM**

PICTURATUM, 5s.

*See* description, page 9.**GRIFFINIA**

HYACINTHINA, 5s. and 7s. 6d.

*See* description, page 9.**HÆMANTHUS**

KATHERINÆ, 3s. 6d. and 5s.

*Vide* pages 29 and 31.**HELICONIA**

AUREO-STRIATA, 5s. &amp; 7s. 6d.

BREVISPATIA, 10s. 6d.

ILLUSTRIS, 5s., 7s. 6d. &amp; 10s. 6d.

**HEMIGRAPHIS**

COLORATA, 3s. 6d.

**HERNANDIA**

SONORA, 21s.

**HEVEA**BRASILIENSIS (*Pura Rubber*),

31s. 6d.

**HEXACENTRIS** (*Thunbergia*)

MYSORENSIS, 2s. 6d. and

3s. 6d.

**HIBISCUS**ELATUS (*China Bast*), 7s. 6d.

MANIHOT, 5s.

ROSA SINENSIS ALBO-VARIE-

GATUS, 3s. 6d.

— BRILLANTISSIMUS,

3s. 6d.

— DENNISONI,

3s. 6d.

— INTERMEDIUS, 5s.

— MAGNIFICUS, 5s.

— MINIATUS SEMI-

PLENUS, 3s. 6d.

— VIVICANS, 3s. 6d.

SCHIZOPETALUS, 3s. 6d.

*See* also page 31.**HIPPEASTRUM***Vide* Amaryllis.**HOFFMANNIA** (*Higginsia*)

CHIESBREGHTII, 3s. 6d.

**HOPLOPHYTUM**

LINEATUM, 2 and 3 guineas.

**HOYA**

BELLA, 3s. 6d.

CAMPANULATA, 3s. 6d. &amp; 5s.

CARNOSA, 3s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

**HURA**CREPITANS (*Sand Box Tree*),

7s. 6d.

**HYDROCOTYLE**

NITIDULA, 3s. 6d.

**HYMENOCALLIS**

MACROSTEPHANA, various

sizes from 5s. to 21s.

*Vide* Poneratium.**HYPOLYTRUM**

SCHRADERIANUM, 2 and

3 guineas.

*See* description, page 9.**IMPATIENS**

FLACIDA (PLATYPETALA),

3s. 6d.

— (—) ALBA, 3s. 6d.

HAWKERII, 3s. 6d. and 5s.

SULTANI, 3s. 6d.

— CARMINATA, 3s. 6d.

— SALMONEA, 3s. 6d.

**IPOMŒA**

HORSFALLIÆ, 5s. and 7s. 6d.

LEARII, 3s. 6d. and 5s.

TERNATA (THOMSONIANA),

3s. 6d. and 5s.

**IXORA**

ALBA, 3s. 6d.

ARDENS, 7s. 6d.

AURELIA, 3s. 6d.

COCCINEA SUPERBA, 3s. 6d.

EXIMIA, 5s.

ILLUSTRIS.

LORRII, 7s. 6d.

MACROTHYRSA (DUFFII),

3s. 6d. and 5s.

MIRANDA, 5s.

ORNATA, 5s.

PILGRIMI, 3s. 6d.

PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SALMONEA, 7s. 6d.

VENUSTA, 5s.

VERONA, 3s. 6d.

WESTII, 3s. 6d.

WILLIAMSII, 3s. 6d.

**JACARANDA**

MIMOSEFOLIA, 3s. 6d.

**JACOBINIA** (*Cyrtanthera*)

CHRYSTOPHIANA, 3s. 6d.

MAGNIFICA POILLIANA, 3s. 6d.

**JASMINUM**

GRACILLIMUM, 3s. 6d.

HIRSUTUM (MULTIFLORUM),

3s. 6d.

NITIDUM, 10s. 6d. *See* de-

scription, page 9.

SAMBAC, 3s. 6d.

— FLORE PLENO, 3s. 6d.

*See* also page 31.**JATROPHA**

MULTIFIDA, 5s.

**JONESIA**

ASOCA, 10s. 6d. and 15s.

**JUSTICIA**

CARNEA, 3s. 6d.

FLAVACOMA, 3s. 6d.

**KEMPFERIA**

BENSONIÆ, 7s. 6d.

GILBERTII, 3s. 6d.

MOULMEINENSIS, 7s. 6d.

ROSCOEANA, 5s.

ROTUNDA, 5s.

**KARATAS** (*Nidularium*)

FULGENS, 7s. 6d. and 10s. 6d.

INNOCENTII STRIATUM, 5s.,

7s. 6d. and 10s. 6d.

METALLICUM, 10s. 6d. &amp; 15s.

SPECTABILE, 3s. 6d. and 5s.

**KENDRICKIA**WALKERI, 5s. *See* descrip-

tion, page 9.

**KICKXIA**AFRICANA (*Lagos Rubber*),

21s.

**KYLLINGIA**

MONOCEPHALA, 3s. 6d.

**LAMPROCOCCUS** (*Echmea*)

FULGENS, 3s. 6d. and 5s.

MINIATUS, 5s.

SPECIOSUS, 3 guineas.

WEILBACHII, 7s. 6d.

**LANDOLPHIA**

KIRKII, 10s. 6d.

WATSONI (*African Rubber*),

7s. 6d.

**LAPORTEA**

SCHOMBURGII VERSICOLOR,

10s. 6d.

**LEDENBERGIA**

ROSEO-ÆNEA, 3s. 6d.

**LEEA**

AMARILIS SPLENDENS, 5s.

and 7s. 6d.

**LIBONIA**

FLORIBUNDA, 2s. 6d. and

3s. 6d.

PENRHOSIENSIS, 2s. 6d. and

3s. 6d.

**LOWIA**

LONGIFLORA, 10s. 6d.

**MACROZAMIA***Vide* Index.**MAGNOLIA**

PUMILA, 3s. 6d. and 5s.

**MANETTIA**

BICOLOR, 3s. 6d.

**MARANTA**ARUNDINACEA (*The Arrow-*

root Plant), 7s. 6d.

— VARIEGATA (PHRYNIUM

VARIEGATUM), 3s. 6d.

BELLA, 5s.

BICOLOR, 5s.

GRATIOSA, 5s.

ICONIFERA, 3s. 6d.

INSIGNIS, 10s. 6d. *See* de-

scription, page 2.

KERCHOVEANA, 3s. 6d.

LEOPOLDII, 3s. 6d.

LINDENI, 3s. 6d.

LUBBERSII, 3s. 6d.

MAJOR, 3s. 6d.

MAKOVANA, 3s. 6d.

MASSANGIANA, 3s. 6d.

MUSAICA, 10s. 6d.

NITENS, 7s. 6d.

NITIDA, 10s. 6d.

PICTA, 10s. 6d. *See* descrip-

tion, page 9.

PRASINA, 7s. 6d.

ROSEO-PICTA, 3s. 6d.

SANDERIANA, 3s. 6d.

TIGRINA, 10s. 6d. *See* de-

scription, page 2.

VEITCHII, 3s. 6d. and 5s.

WARSCWICZII, 3s. 6d.

ZEBRINA, 3s. 6d.



NEPHTHYTIS PICTURATA.

**MARCGRAVIA**

PARADOXA, 3s. 6d.

**MEDINILLA**

MAGNIFICA, 3s. 6d.

**MELASTOMA**

MALABATHRICA, 5s.

**MESUA**FEIJUNA ("Iron Wood"),  
7s. 6d.**METHONICA**, *vide* Gloriosa.**MEYENIA**

ERECTA, 3s. 6d.

**MIMOSA**

ARGENTEA, 10s. 6d.

*See* description, page 11.**MONSTERA**DELICIOSA (Philodendron  
pertusum), 3s. 6d. & 5s.**MUSA**CAVENDISHII, 7s. 6d. and  
10s. 6d.

SUPERBA, 10s. 6d. and 15s.

ZEBRINA, 10s. 6d. and 15s.

**MUSSENDA**

FRONDOSA, 3s. 6d.

**NAPOLEONA**

IMPERIALIS, 5s. and 7s. 6d.

**NEPENTHES**

AMESIANA, 10s. 6d. and 15s.

AMPULLARIA VITTATA, 10s. 6d.

—— MAJOR, 21s.

ANERLEYENSIS, 10s. 6d. and  
15s.

BURKEI, 15s.

—— EXCELENS, 31s. 6d.  
and 42s.

CHELSONI, 10s. 6d. and 15s.

CINCTA, 10s. 6d.

CURTISII, 10s. 6d. and 15s.

—— SUPERBA, 15s., 21s.  
and 31s. 6d.CYLINDRICA, 7s. 6d. and  
10s. 6d.DICKSONIANA, 10s. 6d., 15s.  
and 21s.

DISTILLATORIA, 10s. 6d.

FOHMOSA, 15s.

HOKKERIANA, 15s.

—— ELONGATA, 15s.

INTERMEDIA, 10s. 6d.

KENNEDYANA, 10s. 6d.

LAWRENCEANA, 10s. 6d. and  
15s.

MASTERSIANA, 10s. 6d.

MIXTA, 10s. 6d. and 15s.

MORGANÆ, 10s. 6d. &amp; 15s.

NORTHIANA, 10s. 6d. &amp; 15s.

PHYLLAMPHORA, 3s. 6d.  
and 5s.

RAFFLESIANA, 10s. 6d.

—— INSIGNIS, 5 guineas.

SANGUINEA, 31s. 6d. &amp; 42s.

SEBENI, 3s. 6d. and 5s.

TIVEYII, 21s. and 31s. 6d.

WRIGHTIANA, 7s. 6d. and  
10s. 6d.**NEPHELIUM**

LITCHI (Litchi), 21s.

**NEPHTHYTIS**

LIBERICA, 5s.

PICTURATA, 3s. 6d.

**NIDULARIUM** (Karatas).INNOCENTII STRIATUM, 5s.,  
7s. 6d. and 10s. 6d. *See*  
description, page 11.

MAKOYANUM, 15s.

MEYENDORFII, 5s.

**OCHNA**

KIRKII, 5s.

MULTIFLORA, 3s. 6d.

**OCHROSIA**

ELLIPTICA, 5s.

**ODONTODENIA**

SPECIOSA (DIPLADENIA

HARRISII), 10s. 6d.

**OPLISMENUS** (PANICUM)

BURMANNI VARIEGATUM

2s. 6d. and 3s. 6d.

INTERMEDIUS, 2s. 6d. and  
3s. 6d.**OUVIRANDRA**

FENESTRALIS, 31s. 6d. &amp; 42s.

**OXALIS**

BUPLEURIFOLIA, 5s.

SENSITIVA, 3s. 6d. and 5s.

**OXERA**

PULCHELLA, 3s. 6d.

**PALISOTA**

BARTERI, 5s.

**PALMS**Of sorts, *vide* Index.**PANAX**

VICTORIÆ, 3s. 6d.

**PANCRATIUM**

EXPANSUM, 7s. 6d.

FRAGRANS, 3s. 6d., 5s. to 21s.

MACROPHYLLUM, 10s. 6d.,  
15s. and 21s.

SPECIOSUM, 5s. and 7s. 6d.

*Vide* Hymenocallis.**PANDANOPHYLLUM**

HUMILE, 1 guinea.

**PANDANUS**JAVANICUS VARIEGATUS,  
3s. 6d. and 5s.

VETCHII, 3s. 6d. and 5s.

**PANICUM**, *vide* Oplismenus.**PASSIFLORA**

ALATA, 3s. 6d.

BUONAPARTEA, 3s. 6d.

CARDINALIS, 3s. 6d.

CLIBRANI, 3s. 6d. and 5s.

EDULIS, 3s. 6d.

FRAGRANT BEAUTY, 3s. 6d.  
and 5s.FULGENS, *vide* Tacsonia  
Buchanani.

KERMESINA, 3s. 6d.

LAURIFOLIA, 5s.

MACROCARPA, 3s. 6d. and 5s.

OLDFIELD GEM, 3s. 6d. &amp; 5s.

PRINCEPS (RACHMORA), 3s. 6d.

QUADRANGULARIS, 3s. 6d.

—— VARIEGATA, 3s. 6d. &amp; 5s.

VIOLEACEA, 3s. 6d.

VITIFOLIA, *vide* Tacsonia  
Buchanani.*See* also page 33.**PAULLINIA**

HOOIBREKII, 10s. 6d.

SORBILIS (Guarana Tea  
Plant), 10s. 6d.**PAVETTA**

BORBONICA, 7s. 6d.

**PAVONIA**

MAKOYANA, 3s. 6d.

MULTIFLORA (WIoTTI), 3s. 6d.

**PELLIONIA**

DAVEAUNA, 3s. 6d.

PULCHRA, 3s. 6d.

**PENTADESMA**BUTYRACEA (Butter Tree),  
10s. 6d.**PENTAS**

CARNIA, 3s. 6d.

KERMESINA, 3s. 6d.

**PEPEROMIA**

ARGYREA, 3s. 6d.

METALLICA, 3s. 6d.

**PERSEA**

GRATISSIMA, 10s. 6d.

**PHALANGIUM**, *vide* page 33.**PHILODENDRON**

CALOPHYLLUM (NOBILE),

7s. 6d. and 10s. 6d.

CARDIERI, 7s. 6d.

CORSINIANUM, 7s. 6d. and  
10s. 6d.

CRINIPES, 5s.

DISCOLOR, 5s.

GIGANTEUM, 7s. 6d.

GLORIOSUM, 5s. and 7s. 6d.

IMPERIALE (MAMEI), 5s. and  
7s. 6d.

LINDENIANUM, 3s. 6d. &amp; 5s.

MLANOCORYS, 5s.

NOBILE, *see* calophyllum.

NOTABILE, 21s.

PERTUSUM (Monstera  
deliciosa), 3s. 6d. and 5s.

QUERCIFOLIUM, 5s.

RADIATUM, 3s. 6d.

**PHRYNIUM**VARIEGATUM (Maranta  
arundinacea variegata),  
3s. 6d.**PHYLLANTHUS**

ATROPURPUREUM, 3s. 6d.

ELEGANS, 5s.

ELONGATUM (Xylophylla),  
5s.

MUCRONATUM, 3s. 6d.

NIVOSUM, 3s. 6d.

ROSEO-PICTUM, 3s. 6d.

**PHYLOTENIUM**

LINDENI, 3s. 6d. and 5s.

**PILEA**

MUSCOSA, 1s. 6d.

**PIMENTA**

OFFICINALIS (Allspice), 5s.

**PIPER**

ARGENTUM, 5s.

JABORANDI, 3s. 6d.

ORNATUM, 3s. 6d.

RUBRO-VERNOSUM, 3s. 6d.

**PIPERIS**

Of sorts, 3s. 6d.



**PITCAIRNIA**

- ALBUCÆFOLIA, 10s. 6d.  
 ALTA, 10s. 6d.  
 ALTENSTEINII, 7s. 6d.  
 CORALLINA, 5s. and 7s. 6d.  
 PLATYPHYLLA, 7s. 6d.  
 TABULÆFORMIS, 3s. 6d. & 5s.

**PLEROMA**

- CANTIDA, 5s.

**PLUMBAGO**

- COCCINEA SUPERBA, 3s. 6d.  
 ROSEA, 3s. 6d.

See also page 33.

**POGOSTEMON**

- PATCHOULI SUAVIS, 3s. 6d.

**POINSETTIA**

- PULCHERRIMA, 3s. 6d.  
 — ALBA, 3s. 6d.  
 — PLENISSIMA, 3s. 6d.  
 — ROSEO-CARMINATA, 3s. 6d.

**PORTLANDIA**

- GRANDIFLORA, 7s. 6d.

**POSOQUERIA**

- MULTIFLORA, 3s. 6d. and 5s.

**POTHOS**

- ARGENTÆUS, 7s. 6d. & 10s. 6d.  
 ARGYREUS, 3s. 6d.  
 AUREUS, 3s. 6d. and 5s.  
 CELATOCAULIS, 2s. 6d. and 3s. 6d.  
 FLEXUOSUS, 7s. 6d. & 10s. 6d.  
 MACROPHYLLUS, 3s. 6d.  
 NITENS, 5s. and 7s. 6d.

**PSIDIUM**

- CATTLEYANUM (Cattley's Guava), 3s. 6d. and 5s.

**PSYCHOTRIA (Gloneria).**

- JASMINIFLORA, 3s. 6d.

**PTERIDOPHYLLUM**

- ZRYLANICUM (FILICUM DECIPIENS), 3s. 6d. and 5s.

**PUYA**

- MAIDIFOLIA, 5s.  
 SULPHUREA, 7s. 6d.  
 UNDULATA (PITCAIRNIA ALTENSTEINII), 7s. 6d.

**RANDIA**

- MALLEIFERA, 7s. 6d.

**RAVENALA**

- GUIANENSIS.

**REIDIA**

- GLAUDESCENS, 3s. 6d.

**ROGEIRA**

- CORDATA (AMGENA), 3s. 6d.

**ROHEA**

- DISCOLOR, 3s. 6d.

**RONDELETIA**

- SPECIOSA MAJOR, 3s. 6d.

**RUBUS**

- MOLUCCANUS (REFLEXUS), 5s.  
 See description, page 11.

**RUELLIA**

- ACUTANGULA, 5s.  
 MACRANTHA, 3s. 6d.  
 ROSEA, 3s. 6d.

**SACCHARUM**

- OFFICINARUM (Sugar Cane), 5s.

**SAINTPAULIA**

- IONANTHA, 2s. 6d. & 3s. 6d.  
 — ALBESCENS, 3s. 6d.

**SANCHEZIA**

- NOBILIS GLAUCOPHYLLA, 3s. 6d.

**SANSEVIERA**

- CYLINDRICA, 10s. 6d.  
 ZEYLANICA, 3s. 6d.

**SCHISMATOGLOTTIS**

- DECORA, 5s.  
 LATIFOLIA, 5s.  
 LONGISPATIA, 5s.  
 SIAMENSIS, 10s. 6d.  
 VARIEGATA, 3s. 6d.

**SCHUBERTIA, see ARAUJA.****SCINDAPSUS**

- ARGYREUS, 3s. 6d.

**SCUTELLARIA**

- ANDAMANENSIS, 5s.

**SMILAX**

- ARGYRIA, 3s. 6d.  
 DISCOLOR, 7s. 6d.  
 ORNATA (MACROPHYLLA MACULATA), 3s. 6d.  
 SHUTTLEWORTHII, 7s. 6d.

**SOLANDRA**

- GRANDIFLORA, 3s. 6d.

**SOLANUM**

- SEAFORTHIANUM, 5s.  
 WENDLANDI, 3s. 6d. and 5s.

**SPARMANNIA**

- AFRICANA, 3s. 6d.  
 — FL. PL., 3s. 6d.

**SPATHIPHYLLUM**

- PICTUM, 5s.

**SPATHODEA**

- CAMPANULATA, 7s. 6d.

**SPHEROGYNE**

- LATIFOLIA, 3s. 6d.

**SPHEROSTEMA**

- MARMORATUM, 3s. 6d. and 5s.

**STADMANNIA**

- AMABILIS, 10s. 6d.

**STAPELIA**

- GIGANTEA, 21s. For description, see page 11.

**STENANDRUM**

- LINDENI, 3s. 6d.

**STENOSPERMATUM**

- WALLISI, 5s.

**STEPHANOTIS**

- FLORIBUNDA ("Elvaston" variety), 3s. 6d. and 5s.

**STERCULIA**

- DISCOLOR, 5s. and 7s. 6d.

**STEUDNERA**

- DISCOLOR, 7s. 6d.

**STRELITZIA**

- AUGUSTA, 15s.  
 REGINÆ, 5s. and 7s. 6d.

**STREPTOCARPUS**

- Hybrids, 2s. 6d. and 3s. 6d.  
 WENDLANDII, 3s. 6d.

**STROBILANTHES**

- DYERIANUS, 2s. 6d.

**SYNGONIUM**

- ALBO-LINEATUM, 3s. 6d.

**TABERNEMONTANA**

- CAMASSA, 3s. 6d.  
 CORONARIA FL. PL., 3s. 6d.

**TACCA**

- ARTOCARPIFOLIA, 10s. 6d.

**TACSONIA**

- BUCHANANI (VITIFOLIA), 3s. 6d. and 5s.

**TAPEINOTIS**

- CAROLINÆ MAJOR, 5s.

**TERMINALIA**

- ELEGANS, 5s.

**THEOBROMA**

- CACAO (COCO), 21s.

**THUNBERGIA**

- AFFINIS, 3s. 6d. and 5s.  
 GRANDIFLORA, 3s. 6d.  
 HARRISHI (LAURIFOLIA), 2s. 6d. and 3s. 6d.

**THYRSACANTHUS**

- RUTILANS, 2s. 6d. & 3s. 6d.

**TILLANDSIA**

- ACALUIS ZEBRINA, 5s.  
 — AUREA, 7s. 6d.  
 BRUCKERII, 7s. 6d. & 10s. 6d.  
 BIVITTATA, 5s. and 7s. 6d.  
 HIEROGLYPHICA, 5s., 7s. 6d., and 10s. 6d.  
 LINDENIANA VERA, 5s., 7s. 6d., and 10s. 6d.  
 TESSELLATA, 5s., 7s. 6d. and 10s. 6d.  
 ZADNII (CARAGUATA), 5s.

**TOXICOPHLEA (Accoanthera)**

- SPECTABILIS, 3s. 6d.  
 THUNBERGII, 5s.

**TRADESCANTIA**

- DECORA, 5s.  
 ELONGATA, 10s. 6d.  
 REGINÆ, 3s. 6d.  
 See also Cyanotis, page 17.

**TRIPLARIS**

- SURINAMENSIS, 10s. 6d.

**TYDEA, vide page 100.****URCEOCHARIS**

- CLIBRANI, 5s. and 7s. 6d.

**URCEOLINA**

- AUREA, 3s. 6d.

**UROSKINNERA**

- SPECTABILIS, 2s. 6d. & 3s. 6d.

**UTRICULARIA**

- MONTANA, 7s. 6d. & 10s. 6d.

**VANILLA**

- AROMATICA, 3s. 6d. and 5s.  
 PLANIFOLIA, 5s. and 7s. 6d.

**VINCA**

- ALBA, 1s. 6d. and 2s. 6d.  
 — OCULATA, 1s. 6d. and 2s. 6d.

**VRIESIA**

- BRACHYSTACHYA, 3s. 6d. & 5s.  
 FALKENBERGII, 10s. 6d.  
 PURPURASCENS, 15s. and 21s.  
 See description, page 11.  
 SPLENDENS (SPECIOSA), 3s. 6d. and 5s.

**XYLOPHYLLA**

- ANGUSTIFOLIA, 5s.  
 ELONGATA, 5s.  
 INTERMEDIA, 5s.

**ZINGIBER**

- CYLINDRICUM, 3s. 6d.  
 D'ARCYI, 3s. 6d.  
 OFFICINALE (Ginger), 3s. 6d.  
 ZERUMBET, 3s. 6d.

## STOVE CLIMBERS, WALL AND PILLAR PLANTS.

**ABROMA**  
SINUOSA.  
**ALLAMANDAS**  
Of sorts.  
**ANTIGONON**  
INSIGNE.  
LEPTOPUS ALBUM.  
**ARAUJA**  
ORANDIFLORA.  
**ARISTOLOCHIA**  
ELEGANS.  
Of sorts.  
**ASPARAGUS**  
PLUMOSUS NANUS.  
Of sorts.  
**BEAUMONTIA**  
ORANDIFLORA.  
**BIGNONIA**  
CHAMBERLAYNII.  
Of sorts.  
**BOUGAINVILLEA**  
FORMOSA.  
GLABRA.  
Of sorts.  
**CAMOENSIA**  
MAXIMA.  
**CEROPEGIA**  
WOODI.  
**CISSUS**  
DISCOLOR.

**CLERODENDRON**  
BALFOURIANUM.  
Of sorts.  
**COMBRETUM**  
GRANDIFLOSUM.  
PURPURKUM.  
**DIOSCOREA**  
ILLUSTRATA.  
SPECIOSA.  
Of sorts.  
**DIPLADENIA**  
Of sorts.  
**ECHITES**  
PICTA.  
**EPIPREMNUM**  
MIRABILE.  
**FIGUS**  
AUSTRALIS.  
BARBATA.  
FALCATA.  
RADICANS.  
— VARIEGATA.  
BEPENS.  
— VARIEGATA.  
Of sorts.  
**GLORIOSA**  
SUPERBA.  
**GMEIINA**  
HYSTRIX.  
**HIBISCUS**  
Of sorts.

**HOYA**  
CARNOSA.  
Of sorts.  
**IPOMÆA**  
HORSFALLIE.  
LEARII.  
TERNATA.  
**JASMINUM**  
GRACILLIMUM.  
NITIDUM.  
Of sorts.  
**KENDRICKIA**  
WALKERI.  
**LANDOLPHIA**  
KIRKII.  
WATSONI.  
**MARCGRAVIA**  
PARADOXA.  
**MIMOSA**  
ARGENTEA.  
**MONSTERA**  
DELICIOSA.  
**ODONTODENIA**  
SPECIOSA.  
**PASSIFLORA**  
KERMESINA.  
PRINCEPS.  
QUADRANGULARIS  
VARIEGATA.  
Of sorts.

**PHILODENDRONS**  
Of sorts.  
**PLUMBAGO**  
COCCINEA SUPERBA.  
ROSEA.  
**POTHOS**  
FLEXUOSUS.  
Of sorts.  
**RUBUS**  
MOLUCCANUS.  
**SCINDAPSUS**  
ARGYREUS.  
**SMILAX**  
DISCOLOR.  
Of sorts.  
**SOLANUM**  
WENDLANDI.  
**SPATHODEA**  
CAMPANULATA.  
**STEPHANOTIS**  
FLORIBUNDA.  
**THUNBERGIIAS**  
Of sorts.  
**TACSONIA**  
BUCHANANI.  
**VANILLA**  
AROMATICA.  
PLANIFOLIA.


## GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

**ACACIA**  
DEALBATA.  
Of sorts.  
**ASPARAGUS**  
PLUMOSUS NANUS.  
Of sorts.  
**BIGNONIA**  
CAPREOLATA.  
CHIERERE.  
Of sorts.  
**BOMAREA**  
CARDERII.  
**BOWIEA**  
VOLUBILIS.  
**CESTRUM**  
SMITHII.  
Of sorts.  
**CISSUS**  
ANTARCTICA.  
Of sorts.  
**COBEA**  
SCANDENS VARIE-  
GATA.

**CLEMATIS**  
INDIVISA.  
LOBATA.  
**CLIANTHUS**  
Of sorts.  
**FIGUS**  
MINIMA.  
REPENS.  
Of sorts.  
**GELSEMIUM**  
SEMPERVIRENS.  
**HABROTHAMNUS**  
AUBREITII.  
— AURANTIACUS.  
ELEGANS.  
NEWELLII.  
SMITHII.  
Of sorts.  
**HARDENBERGIA**  
MONOPHYLLA.  
— VARIEGATA.  
Of sorts.  
**HIDALGOA**  
WERCKLEII.

**JASMINUMS**  
Of sorts.  
**KENNEDYA**  
MARRYATTÆ.  
Of sorts.  
**LAPAGERIA**  
ALBA.  
ROSEA.  
RUBRA SUPERBA.  
**MANDEVILLEA**  
SUAVEOLENS.  
**MYRSIPHILLUM**  
ASPARAGOIDES.  
**PASSIFLORA**  
CAMPELLII.  
IMPERATRICE  
EUGÉNIE.  
LAWSONI.  
MONROI.  
Of sorts.  
**PLUMBAGO**  
CAPENSIS.  
— ALBA.

**SENECIO**  
MACROGLOSSUS (The  
Cape Ivy).  
**SOLANUM**  
JASMINOIDES.  
**SOLLYA**  
LINEARIS.  
**TACSONIA**  
ERIANTHIA.  
EXONIKENSIS.  
JAMESONI.  
VAN VOLXEMII.  
Of sorts.  
**TECOMA**  
CAPENSIS.  
ROSEA.  
**TRACHELOSPER-  
MUM** (Rhynchos-  
permum)  
Of sorts.  
**TROPÆOLUMS**  
Of sorts.  
**VITIS**  
METEOROPHYLLA.  
— VARIEGATA.



**DEYEUXIA ELEGANS VARIEGATA.**

For description, *vide* page 27.



# SELECT GREENHOUSE PLANTS.

For General List of Greenhouse Plants, see page 30.

## AGAPANTHUS GLOBOSUM.

A distinct dwarf growing species imported from the Orange River Territory. It produces on long scapes, dense globular heads of flowers individually about an inch in diameter and of good shape. The three outer petals are lilac-blue shaded white and bluntly pointed, the inner ones emarginate and much darker in colour, the central vein of each petal dark bluish lilac. The strap-shaped leaves are arching and about a foot long. 7s. 6d.

## AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhutan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10s. 6d.

## ASPARAGUS MYRIOCLADUS.

This charming decorative species is destined to become a very favourite variety. It is of wiry growth, the main branches bearing slender branchlets thickly furnished with dense whorls of light green leaflets changing with age to dark green. 15s. and 21s. each.

## ASPARAGUS PLUMOSUS CRISTATUS.

A prettily crested variety of the well-known and popular *Asparagus plumosus*, the tips of many of the fronds being divided and sub-divided, giving to the fronds an attractive crested appearance. 10s. 6d.

## CARNATIONS, TREE.

For Winter blooming; all the best kinds. 18s., 30s. and 42s. per dozen.

## CARNATIONS, MALMAISON.

All the newest varieties and standard sorts supplied at current prices.

## CESTRUM (HABROTHAMNUS) SMITHII.

A most charming variety raised from *C. elegans*, bearing in terminal trusses beautiful blush-rose flowers, produced all through the summer and autumn in the most profuse manner. It will be found a most desirable addition to warm greenhouses and conservatories, and is especially useful for cutting, the flowers lasting a considerable time in good condition. 3s. 6d. and 5s.

## CINERARIA, LADY THISELTON DYER.

This pretty decorative variety has been obtained by crossing the hybrid variety "Kew Blue" with the species *C. Heritieri*. It has small whitish green leaves, and grows from 1½ ft. to 2 ft. high, bearing large spreading corymbs of flowers. The ray-florets are whitish at the base with an outer margin of pale blue. Being exceptionally free flowering, it will be found most useful either for cutting or general decorative purposes. 5s.

## DEYEUXIA ELEGANS VARIEGATA.


A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 2s. 6d., 3s. 6d. and 5s.

## DIANELLA TASMANICA VARIEGATA.

A very striking and desirable variegated greenhouse plant introduced from Tasmania. The leaves are handsomely striated with creamy yellow, forming a very effective variegation. The pale blue flowers are produced on a loose, many-branched panicle, and are followed in due course by large and handsome bright blue berries. These hang on hair-like pedicels, and for many weeks form a highly ornamental and conspicuous adornment to the conservatory. 10s. 6d.

## DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10s. 6d.

**ASPARAGUS PLUMOSUS NANUS.**

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 2s. 6d., 3s. 6d. and 5s.



# GREENHOUSE PLANTS.

## ABUTILONS

Of sorts, 1s. 6d.

## ACACIA

Of sorts, 3s. 6d. and 5s.

## AGAPANTHUS

GLOBOSUM, 10s. 6d. See description, page 27.

UMBELLATUM, 1s. 6d.

— ALBUM, 2s. 6d.

— FL. PL., 3s. 6d.

## AGAPETES

BUXIFOLIA, 10s. 6d. See description, page 27.

## AGATHEA

CELESTIS, 1s. and 1s. 6d.

## ALBERTA

MAGNA, 10s. 6d.

## AMARYLLIS, vide page 3.

## AMORPHOPHALLUS

(Proteinophallus)

RIVIERI, 3s. 6d.

## ANTHERICUM (Phalangium)

VARIEGATUM, 3s. 6d.

## AOTUS

ORACILLIMA, 3s. 6d.

## APHELEXIS (Helichrysum)

HUMILIS, 3s. 6d.

— BRUCEI, 3s. 6d.

MACRANTHA PURPUREA, 3s. 6d.

— ROSEA, 3s. 6d.

SPECTABILIS, 3s. 6d.

WARDII, 3s. 6d.

## ARALIA (Fatsia)

JAPONICA, 1s. 6d. and 2s. 6d.

— VARIEGATA, 3s. 6d. & 5s.

## ARAUCARIA

BIDWILLII (Bunya Bunya), 3s. 6d. and 5s.

EXCELSA (Norfolk Island Pine), 3s. 6d., 5s. and 7s. 6d. Specimen Plants, 21s. and 31s. 6d.

## ARAUJA (Physianthus)

SERICIFERA, 3s. 6d.

## ARDUINA (Carissa)

GRANDIFLORA, 7s. 6d.

## ASPARAGUS

DECUMBENS (DEFLEXUS), 3s. 6d. and 5s.

PLUMOSUS, 2s. 6d., 3s. 6d. and 5s.

— CRISTATUS, see page 27, 10s. 6d.

— NANUS, 2s. 6d., 3s. 6d. and 5s.

SPRENGERI, 2s. 6d. and 3s. 6d.

— COMPACTA, 5s.

— VARIEGATA, 15s. and 21s.

TENUISSIMUS, 2s. 6d. and 3s. 6d.

TERNIFOLIUS (FALCATUS), 7s. 6d.

## ASPIDISTRA

LURIDA, 3s. 6d., 5s. and 7s. 6d.

— VARIEGATA, 5s., 7s. 6d. and 10s. 6d.

## AZALEA

INDICA, in all the leading varieties, 30s., 42s. and 60s. per doz.

## BEGONIAS, see pages 96 to 98.

## BERBERIDOPSIS

CORALLINA, 3s. 6d.

## BIGNONIA (Tocoma)

CAPENSIS, 3s. 6d.

CAITREOLATA, 3s. 6d.

CHERERE, 3s. 6d.

GRANDIFLORA, 3s. 6d.

JASMINOIDES, 3s. 6d.

SPECIOSA, 3s. 6d.

TWEEDIANA, 3s. 6d.

VENUSTA, 3s. 6d. and 5s.

Vide also page 15.

## BILLARDIERA

LONGIFLORA, 3s. 6d.

## BLANDFORDIA

NOBILIS, 5s. and 7s. 6d.

## BORONIA

DRUMMONDII, 3s. 6d.

ELATIOR, 3s. 6d.

HETEROPHYLLA, 3s. 6d.

MEGASTIGMA, 3s. 6d.

## BOUVARDIAS

Of sorts, 18s. to 30s. per doz.

## BOWIEA

VOLUBILIS, 3s. 6d.

## BOWKERIA

TRIPHYLLA, 3s. 6d. and 5s.

## BREDIA

HIRSUTA, 3s. 6d.

## BRUGMANSIA (Datura)

ARBOREA, 3s. 6d.

KNIGHTII (FLORE PLENO), 3s. 6d.

SANGUINEA, 3s. 6d. and 5s.

SUAVEOLENS, 3s. 6d.

## CALADIUM, vide Index.

## CALLA

ELLIOTTIANA, 5s., 7s. 6d. and 10s. 6d.

PENTLANDII, 5s., 7s. 6d. and 10s. 6d.

THE GODFREY, 1s. 6d. and 2s. 6d.

See also Richardia.

## CALODENDRON

CAPENSE (Cape Chestnut), 5s.

## CAMELLIAS

In all the leading varieties, 30s. to 105s. per doz.

## CAMPANULA

ISOPHYLLA, 1s. 6d. & 2s. 6d.

— BALCHINIANA, 3s. 6d.

— MAYII, 2s. 6d. & 3s. 6d.

— OLORIOSA, 2s. 6d.

and 3s. 6d.

— PALLIDA, 2s. 6d.

and 3s. 6d.

## CAREX

JAPONICA VARIEGATA, 1s. 6d.

## CARISSA (Arduina)

GRANDIFLORA (Natal Plum), 7s. 6d.

## CARNATIONS, see page 27.

## CASSIA

CORYMBOSA, 3s. 6d.

FLORIBUNDA, 3s. 6d.

## CEREUS

SPECTOSISSIMUS, 3s. 6d.

## CESTRUM (Habrothamnus)

AURANTIACUM, 3s. 6d.

ELEGANS, 3s. 6d.

FASCICULATUM, 3s. 6d.

NEWELLII, 3s. 6d.

SMITHII, 3s. 6d. and 5s.

See description, page 27.

## CHOROEZEMA

CORDATUM SPLENDENS, 3s. 6d.

LAWRENCEANUM, 3s. 6d.

LOWII, 3s. 6d.

VARIUM (CHANDLERI), 3s. 6d.

## CINERARIA

LADY T. DYER, 5s.

See description, page 27.

## CINNAMOMUM

CAMPHORA, 3s. 6d. and 5s.

## CISSUS (Vitis)

ANTARCTICA, 3s. 6d.

## CITRUS

JAPONICA (Otaheite Orange)

5s.

## CLEMATIS

INDIVISA, 2s. 6d. and 3s. 6d.

— LOBATA, 2s. 6d. & 3s. 6d.

## CLIANTHUS

PUNICUS MAGNIFICUS, 3s. 6d.

and 5s.

## CLIVIA

NOBILIS, 5s.

See Imantophyllum, pages 29 and 31.

## COBÆA

SCANDENS VARIEGATA, 3s. 6d.

## COLEUS

THYRSOIDEUS, 2s. 6d.

See also Index.

## CORREA

CARDINALIS, 3s. 6d.

MAGNIFICA, 3s. 6d.

SPECIOSA MAJOR, 3s. 6d.

VENTRICOSA, 3s. 6d.

## CRINUM

MOOREI, 2s. 6d. to 7s. 6d.

POWELLII, 2s. 6d., 3s. 6d., to 7s. 6d.



**CROWEA**

LATIFOLIA, 3s. 6d.

**CYCADS**, *vide* Index.**CYCLAMEN**PERSICUM, 24s., 36s. and 42s.  
per dozen.**CYRTANTHUS**

FLAMBEAU, 3s. 6d.

INTERMEDIUM, 3s. 6d.

MACKENII, 2s. 6d.

**CYTISUS**

RACEMOSUS, 1s. 6d.

— EVERESTIANUS, 2s. 6d.

**DAPHNE**

INDICA ALBA, 3s. 6d. and 5s.

— RUBRA, 3s. 6d. and 5s.

**DEYEUXIA**

ELEGANS VARIEGATA, 2s. 6d.,

3s. 6d. and 5s.

*See* description, page 27.**DIANELLA**

INTERMEDIA, 5s.

TASMANICA VARIEGATA,  
10s. 6d. *See* description,  
page 27.**DIMORPHOTHECA**

ECKLONI, 3s. 6d. and 5s.

**DIPLARHENA**

MOREA, 10s. 6d.

*See* description, page 27.**DRACENA**

AUSTRALIS, 3s. 6d. to 10s. 6d.

Fine Plants, 15s. to 2 gs.  
— LINEATA, 10s. 6d., 15s.  
and 21s.

BRUNTTII, 2s. 6d. and 3s. 6d.

CONGESTA, 2s. 6d. and 3s. 6d.

HECKHAUTII, 2s. 6d. &amp; 3s. 6d.

INDIVISA LINEATA, 3s. 6d.

RUBRA, 2s. 6d. and 3s. 6d.

*See* also pages 17 and 19.**DRACOPHYLLUM**

GRACILE, 3s. 6d.

**EPACRIS**

Of sorts, 30s. &amp; 42s. per doz.

**ERICAS**

Of sorts, 30s. &amp; 42s. per doz.

**ERIOBOTRYA**

JAPONICA (LOQUAT), 7s. 6d.

**ERIOSTEMON**

BUXIFOLIUS, 3s. 6d.

INTERMEDIUS, 3s. 6d.

PULCHELLUS, 3s. 6d.

**ERYTHRINA**

COMPACTA, 3s. 6d.

CRISTA-GALLI, 2s. 6d. &amp; 3s. 6d.

**EUCALYPTUS**

CITRIODORA, 3s. 6d.

GLOBULUS (Blue Gum), 3s. 6d.

**EUGENIA**

UGNI, 2s. 6d. and 3s. 6d.

*vide* also page 19.**EUPATORIUM**

ODORATUM, 1s. 6d. &amp; 2s. 6d.

**EURYA** (Cleyera)

LATIFOLIA VARIEGATA, 3s. 6d.

**EUTAXIA**MYRTIFOLIA FLORIBUNDA,  
2s. 6d. and 3s. 6d.**FATSIA** (Aralia)

JAPONICA, 1s. 6d. and 2s. 6d.

— VARIEGATA, 3s. 6d. &amp; 5s.

**FERNs**, *vide* Index.**FICUS**

MACROPHYLLA, 5s.

MINIMA, 1s. 6d. and 2s. 6d.

REPENS (STIPULATA), 1s. 6d.  
and 2s. 6d.— VARIEGATA. For de-  
scription, *vide* page 9.**FRANCOA**

APPENDICULATA, 2s. 6d.

RAMOSA, 2s. 6d.

**FUCHSIAS**, *vide* Index.**GENETILLIS**

FUCHSIOIDES, 5s.

TULIPIFERA, 5s.

**GERBERA**

JAMESONI, 3s. 6d.

**GONOLBUS**

CUNDURANGO, 10s. 6d.

**GREVILLEA**

ROBUSTA, 2s. 6d. and 3s. 6d.

**HABROTHAMNUS**, *see* Cestrum.**HÆMANTHUS**

ALBIFLOS, 5s.

CANDIDUM, 21s. *See* descrip-  
tion, page 29.

COCCINUM, 3s. 6d.

TIGRINUM, 3s. 6d.

**HAKEA**

SUAVEOLENS, 5s.

**HARDENBERGIA**

COMPTONIANA, 3s. 6d.

MONOPHYLLA, 3s. 6d.

— VARIEGATA, 3s. 6d. &amp; 5s.

**HEDYCHIUM**GARDNERIANUM, 3s. 6d.  
and 5s.**HIBBERTIA**

DENTATA, 3s. 6d.

PERFOLIATA, 3s. 6d.

REIDII, 3s. 6d.

**HIBISCUS**

CALYCINUS (CHRYSANTHUS), 5s.

PEDUNCULATUS, 5s.

*See* also page 21.**HIDALGOA**

WERCKLEII, 2s. 6d.

**HUMEA**

ELEGANS, 2s. 6d. and 3s. 6d.

**IMANTOPHYLLUM**BLANDFORDIIFLORUM  
STRIATUM, 21s. *See* de-  
scription, page 29.

CYRTANTHIFLORUM, 5s.

— CHLORACEUM, 10s. 6d.

— FLAMMEUM, 31s. 6d.

— FULGENS, 15s.

— INSIGNE, 31s. 6d.

— OBLIQUUM, 31s. 6d.

— SUPERBUM, 21s.

GARDENI, 7s. 6d., 10s. 6d.  
and 15s.MINIATUM, 3s. 6d., 5s., 7s. 6d.  
and 10s. 6d.; fine plants,  
15s. & 21s.In choice sorts, 15s., 21s.,  
31s. 6d., 42s. & 63s.**INDIGOFERA**

DECORA, 5s.

**ISMENE**

CALATHINA, 2s. 6d. &amp; 3s. 6d.

**JASMINUM**

ANGULARE, 3s. 6d.

GRANDIFLORUM, 3s. 6d.

ODORATISSIMUM, 3s. 6d.

POITEAU, 3s. 6d.

*See* also pages 9 and 21.**KALANCHOE**

FLAMMEA, 2s. 6d. and 3s. 6d.

**KENNEDYA**

Of sorts, 3s. 6d. and 5s.

**LACHENALIA**

Of sorts, 1s. to 3s. 6d.

**LAGERSTRECHIA**

INDICA, 3s. 6d.

**LAPAGERIA**ALBA, 5s., 7s. 6d., 10s. 6d.  
and 15s.ROSEA, 3s. 6d., 5s., 7s. 6d.  
and 10s. 6d.RUBRA SUPERBA, 10s. 6d. and  
15s.— NASH COURT VARIETY  
(tree), 15s., 21s., 31s. 6d.  
and 42s. For description,  
*see* page 29.**LASIANDRA**

MACRANTHA, 3s. 6d.

— FLORIBUNDA, 5s.

**LESCHENAUTIA**

BILOBA MAJOR, 3s. 6d. &amp; 5s.

**LIBONIA**

FLORIBUNDA, 3s. 6d.

PENKHOISIENSIS, 3s. 6d.

**LILIUMS**Of sorts, 12s., 18s., 30s. & 42s.  
*See* pages 49 and 50.**LINUM** (Reinwardtia)

TETRAGYNUM, 3s. 6d.

TRIGYNUM, 3s. 6d.

**LOMATIA**

ELEGANTISSIMA, 5s.

SILAIIFOLIA (HETEROPHYLLA),  
5s.**LONICERA**

HILDEBRANDTII, 10s. 6d.

**LUCULIA**

GRATISSIMA, 5s. and 7s. 6d.

PINCEANA, 7s. 6d. &amp; 10s. 6d.

**MACADAMIA**

TERNIFOLIA, 10s. 6d.

**MACKAYA**

BELLA, 3s. 6d. and 5s.

**MACROZAMIA**, *vide* Index.**MAGNOLIA**

FUSCATA, 3s. 6d. and 5s.

PUMILA, 3s. 6d. and 5s.

**MANDEVILLA**

SUAVEOLENS, 3s. 6d.


**MARGUERITE**

CORONATION, 2s. 6d. &amp; 3s. 6d.

**MARICA**

NORTHIANA, 7s. 6d. &amp; 10s. 6d.

**MARSILEA**MACROFUS ("NARDOO"),  
10s. 6d.



SARRACENIA DRUMMONDII.

**METROSIDEROS**

FLORIBUNDA, 1s. 6d. and 5s.

**MITRARIA**

COCINEA, 3s. 6d.

**MUSA**

CAVENDISHII, 7s. 6d. and 10s. 6d.

ENSETE, 5s., 7s. 6d. &amp; 10s. 6d.

See also page 23.

**MUTISIA**

DECURRENS, 3s. 6d.

**MYRSIPHYLLUM**

ASPARAGOIDES, 3s. 6d.

**MYRTUS**

COMMUNIS, 1s. 6d. &amp; 2s. 6d.

— FL. PL., 1s. 6d. &amp; 2s. 6d.

**NERINE**

CANDIDA, 10s. 6d. For description see page 29.

CORUSCANS, 3s. 6d.

FOTIERGILLII MAJOR, 5s.

ROSEA, 2s. 6d.

**NERIUM**

OLEANDER ALBUM PLENUM, 3s. 6d.

— RUBRUM PLENUM, 3s. 6d.

— SPLENDENS VARIEGATA, 5s.

**NERTERA**

DEPRESSA, 1s. 6d.

**OLEA (Olive)**

EUROPEA, 3s. 6d.

FRAGRANS, 3s. 6d.

**OPHIPOGON**

JABURAN AUREO-VARIEGATUS, 2s. 6d. and 3s. 6d.

SPICATUS ARGENTEO-MARGINATUS, 2s. 6d. and 3s. 6d.

**PALMS**

Of sorts, vide pages 74 to 77.

**PASSIFLORA**

CERULEA, EYNSFORD GEM, 2s. 6d.

— RAOEMOSA, 2s. 6d.

IMPERATRICE EUGÉNIE, 2s. 6d. and 3s. 6d.

LAWSONI, 3s. 6d.

Of sorts, 3s. 6d. and 5s.

See also page 23.

**PELAGONIUM**, vide pages 89 to 92.**PHENOCOMA**

PROLIFERA BARNESII, 5s.

**PHALANGIUM**

ARGENTEO-LINEARK (ANTHERICUM VARIEGATUM), 2s. 6d. and 3s. 6d.

LINEARE KEGANS, 3s. 6d.

**PHILAGERIA**

VEITCHII, 10s. 6d.

**PHILESIA**

BUXIFOLIA, 7s. 6d. &amp; 10s. 6d.

**PHORMIUM**

COLENSOI, 3s. 6d., 5s. and 7s. 6d.

TENAX, 3s. 6d. and 5s.

— VEITCHII, 3s. 6d., 5s. and 7s. 6d.

**PHYLOCACTUS**, see page 36.**PHYSIANTHUS**

ALBENS (ARAUJA SERICIFERA), 3s. 6d.

**PIMELIA**

DECUSSATA, 3s. 6d.

HENDERSONI, 3s. 6d. &amp; 5s.

SPECTABILIS, 3s. 6d. and 5s.

**PINCINECTITIA**

TUBERCOLATA, 21s.

**PISTACIA**

LENTISCUS (Ma 7s. 6d.

**PLUMBAGO**

CAPENSIS, 3s. 6d.

— ALBA, 3s. 6d.

See also page 24.

**POLYGALA**

CORDIFOLIA, 3s. 6d.

DALMAIANSIA, 3s. 6d.

**PRIMULA**

FLORIBUNDA, 2s. 6d.

KEWENSIS, 5s.

**PULTENÆA**

ROSEA, 3s. 6d.

**PUNICA**

GRANATUM (POMEGRANATE),

ALBA PLENA, 3s. 6d. &amp; 5s.

— RUBRA PLENA, 3s. 6d. and 5s.

**REINWARDTIA**

TETRAGYNE, 3s. 6d.

TRIGYNA (LINUM TRIGYNUM), 3s. 6d.

**RHODOCHITON**

VOLUBILE, 3s. 6d.

**RHODODENDRONS**

See page 35.

**RHOPALA**

CORCOVADENSIS, 5s.

**RHYNCHOSPERMUM**

(Trachospermum)

JASMINOIDES, 3s. 6d.

— ALBO-VARIEGATUM, 3s. 6d.

**RICHARDIA**AFRICANA (*Calla aethiopica*), 1s. and 1s. 6d.

— LITTLE GEM, 1s. and 1s. 6d.

— THE GODFREY, 1s. 6d. and 2s. 6d.

ELLIOTTIANA, 5s., 7s. 6d., and 10s. 6d.

PENTLANDII, 5s., 7s. 6d. and 10s. 6d.

REIMANNII, 2s. 6d.

**ROCHEA (Kalanchoes)**

COCINEA, 2s. 6d. &amp; 3s. 6d.

FALCATA, 2s. 6d. and 3s. 6d.

**ROGEIRA**

GRATISSIMA, 5s. and 7s. 6d.

**SALVIA**

SPLENDENS GRANDIFLORA, 2s. 6d. and 3s. 6d.

**SARRACENIA**

CHELSONI, 5s.

DRUMMONDI, 3s. 6d. and 5s.

FLAVA, 3s. 6d.

MELANORHODA, 7s. 6d.

PURPUREA, 5s.

STEVENSII, 5s.

VARIOLARIS, 5s.

WILLISII, 7s. 6d.

**SCHINUS**

MOLLE (Pepper Tree), 3s. 6d.

TEREBINTHIFOLIUS, 3s. 6d.

**SOLANUM**

JASMINOIDES, 3s. 6d.

See also page 24.

**SOLLYA**

DRUMMONDII, 3s. 6d.

HETEROPHYLLA, 3s. 6d.

**STREPTOSOLEN (Browallia)**

JAMESONI, 3s. 6d.

**STYPHELIA**

LONGIFOLIA, 5s. and 7s. 6d.

**SWAINSONIA**

GALEGIFOLIA, 3s. 6d.

— ALBA, 3s. 6d.

ROSEA GRANDIFLORA, 3s. 6d.

SPLENDENS, 3s. 6d.

**TACSONIA**

ERIANTHA, 3s. 6d.

EXONIENSIS, 3s. 6d.

IGNEA, 3s. 6d.

MOLLISSIMA, 3s. 6d.

PINNATISTIPULA, 3s. 6d.

SMYTHEANA, 3s. 6d. For description, see page 29.

TOMENTOSA SPECIOSA, 3s. 6d.

VAN VOLXEMI, 3s. 6d.

See also page 24.

**TECOMA**

ROSEA, 3s. 6d., 5s., &amp; 7s. 6d.

For description, see page 29.

SMITHII, 3s. 6d.

For description, see page 29.

See also Bignonia.

**THEA**

ASSAMICA, 3s. 6d. and 5s.

**THIBAUDIA**

ACUMINATA, 3s. 6d.

**TRACHELOSPERMUM**

(Rhynchospermum)

JASMINOIDES, 3s. 6d.

— ALBO-VARIEGATUM, 2s. 6d.

**TREMADRA**

ERIOSEFOLIA HIRSUTA, 3s. 6d.

VERTICILLATA, 3s. 6d.

**TURRÆA**

HETEROPHYLLA, 5s. &amp; 7s. 6d.

**VALLOTA**

HYBRIDA, 10s. 6d. For description, see page 29.

PURPUREA, 1s. 6d. &amp; 2s. 6d.

**VERONICA**

HULKEANA, 2s. 6d. &amp; 3s. 6d.

See description, page 29.

**VITIS**

HETEROPHYLLA HUMULIFOLIA, 2s. 6d.

— VARIEGATA, 2s. 6d. and 3s. 6d.

**WITSENIA**


CORYMBOSA, 3s. 6d.

**YUCCA**

ALOIFOLIA VARIEGATA, 5s. and 7s. 6d.

FILAMENTOSA VARIEGATA, 5s. and 7s. 6d.





RHODODENDRON, PINK BEAUTY.

**RHODODENDRON, PINK BEAUTY.**

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long bluish-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 5s. and 7s. 6d.

# GREENHOUSE RHODODENDRONS.

## SPECIES AND VARIETIES.

- ALBESCENTS**, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 3s. 6d. and 5s.
- EXONIENSE**, trusses of ivory white flowers; buds flushed pink. 3s. 6d.
- FORDII**, a native of the Island of Lantau, China; it is of shrubby habit, bearing thick coriaceous leaves, varying considerably in shape; the flowers are white and of medium size. 7s. 6d.
- LADY ALICE FITZWILLIAM**, clusters of white blooms, each flower three and a-half to four inches across. 3s. 6d. and 5s.
- NIVALE**, a beautiful hybrid in the *multiflorum* section, producing in the greatest profusion trusses of broadly expanded pure white flowers. 10s. 6d.
- SMIRNOWII**, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers of medium size. 3s. 6d. and 5s.

## FREE-FLOWERING HYBRIDS.

The following are hybrids in the free-flowering *Javanico-jasminiflorum* group:—

- ANACREON**, very rich bright cherry carmine flowers, well shaped and most pleasing and distinct in colour. 10s. 6d.
- ARIADNE**, freely produces trusses of long tubular wax-like white flowers, the expanded segments being faintly tinged with blush. 7s. 6d.
- ATLAS**, a very beautiful greenhouse hybrid, producing trusses of long tubular flowers of a delicate blush colour. 7s. 6d.
- AURELIA**, rich golden yellow flowers of good shape, borne in fine trusses. 10s. 6d.
- BELLONA**, a fine free-flowering hybrid, bearing large trusses of long tubed pure white flowers, the individual blossoms of perfect shape. 7s. 6d.
- CIRCE**, fine trusses of large white flowers very delicately shaded with soft pink, the petals prettily crimped. 7s. 6d.
- CLARINDA**, flowers of a very delicate blush-pink, the petals being prettily crimped. 7s. 6d.
- CLAUDIA**, grand trusses of large well-shaped, rich orange-buff flowers, anthers of a pretty magenta pink colour. 10s. 6d.
- DIADEM**, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 7s. 6d.
- DIANA**, long tubed, delicate blush pink flowers, the petals somewhat crimped and wavy. 7s. 6d.
- DORIS**, an exceedingly pretty variety bearing trusses of creamy yellow flowers. 10s. 6d.
- EGERIA**, flowers large and of good shape, salmon-buff suffused or tinged with crimson. 10s. 6d.
- EMBLEM**, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 5s.
- FAIR ROSAMOND**, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 7s. 6d. and 10s. 6d.
- HERA**, fine trusses of yellowish buff flowers shaded with salmon pink, the individual blooms being of large size and good shape. 10s. 6d.
- IONE**, a very charming variety with clear rose-coloured petals, the throat and tube being pure white. 7s. 6d.
- IRENE**, fine trusses of well-shaped flower of a rich coral-pink, a very pretty shade of colour. 7s. 6d.
- ISIS**, very free-flowering; flowers milk-white suffused with rose. 7s. 6d.
- JAVANICUM**, a beautifully golden-yellow flowering species. 5s. and 7s. 6d.
- LEDA**, trusses of well-made flowers, petals full and round, blush shaded with pink, the throat cerise pink, in telling contrast to the petals. 7s. 6d.
- METIS**, large trusses of flowers of a soft shade of salmon pink suffused with rose, the margins of the petals prettily undulated. 7s. 6d.
- ORION**, this handsome hybrid produces large trusses of rich magenta-pink flowers, very bright and attractive. 7s. 6d.
- PERA**, flowers of fine shape, sepals bright cerise pink, tube French white, a pretty and cheerful looking colour. 10s. 6d.
- PINK BEAUTY**, see page 34.
- PLATO**, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 7s. 6d.
- PSYCHE**, a lovely hybrid bearing trusses of very long-tubed pure white flowers, the rosy pink anthers in the centre forming a pleasing contrast with the snow-white petals. 7s. 6d.
- ROSALIND**, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 5s.
- SYLVIA**, large trusses of soft pink-coloured flowers, tube nearly white. 7s. 6d.
- THALIA**, large lemon-buff flowers of good shape, throat shaded with rose. 7s. 6d.
- URANIA**, fine trusses of salmon-buff flowers shaded with pink, the segments prettily crimped. 7s. 6d.
- ZAMPA**, magnificent trusses of rich buff-yellow flowers; very handsome. 10s. 6d.

Choice Selections from the above and other Greenhouse kinds at 42s. and 63s. per dozen.

# CACTI AND OTHER SUCCULENTS

## ALOE

- BREVIFOLIA  
HUMILIS  
PERCRASSA, 2s. 6d.

## CEREUS

- BAUMANNI, 3s. 6d.  
DAVISII, 5s.  
GEOMETRIZANS, 3s. 6d.  
ORANDIFLORUS (Night-blooming Cactus), 3s. 6d.  
PERUVIANUS, 3s. 6d.  
SPACHIANUS, 5s.  
VALDUS, 2s. 6d.  
VARIABLES MONSTROSUS, 3s. 6d.

## ECHINOCACTUS

- CORNIOERUS, 3s. 6d.  
CORYNODES, 2s. 6d.  
DENUDATUS, 1s. 6d.  
GROSSEI, 3s. 6d.  
HUMILIS ORACILIS, 3s. 6d.  
HAMATOCANTHIUS (LONOHAMATUS), 5s.  
LONOSPINUS, 5s.  
OTTONIS, 2s. 6d.  
— TENUISPINUS, 2s. 6d.  
SCHUMANNIANUS, 2s. 6d.  
— NIGRISPINUS, 2s. 6d.  
SETISPINUS, 1s. 6d.  
STENOGENUS, 2s. 6d.  
WISLIZENI, 3s. 6d.

## ECHINOCEREUS (Cereus)

- STRAMINEUS, 2s. 6d.

## ECHINOPSIS (Cereus)

- EYRIESII, 1s. 6d.  
LEUCANTHA, 3s. 6d.  
PUDANTII, 2s. 6d.

## EPIPHYLLUM

- DELICATUM (new), 21s.  
For description, see page 1.  
TRUNCATUM, of sorts, at 3s. 6d.

## EUPHORBIA

- ANTIQUORUM, 1s. 6d.  
JACQUINIAFLORA, 2s. 6d. and 3s. 6d.  
SPLENDENS, 2s. 6d. and 3s. 6d.

## GASTERIA

- TRIOONA, 2s. 6d.  
VERRUCOSA, 1s. 6d.

## MAMILLARIA

- BICOLOR, 2s. 6d.  
BOCASANA, 2s. 6d.  
CENTRICIERHIA, 3s. 6d.  
DECIPIENS, 2s. 6d.  
ELEPHANTIDENS, 2s. 6d.  
ORANDIDENS, 3s. 6d.  
MELACANTHA, 2s. 6d.  
MACROTHIELE, 2s. 6d.  
PEIFFERI, 5s.  
PULOHIELLA, 1s. 6d.  
PUSILLA, 1s. 6d.  
RAPHADACANTHA, 1s. 6d.  
RHODANTHA, 1s. 6d.  
STELLA AURATA, 1s. 6d.  
UBERIFORMIS, 2s. 6d.  
UNCINATA, 2s. 6d.

## MESEMBRYANTHEMUM

- EDULE, 3s. 6d.  
TIGRINUM, 1s. 6d.

## OPUNTIA

- FRAGILIS, 3s. 6d.  
PARAGUAYENSIS, 3s. 6d.  
POLYANTHA, 1s.

## PERESKIA

- ACULEATA, 1s. and 1s. 6d.

## PHYLLOCACTUS

- AURANTIACUS, 5s.  
CRENATUS ALBUS, 5s.  
FIREFLY, 5s.  
FULGENS, 3s. 6d.  
MAONIFICUS, 5s.  
METEOR, 5s.  
PEACOCKII, 3s. 6d. and 5s.  
RUBER, 2s. 6d.  
SANGUINEUS, 5s.  
SALMONEA, 5s.  
SPECIOSISSIMUS, 3s. 6d.  
VIOLEACEA, 3s. 6d.  
VIVICANS, 5s.

## STAPELIA

- GIGANTEA, vide page 11.

Selections made by William Bull & Sons at 15s., 24s. and 30s. per dozen.



# SELECT HARDY PLANTS.

## ALPINE PLANTS.

Good Selections of these pretty plants, suitable for Rockwork, &c. 9s. and 12s. per dozen.

## ANDROMEDA ARBOREA.

An ornamental tree from the Eastern United States, attaining a height of 15 to 40 feet. It has oblong lanceolate glabrous dark green leaves, assuming a rich tint in the autumn months. The pure white bell-shaped flowers are borne in elegant racemes produced in great profusion during the summer. 3s. 6d. and 5s.

## CAMELLIA SASANQUA.

This handsome hardy Camellia is offered in two varieties, one having single red flowers and the other double white. First Class Certificate from the Royal Horticultural Society.  
Single Red, 3s. 6d. and 5s. Double White, 3s. 6d. and 5s.

## CARPENTERIA CALIFORNICA.

A handsome Californian Shrub producing large terminal bunches of white flowers which have a fragrance similar to the *Philadelphus*. An extremely ornamental flowering plant. 3s. 6d. and 5s.

## CHOISYA TERNATA.

A most desirable plant for forcing, producing a profusion of sweet-scented flowers. Good plants supplied in the autumn well set with buds. 18s., 24s. and 30s. per dozen.

## CHRYSANTHEMUMS.

All the best and newest varieties supplied at current prices. Good selections made from all sections at 6s., 9s. and 12s. per dozen; 40s., 60s. and 75s. per 100.

## CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. 18s. and 30s. per dozen. New varieties, 42s. per dozen.

## CLETHRA ALNIFOLIA.

Very useful for forcing, producing graceful spikes of pure white flowers. 18s. and 30s. per dozen.

## COREOPSIS GRANDIFLORA, ELDERADO.

A splendid new variety of the well-known *C. grandiflora*, having larger flowers of a rich golden colour much deeper and fuller than the type. 1s. 6d. each; 15s. per dozen.

## HERBACEOUS PLANTS.

Choice selections of these useful border plants made at 6s., 9s. and 12s. per dozen; 40s., 60s. and 75s. per 100. For list see page 43.

## HYDRANGEA PANICULATA GRANDIFLORA.

Extremely useful for forcing. Strong plants can be supplied in the autumn for this purpose at 15s., 24s. and 30s. per dozen.

## IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders; the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6s., 9s. and 12s. per dozen; choice mixed varieties, 2s. 6d. per dozen.

## IRIS KÄMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan; indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. Some are pure white with delicate reticulations of lavender, others are beautifully maculated with rosy-purple on a light ground, while many beautiful shades of dark crimson, blue, purple, and violet will be found amongst them. They succeed admirably planted on the margin of a lake or pond, or in any situation where plenty of moisture can be given. 2s. 6d. and 3s. 6d. each; choice varieties, 5s. and 7s. 6d. each. Mixed Seedlings, 7s. 6d. and 10s. 6d. per dozen.

## LILACS.

Strong plants for Forcing, grown in pots and well set with buds. Ready in the Autumn.

**CHARLES X.**, flowers purplish lilac, but forces white. 30s., 36s. and 42s. per doz.

**MADAME CASIMIR-PERRIER**, fine double white, 42s. and 60s. per doz.


**MADAME LEMOINE**, double white. 42s. and 60s. per doz.

**MARIE LEGRAYE**, single white; the best for forcing. 36s. to 60s. per doz.

dwarf standards, with good heads. 5s. and 7s. 6d. each.

**SOÜVR. DE L. SPATH**, purplish red, the best dark variety. 42s. to 60s. per doz.

Other varieties, in good plants set with buds. 42s. to 60s. per doz.



DOUBLE LILAC, MADAME LEMOINE.



## LILIUMS.

From a large Collection, comprising all the best and most useful either for forcing, growing in pots or planting in beds and borders, we can supply Selections at 12s., 18s., 30s. and 42s. per dozen. For detailed list of sorts, see pages 49 and 50.

## LOBELIA GERRARDI.

These handsome Herbaceous Lobelias supplied in great variety at 30s. per dozen.

## MAGNOLIA WATSONI.

A handsome species introduced from Japan, producing at the same time as the leaves an abundance of large cream-coloured flowers, strikingly ornamented with a ring of dark red filaments in the centre. 5s. and 7s. 6d.

## PÆONIES.

**HERBACEOUS PÆONIES**, in choice named sorts and various colours. Extremely showy and most useful for cutting. 1s. and 1s. 6d. each; 10s. and 15s. per dozen. New kinds, 2s. 6d., 3s. 6d. and 5s. each.

**TREE PÆONIES**.—These are specially imported from Japan every season, and comprise many new varieties with immense flowers of the most chaste and superb colours. 5s., 7s. 6d. and 10s. 6d. each.

## PHILADELPHUS LEMOINEI, VARIETIES.

**BOULE D'ARGENT**, a double-flowered variety of dwarfer growth than *P. coronarius*, and therefore adapted for pot culture and forcing. Its pure white flowers are borne in terminal corymbs, and are deliciously fragrant. Awarded a First Class Certificate by R.H.S. 1s. 6d. and 2s. 6d.

**CANDELABRE**, a dwarf variety with large white flowers, many of which are prettily denticulated. It is extremely floriferous, the branches being completely clothed with blossom. 1s. 6d. and 2s. 6d.

**ERECTUS**, a hybrid between *P. microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers white and very sweet-scented, with yellow anthers, and are borne in axillary umbels the whole length of the branches. 1s. 6d. and 2s. 6d.

**GERBE DE NEIGE**.—Enormous pure white flowers as large as those of *P. grandiflorus speciosissimus*, and very fragrant, borne in such abundance as to arch over the branches. 1s. 6d. and 2s. 6d.

## PRUNUS.

Plants prepared for Forcing. Ready in the Autumn.

**SINENSIS ALBA PLENA** (*Double White Almond*), 18s. and 30s. per doz.

**SINENSIS RUBRA PLENA** (*Double Red Almond*), 18s. and 30s. per doz.

**TRILOBA**, bears a profusion of double light pink flowers. Bushy plants grown in pots, 24s. and 30s. per doz. Dwarf standards, 30s. and 42s. per doz.

## RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, and closely packed with spike-like greenish flowers. 1s. 6d., 2s. 6d. and 3s. 6d.

## SPIRÆAS (SHRUBBY).

**CONFUSA**, a lovely white variety. Strong plants grown in pots, 18s., 24s. and 30s. per doz.

**ANTHONY WATERER**, dark crimson flowers. Pot-grown plants, 24s. and 30s. per doz.

## STAPHYLEA COLCHICA.

A most useful plant for forcing, bearing terminal panicles of white flowers. Strong plants, grown in pots and set with buds, 24s. and 30s. per doz.

## VIBURNUMS, "GUELDER ROSES."

**OPULUS** (*Snowball Tree*), strong plants grown in pots and well set, 18s., 24s. and 30s. per doz. Half standards, 24s., 30s. and 42s. per doz.

**PLICATUM**, beautiful umbels of pure white flowers, quite covering the plant. Strong plants, grown in pots, 24s. and 30s. per doz. Half standards, 30s. and 42s. per doz.

## WISTARIA SINENSIS.

Nothing can be more handsome than these when in full bloom, their lovely spikes of blue flowers being most attractive. Strong plants grown in pots, 30s. and 42s. per doz.

**STANDARDS**, most effective when in bloom. 5s. and 7s. 6d. each.



# HARDY PLANTS.

## ABELIA

FLORIBUNDA, 2s. 6d. & 3s. 6d.  
SERRATA, 2s. 6d. and 3s. 6d.

## ACER—Japanese Maples

CARPINIFOLIUM, 3s. 6d. & 5s.  
JAPONICUM, 3s. 6d. and 5s.  
—AUREUM, 3s. 6d. to 10s. 6d.

—LACINIATUM, 3s. 6d. and 5s.

—VITIFOLIUM, 3s. 6d. to 7s. 6d.

RUFINERVE ALBO-LIMBATUM, 3s. 6d. and 5s.

PALMATUM ATROPURPUREUM, 2s. 6d. and 3s. 6d.

—VARIEGATUM, 3s. 6d. to 7s. 6d.

—AUREUM VARIEGATUM, 3s. 6d. and 7s. 6d.

—DISSECTUM PURPUREUM, 3s. 6d. and 5s.

—FLAVESCENS, 2s. 6d. to 5s.

—LOBATUM, 2s. 6d. to 5s.

—INVOLUTUM, 2s. 6d. to 5s.

—LINEARILOBUM, 3s. 6d. and 5s.

—PURPUREUM, 3s. 6d. and 5s.

—PALMATIFIDUM, 3s. 6d. and 5s.

—ROSEO-MARGINATUM, 3s. 6d. and 5s.

—RUBRIFOLIUM, 3s. 6d. and 5s.

—SANGUINEUM, 3s. 6d. and 5s.

—SEPTEMLOBUM, 3s. 6d. and 5s.

—ELEOANS, 3s. 6d. and 5s.

—PURPUREUM, 3s. and 5s.

—VERSICOLOR, 3s. 6d. and 5s.

## Other Species and Varieties.

### NEOUNDO VARIEGATUM—

Dwarfs, 1s. 6d., 2s. 6d. and 3s. 6d.

Standards, 3s. 6d. and 5s.

PLATANOIDES AUREO-MARGINATUM, 2s. 6d., 3s. 6d. and 5s.

—LACINIATUM, 2s. 6d., 3s. 6d. and 5s.

—PURPUREUM, 2s. 6d., 3s. 6d. and 5s.

PSEUDO-PLATANUS LEPOLDII, 2s. 6d., 3s. 6d. and 5s.

—ATROPURPUREUM, 2s. 6d., 3s. 6d. and 5s.

—WOKLEYII, 2s. 6d., 3s. 6d. and 5s.

## AMPELOPSIS

HEDERACEA, 1s. to 3s. 6d.

—MURALIS, 1s. 6d., 2s. 6d. and 3s. 6d.

TRICUSPIDATA (VEITCHII), 1s. to 3s. 6d.

—PURPUREA, 1s. 6d. to 3s. 6d.

## AMYGDALUS

PERSICA FL. PL. CRIMSON, 3s. 6d. and 5s.

—ROSE, 2s. 6d., 3s. 6d. and 5s.

—WHITE, 2s. 6d., 3s. 6d. and 5s.

## ANDROMEDA

AEBOREA, 3s. 6d. and 5s.  
See description, page 37.

FLORIBUNDA, 2s. 6d., 3s. 6d. and 5s.

JAPONICA, 2s. 6d., 3s. 6d. and 5s.

SPECIOSA CASSINEFOLIA, 2s. 6d., 3s. 6d. and 5s.

## ARALIA

MAXIMOWICZII, 2s. 6d. and 3s. 6d.

SIEBOLDII, 1s. 6d. to 3s. 6d.

## ARUNDO

CONSPICUA, 1s. 6d. & 2s. 6d.

DONAX, 1s. 6d. and 2s. 6d.

—VARIEGATA, 2s. 6d. and 3s. 6d.

## AZALEA

ALTACLARENSE, 30s. and 42s. per doz.

DAVIESII, 24s. and 30s. per doz.

MOLLIS, 18s., 24s. 30s. and 42s. per doz.

MOLLIS X SINENSIS, 24s., 36s. and 42s. per doz.

—ANTHONY KOSTER and other named sorts, 30s. to 42s. per doz.

PONTICA (HARDY GHENT), 18s. and 30s. per doz.

RUSTICA FL. PL., 30s. and 42s. per doz.

## AZARA

MICROPHYLLA, 1s. 6d. and 2s. 6d.

## BAMBUSA

AUREA, 3s. 6d. and 5s.

AURICOMA (MAXIMOWICZII), 1s. 6d., 2s. 6d. & 3s. 6d.

DISTICHA (NANA), 2s. 6d., 3s. 6d. and 5s.

FALCATA, 3s. 6d., 5s. & 7s. 6d.

FALCONERI, 5s., 7s. 6d. and 10s. 6d.

FORTUNEI VARIEGATA 1s. 6d., 2s. 6d. and 3s. 6d.

HINDSII, 3s. 6d., 5s. & 7s. 6d.

## BAMBUSA

JAPONICA (MITSUKI), 2s. 6d., 3s. 6d. and 5s.

LAYDEKERI, 3s. 6d., 5s. and 7s. 6d.

MITIS, 5s., 7s. 6d. & 10s. 6d.

NIOBA, 5s., 7s. 6d. & 10s. 6d.

NITIDA, 5s., 7s. 6d. & 10s. 6d.

PALMATA, 2s. 6d., 3s. 6d. and 5s.

PUMILA, 2s. 6d., 3s. 6d. & 5s.

PYGMAEA, 2s. 6d., 3s. 6d. and 5s.

QUILLOI, 5s., 7s. 6d. & 10s. 6d.

SIMONI, 2s. 6d., 3s. 6d. & 5s.

—STRIATA, 2s. 6d., 3s. 6d. and 5s.

TESSELLATA, 3s. 6d. and 5s.

VERTICILLATA, 5s., 7s. 6d. and 10s. 6d.

VIOLESCENS, 5s., 7s. 6d. and 10s. 6d.

Specimen plants from 10s. 6d. to 2 guineas.

## BERBERIS

STENOPHYLLA, 1s. 6d. and 2s. 6d.

Of sorts, 1s. 6d. to 3s. 6d.

## BIGNONIA

GRANDIFLORA, 2s. 6d. and 3s. 6d.

RADICANS, 2s. 6d. and 3s. 6d.

## CALYCANTHUS

FLORIDUS, 1s. 6d., 2s. 6d. and 3s. 6d.

PRÆCOX, 1s. 6d., 2s. 6d. and 3s. 6d.

## CAMELLIA

SASANGUA, 3s. 6d., 5s. and 7s. 6d. See description, page 37.

## CARPENTERIA

CALIFORNICA, 3s. 6d. & 5s. See description, page 37.

## CATALPA

AUREA, 1s. 6d. to 5s.

## CEANOTHUS

AZUREUS, 1s. 6d. and 2s. 6d.

Of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.

## CHOISYA

TERNATA, 1s. 6d., 2s. 6d. and 3s. 6d. See description, page 37.

## CHRYSANTHEMUMS

see page 37.

## CLEMATIS, see page 37.

## CLETHRA

ALNIFOLIA, 1s. 6d., 2s. 6d. and 3s. 6d. See description, page 37.

## COREOPSIS

GRANDIFLORA, ELDERADO, 1s. 6d. See description, page 37.

**CORNUS**

MACROPHYLLA, 3s. 6d. & 5s.  
SIBIRICA SPATHULI, 1s. 6d. &  
2s. 6d.

**CRATÆGUS**

In great variety.  
Pyramids, 12s. to 30s.  
per doz.  
Standards, 18s. to 42s.  
per doz.

**CRINUM**

CAPENSE ALBUM, 1s.  
— ROSEUM, 1s.

**CYDONIA**

JAPONICA (PYRUS), 1s. 6d.,  
2s. 6d. and 3s. 6d.  
— In variety, 1s. 6d. to  
3s. 6d.  
MAULEI, 1s. 6d. to 3s. 6d.

**CYTISUS**

SCOPARIUS ANDREANUS, 1s.,  
1s. 6d. and 2s. 6d.  
Standards, 3s. 6d. and 5s.

**DAPHNE**

CNEORUM, 1s. 6d., 2s. 6d.  
and 3s. 6d.  
MEZEREUM, 1s., 1s. 6d. and  
2s. 6d.  
— ATROURUBRUM, 2s. 6d.  
and 3s. 6d.

**DESFONTAINEA**

SPINOSA, 2s. 6d., 3s. 6d. & 5s.

**DESMODIUM**

PENDULIFLORUM  
(LESPEDEZA BICOLOR),  
1s. 6d. and 2s. 6d.

**DEUTZIA**

CORYMBIFLORA, 2s. 6d. and  
3s. 6d.  
CRENATA FL. PL., 1s. 6d.  
and 2s. 6d.  
— CANDIDISSIMA PLENA,  
1s. 6d. and 2s. 6d.  
— ROSEO FL. PL., 1s. 6d.  
and 2s. 6d.  
GRACILIS, 1s., 1s. 6d. & 2s. 6d.  
LEMOINEI, 1s. 6d., 2s. 6d.  
and 3s. 6d.

**DIELYTRA**

SPECTABILIS, 6s. per doz.

**EULALIA**

JAPONICA, 1s. 6d. and 2s. 6d.  
— GRACILLIMA, 1s. 6d. &  
2s. 6d.  
— VARIEGATA, 1s. 6d.,  
2s. 6d. and 3s. 6d.  
— ZEBRINA, 1s. 6d.,  
2s. 6d. and 3s. 6d.

**FORSYTHIA**

SUSPENSAS, 1s. 6d. & 2s. 6d.

**FREMTONTIA**

CALIFORNIA, 5s. and 7s. 6d.

**HEDERA**

AMURENSIS, 2s. 6d. & 3s. 6d.  
HELIX (Common English  
Ivy), 12s., 18s. and 30s.  
per doz.

**HEDERA**

HELIX CANARIENSIS (Irish  
Ivy), 12s., 18s. and 30s.,  
per doz.  
Many other kinds, 1s. 6d.  
and 2s. 6d. each.

**HEDYSARUM**

MULTIJUGUM, 1s. 6d. & 2s. 6d.

**HIBISCUS (Althæa).**

SYRIACUS, in variety, 1s.  
and 1s. 6d.

**HYDRANGEA**

ASPERA, 1s. 6d. and 2s. 6d.  
HORTENSIA, 1s. 6d. & 2s. 6d.  
— MARIESII, 2s. 6d. and  
3s. 6d.  
— OTAKSA, 1s. 6d. and  
2s. 6d.  
— ROSEA, 2s. 6d. and  
3s. 6d.

PANICULATA GRANDIFLORA,  
1s. and 1s. 6d.  
STELLATA FIMBRIATA, 2s. 6d.  
and 3s. 6d.

— FL. PL., 1s. 6d., 2s. 6d.  
and 3s. 6d.

See also page 37.

**HYPERICUM**

CALYCINUM, 6s. and 9s.  
per doz.  
MOSERIUM, 1s. & 1s. 6d.  
each.  
— TRICOLOR, 1s. 6d.,  
2s. 6d. and 3s. 6d. each.

**IDESIA**

POLYCARPA, 2s. 6d. & 3s. 6d.

**KALMIA**

LATIFOLIA, 1s. 6d., 2s. 6d.  
and 3s. 6d.

**KOLREUTERIA**

PANICULATA, 1s. 6d., 2s. 6d.  
and 3s. 6d.

**LESPEDEZA**

BICOLOR (*Desmodium pen-  
duliflorum*), 1s. 6d. and  
2s. 6d.

**LEYCESTERIA**

FORMOSA, 1s., 1s. 6d. and  
2s. 6d.

**LILACS,**

see Syringa.  
Plants for forcing, see  
page 37.

**LILIUMS,**

see page 49 and 50.

**LOBELIA GERRARDI,**

see page 39.

**MACLURA (Osage Orange)**

AURANTIACA, 1s. 6d., 2s. 6d.  
and 3s. 6d.  
TRICUSPIDATA, 1s. 6d., 2s. 6d.  
and 3s. 6d.

**MAGNOLIA**

ACUMINATA, 2s. 6d. to  
10s. 6d.  
CAMPBELLII, 5s., 7s. 6d. and  
10s. 6d.  
CONSPICUA (YULAN), 3s. 6d.,  
5s. and 7s. 6d.

**MAGNOLIA**

GRANDIFLORA, 3s. 6d., 5s.,  
7s. 6d. and 10s. 6d.  
— EXMOUTH VARIETY,  
3s. 6d. to 10s. 6d.  
LENNEI, 3s. 6d., 5s. and  
7s. 6d.  
PURPUREA, 2s. 6d., 3s. 6d.  
and 5s.  
STELLATA (HALLEANA),  
3s. 6d., 5s. and 7s. 6d.  
WATSONI, 5s. and 7s. 6d.,  
vide description, page 39.

**MONTBRETIA**

In great variety, supplied  
in the autumn at 1s. 6d.  
per dozen, 10s. per 100.

**PEONIES,**

vide page 39.

**PHILADELPHUS**

(Mock Orange)

CORONARIUS, 1s., 1s. 6d.  
and 2s. 6d.  
COULTERI, 1s., 1s. 6d. and  
2s. 6d.  
GRANDIFLORUS, 1s., 1s. 6d.  
and 2s. 6d.  
— SPECIOSISSIMUS, 1s.,  
1s. 6d. and 2s. 6d.  
LEMOINEI ERECTUS, 1s. 6d.  
and 2s. 6d., see page 39.  
— BOULE D'ARGENT,  
1s. 6d. and 2s. 6d., see  
page 39.  
— CANDELABRE, 1s. 6d.  
and 2s. 6d., see page 39.  
— GERBE DE NEIGE,  
1s. 6d. and 2s. 6d., see  
page 39.  
PRIMULIFLORUS, 1s. 6d. and  
2s. 6d.

**PHLOXES—Herbaceous**

Selections of best kinds  
made at 12s., 18s. and  
30s. per doz.

**PRUNUS**

PISSARDI, 1s. 6d., 2s. 6d.  
and 3s. 6d.  
SINENSIS ALBA PLENA, 1s. 6d.,  
2s. 6d. and 3s. 6d.  
— RUBRA PLENA, 1s. 6d.,  
2s. 6d. and 3s. 6d.  
TRILOBATA, 1s. 6d., 2s. 6d.  
and 3s. 6d., see page 39.

**PTEROSTYRAX**


HISPIDA, 2s. 6d. and 3s. 6d.

**PUNICA (Pomegranate)**

GRANATUM (Single Red),  
2s. 6d., 3s. 6d. and 5s.  
— FL. PL. (Double Red),  
2s. 6d., 3s. 6d. and 5s.

**PYRUS**

FLORIBUNDA, 1s. 6d., 2s. 6d.  
and 3s. 6d. Prepared  
for forcing, 30s. and 42s.  
per doz.  
— ATROSANOUINEA, 1s. 6d.,  
2s. 6d. and 3s. 6d.



SPIRÆA ASTILBOIDES.



## HARDY PLANTS—continued.

**RHEUM**

OFFICINALE, 1s. 6d., 2s. 6d. and 3s. 6d. See description, page 39.

**RHODODENDRONS**

CATAWBIENSE, in variety, 2s. 6d., 3s. 6d. and 5s.  
PINK PEARL (new), 21s.  
Finest Hybrids in great variety, 2s. 6d., 3s. 6d. and 5s.

**RIBES**

In variety, 1s., 1s. 6d. and 2s. 6d.

**ROSES**, see Index.**SCHIZOPHRAGMA**

HYDRANGEOIDES, 2s. 6d. and 3s. 6d.

**SKIMMIA**

FORTUNEI, 1s. 6d. & 2s. 6d.  
JAPONICA, 1s. 6d. & 2s. 6d.  
— FRAGRANS, 1s., 1s. 6d. and 2s. 6d.

**SPIRÆA (Shrubby)**

ANTHONY WATERER, 1s. 6d. and 2s. 6d.  
CONFUSA, 1s. 6d. and 2s. 6d.  
Other shrubby kinds at 1s., 1s. 6d. and 2s. 6d.

**SPIRÆA (Herbaceous)**

ASTILBOIDES, 6s. and 9s. per doz.  
— FLORIBUNDA, 6s. & 9s. per doz.  
JAPONICA, 4s. per doz.  
— AUREO-RETICULATA, 6s. per doz.  
— COMPACTA MULTIFLORA, 5s. per doz.  
PALMATA, 4s. 6d. per doz.  
— ALBA, 6s. per doz.

**STAPHYLEA**

COLCHICA, 1s. 6d. & 2s. 6d.  
Prepared for forcing, see page 39.

**STYRAX**

JAPONICA, 2s. 6d. & 3s. 6d.

**SYRINGA (Lilac)**

VULGARIS, in many splendid varieties at 1s. 6d., 2s. 6d. and 3s. 6d.

**VIBURNUM**

OPULUS (Guelder Rose), 1s. 6d. and 2s. 6d.  
— STERILE, 1s. 6d. and 2s. 6d.

**VIBURNUM**

PLICATUM, 2s. 6d. & 3s. 6d.  
For plants prepared for forcing see page 39.

**VINCA**

MAJOR, 6s. and 9s. per doz.  
— VARIEGATA, 6s. and 9s. per doz.  
MINOR, 6s. and 9s. per doz.  
— ALBA, 6s. and 9s. per doz.  
— ARGENTEO VARIEGATA, 6s. and 9s. per doz.  
— AUREO VARIEGATA, 6s. and 9s. per doz.

**WEIGELA**

ABEL CARRIÈRE, 1s. 6d. and 2s. 6d.  
CANDIDA, 1s. 6d. & 2s. 6d.  
EVA RATHKE, 1s. 6d. and 2s. 6d.  
And many other kinds.

**WISTARIA**

SINENSIS, 2s. 6d. and 3s. 6d.  
— ALBA, 2s. 6d. & 3s. 6d.  
— PLENA, 2s. 6d. and 3s. 6d.  
Standards, 5s. and 7s. 6d.

**XANTHOCERAS**

SORBIFOLIA, 1s. 6d., 2s. 6d. and 3s. 6d.

# HARDY PERENNIAL AND HERBACEOUS PLANTS.

**ACENA**

MICROPHYLLA, 9d.  
NOVA-ZEALANDICA, 9d.  
OVALIFOLIA, 9d.

**ACANTHOLIMON**

GLUMACEUM, 9d.

**ACANTHUS**

CANDELABRUM, 1s.  
LATIFOLIUS, 9d.  
LUSITANICUS, 1s.  
MOLIS, 1s.  
NIGER, 1s.  
SPINOSUS, 1s.

**ACHILLEA**

CLAVENNÆ, 9d.  
EUATORIUM, 1s.  
FILAPENDULA, 1s.  
MILLEFOLIUM RUBRUM, 6d.

**ACHILLEA**

PTARMICA FL. FL., 6d.  
— THE PEARL, 9d.  
RUPESTRIS, 9d.  
SERRATA FL. FL., 9d.  
TOMENTOSA, 6d.  
UMBELLATA, 1s.

**ACIPHYLLA**

COLENSOI, 1s. 6d.  
LYALLII, 1s. 6d.  
SQUARROSA, 1s. 6d.

**ACONITUM (Monk's Hood)**

ANTHORA, 9d.  
AUTUMNALE, 9d.  
BARBATUM, 1s.  
JAPONICUM, 1s.  
NAPELLUS, 9d.  
— ALBUM, 1s.  
— BICOLOR, 9d.  
OCHROLEUCUM, 1s.

**ACONITUM (Monk's Hood)**

PANICULATUM, 1s.  
PYRENAICUM, 1s. 6d.

**ACORUS**

CALAMUS, 9d.  
— FOLIIS VARIEGATIS, 1s.  
GRAMINEUS, 9d.

**ACTÆA**

SPICATA, 9d.  
— RUBRA, 1s.

**ADONIS**

AMURENSIS, 1s. 6d.  
PYRENAICA, 1s.  
VERNALIS, 1s.

**AGROSTEMMA**

CORONARIA ALBA, 9d.  
— PURPUREA, 9d.  
FLOS JOVIS, 6d.  
HYBRIDA (WALKERI), 9d.

**AJUGA**

- GENEVENSI FOL. VAR., 1s.  
REPTANS ATROPURPUREA,  
6d.  
— COMPACTA, 6d.

**ALCHEMILLA**

- ALPINA, 6d.

**ALETIS**

- FARINOSA, 1s. 6d.

**ALYSSUM**

- ALPESTRE, 9d.  
MONTANUM, 1s.  
SAXATILE, 6d.  
— CITRINUM, 1s.  
— VARIEGATUM, 1s.

**ANCHUSA**

- AZUREA, 6d.  
ITALICA, 9d.

**ANDROSACE**

- CARNEA, 1s. 6d.  
LANUGINOSA, 1s.  
LEICHTLINII, 1s. 6d.  
SARMENTOSA, 1s.  
VILLOSA, 2s. 6d.  
VITALIANA, 1s. 6d.

**ANEMONE**

- ALPINA, 1s.  
— SULPHUREA, 1s. 6d.  
ANGULOSA, 1s.  
APENNINA, 6d.  
— ALBA, 9d.  
FULGENS, 6d.  
— ALDBORO' VARIETY, 1s.  
— FL. PL., 6d.  
— GRANDIFLORA, 9d.  
— MULTIPETALA, 6d.  
JAPONICA, 6d.  
— ALBA, 6d.  
— LADY ARDILAUN, 1s. 6d.  
— WHIRLWIND, 1s.  
NEMEROSA ALBA PLENA, 6d.  
— ROBINSONIANA, 1s.  
— ROSEA, 9d.  
PALMATA, 9d.  
PENNSYLVANICA, 9d.  
PULSATILLA, 9d.  
— ALBA, 2s. 6d.  
RANUNCULOIDES, 6d.  
SYLVESTRIS, 6d.  
— FL. PL., 6d.  
VERNALIS, 1s.

**ANTENNARIA**

- DIOICA RUBRA, 6d.

**ANTHEMIS**

- AIZOON, 9d.  
MACEDONICA, 1s.  
TINCTORIA, 1s.

**ANTHERICUM**

- GRAMINIFOLIUM, 9d.  
LILIAGO MAJOR, 9d.  
LILIASTRUM, 9d.  
— MAJOR, 1s. 6d.  
RAMOSUM, 6d.

**ANTHOLYZA**

- COCCINEA, 1s.

**APIOS**

- TUREROSA, 9d.

**AQUILEGIA**

- ALPINA, 1s. 6d.  
CANADENSIS, 6d.  
CHRYSANTHA, 9d.  
CERULEA, 1s.  
— HYBRIDA, 9d.  
— LUTEA, 1s.  
GLANDULOSA, 1s.  
SKINNERII, 1s.  
STUARTII, 1s. 6d.  
VULGARIS, 6d.  
— ALBA, 6d.

**ARABIS**

- ALBIDA VARIEGATA, 9d.  
LUCIDA VARIEGATA, 9d.

**ARENARIA**

- BALEARICA, 6d.  
CESPITOSA, 6d.  
MONTANA, 1s.  
PURPURASCENS, 9d.

**ARMERIA**

- ALPINA, 6d.  
— ROSEA, 6d.  
CEPHALOTES RUBRA, 9d.  
PLANTAGINEA ALBA, 6d.  
— RUBRA, 6d.

**ARNEBIA**

- ECHIOIDES, 1s. 6d.

**ARNICA**

- MONTANA, 9d.  
SCORPIOIDES, 1s.

**ASCLEPIAS**

- INCARNATA, 9d.  
TUREROSA, 1s.

**ASPERULA**

- ODORATA, 6d.

**ASPHODELUS**

- ALBUS, 1s.  
LUTEUS, 1s.

**ASTERS—Michaelmas Daisies.**

- In many fine varieties,  
from 9d. to 2s. 6d. each.  
Collections made of the  
best and most distinct  
at 7s. 6d., 9s., 12s. and  
18s. per dozen.

**ASTILBE**

- CHINENSIS, 1s.  
RIVULARIS, 1s.  
THUNBERGII, 1s.

**AUBRETIA**

- CAMPBELLII, 6d.  
DELTOIDEA, 6d.  
GRECA, 6d.  
LEICHTLINI, 9d.  
PURPUREA, 6d.

**BAPTISIA**

- AUSTRALIS, 9d.

**BOCCONIA**

- CORDATA, 9d.  
MICROCARPA, 1s.

**BOLTONIA**

- ASTEROIDES, 9d.  
INCANA, 9d.

**BUPHTHALMUM**

- CORDIFOLIUM, 9d.  
SALICIFOLIUM, 9d.

**BUTOMUS**

- UMBELLATUS, 1s.

**CALANDRINIA**

- UMBELLATA, 9d.

**CALLIRHOE**

- INVOLUCRATA, 9d.

**CALTHA**

- PALUSTRIS, 9d.  
— MONSTROSA PLENA, 1s.

**CALYSTEGIA**

- PUBESCENS FL. PL., 9d.

**CAMPANULA**

- ABIETINA, 9d.  
CARPATICA, 6d.  
— ALBA, 6d.  
— TURBINATA, 9d.  
GLOMERATA ALBA, 1s.  
— DAHURICA, 9d.  
ORANDIS, 6d.  
— ALBA, 9d.  
ISOPHYLLA, 1s.  
— ALBA, 1s.  
— MAYII, 1s. 6d.  
LATIFOLIA, 9d.  
— ALBA, 9d.  
MIRABILIS, 1s.  
MURALIS, 9d.  
NITIDA, 1s.  
NOBILIS, 9d.  
PERSICIFOLIA, 9d.  
— ALBA, 9d.  
— PLENA, 9d.  
— GRANDIFLORA, 1s.  
— PLENA, 1s.

PUMILA, 9d.

PUSILLA, 6d.

PYRAMIDALIS, 6d.

— ALBA, 6d.

ROTUNDIFOLIA, 6d.

— ALBA, 1s.

TURBINATA, 1s.

VAN HOUTTEI, 9d.

**CARDAMINE**

- PRATENSIS PLENA, 9d.  
THIIFOLIATA, 9d.

**CATANANCHE**

- CERULEA, 9d.  
— ALBA, 9d.  
— BICOLOR, 9d.

**CENTAUREA**

- DEALBATA, 9d.  
MACROCEPHALA, 1s.  
MONTANA, 6d.  
— ALBA, 6d.  
— RUBRA, 6d.  
RUTHENICA, 1s.  
TOURNEFORTII, 1s.

**CENTRANTHUS**

ALBUS, 6*d*.  
COCCINEUS, 6*d*.  
RUBER, 6*d*.

**CEPHALARIA**

ALPINA, 9*d*.

**CERASTIUM**

TOMENTOSUM, 6*d*.

**CHEIRANTHUS**

ALPINUS, 6*d*.  
MARSHALLI, 9*d*.

**CHELONE**

BARBATA, 9*d*.  
LYONII, 1*s*.  
OBLIQUA, 1*s*.  
— ALBA, 1*s*.

**CHRYSANTHEMUM**

LATIFOLIUM, 9*d*.  
MAXIMUM, 9*d*.

**CHRYSOCEMA**

LINOSYRIS, 9*d*.

**CIMIFUGA**

JAPONICA, 2*s*.  
RACEMOSA, 1*s*.

**CLINTONIA**

ANDREWSIANA, 2*s*. 6*d*. and  
3*s*. 6*d*.

**CODONOPSIS**

OVATA, 9*d*.

**COREOPSIS**

GRANDIFLOBA, 9*d*.  
— ELDORADO, 1*s*. 6*d*.  
LANCULATA, 6*d*.  
VERTICILLATA, 9*d*.

**CORYDALIS**

LUTEA, 6*d*.  
NOBILIS, 1*s*.  
SOLIDA, 9*d*.

**CRAMBE**

CORDIFOLIA, 1*s*.

**CRUCIANELLA**

STYLOSA, 9*d*.

**CYPRIPEDIUMS**

Hardy varieties at 1*s*. 6*d*.  
2*s*. 6*d*. and 3*s*. 6*d*.

**DACTYLIS**

GLOMERATA VARIEGATA, 6*d*.

**DELPHINIUM**

BARLOWI, 9*d*.  
CARDINALE, 1*s*.  
CASHMIRIANUM, 6*d*.  
FORMOSUM, 1*s*.  
GRANDIFLORUM PLENUM,  
2*s*. 6*d*. and 3*s*. 6*d*.  
NUDICAULE, 9*d*.  
SULPHUREUM, 1*s*. 6*d*.  
Hybrid varieties in many  
fine named sorts. Selec-  
tions made at 12*s*. 18*s*.  
and 30*s*. per doz.

**DIANTHUS**

ALPINUS, 1*s*.  
ATKINSONII, 1*s*.  
CAESIUS, 9*d*.  
CRUENTUS, 9*d*.

**DIANTHUS**

DELTOIDES, 6*d*.  
— ALBUS, 9*d*.  
FLUMARIUS, 6*d*.  
— MARIE PARÉ, 1*s*.  
— NAPOLEON III., 1*s*.  
SUPERBUS, 6*d*.

**DICTAMNUS**

FRAXINELLA, 1*s*.  
— ALBA, 1*s*.

**DIELYTRA**

EXIMEA, 9*d*.  
FORMOSA, 9*d*.  
SPECTABILIS, 9*d*.  
— ALBA, 1*s*. 6*d*.

**DIGITALIS**

GRANDIFLORA, 9*d*.  
PURPUREA, in fine hybrid  
varieties at 5*s*. per doz.

**DIPLOPAPPUS**

LINEARIFOLIUS, 1*s*. 6*d*.

**DODECATHEON**

JEFFREYI, 1*s*.  
MEDIA ELEGANS, 1*s*.  
— SPLENDIDUM, 1*s*.

**DORONICUM**

AUSTRIACUM, 9*d*.  
CLUSII, 9*d*.  
PLANTAGINEUM EXCELSUM,  
9*d*.  
— HARPUR CREWE, 9*d*.

**DRABA**

AIZOIDES, 6*d*.  
AIZOON, 6*d*.  
BRUNEFOLIA (OLYMPICA),  
6*d*.

**DRACOCEPHALUM**

ARGUNENSE, 6*d*.  
VIROINICUM, 9*d*.  
— ALBUM, 9*d*.

**ECHINACEA (Rudbeckia)**

PURPUREA, 1*s*.

**ECHINOPS**

RUTHENICUS, 9*d*.  
SPHEROCEPHALUS, 9*d*.

**ROMICON**

CHIONANTHA, 1*s*. 6*d*.

**EPIGEA**

REPENS, 2*s*. 6*d*.

**EPILOBIUM**

ANGUSTIFOLIUM, 6*d*.  
— ALBUM, 6*d*.

**EPIMEDIUM**

ALPINUM, 6*d*.  
NIVEUM, 1*s*.  
PINNATUM ELEGANS, 1*s*.

**EREMURUS**

BUNGEI, 10*s*. 6*d*.  
HIMALAICUS, 10*s*. 6*d*.  
OLGE, 10*s*. 6*d*.  
ROBUSTUS, 10*s*. 6*d*.

**ERIANTHUS**

RAVENNÆ, 1*s*.

**ERIGERON**

AURANTIACUS, 9*d*.  
CAUCASICUS, 9*d*.  
OLABELLUS, 6*d*.  
PHILADELPHICUS, 1*s*.  
SALSUGINOSUS, 6*d*.  
SPECIOSUS, 9*d*.

**ERINUS**

ALPINUS, 6*d*.  
— ALBUS, 6*d*.

**ERYNGIUM**

ALPINUM, 9*d*.  
DICHOTOMUM, 9*d*.  
OIGANTEUM, 1*s*.  
OLIVERIANUM, 1*s*.  
PLANUM, 9*d*.

**EUPATORIUM**

AOERATOIDES, 9*d*.  
PURPUREUM, 9*d*.

**FARFUGIUM**

GRANDE, 1*s*. 6*d*.

**FERULA**

GIGANTEA, 9*d*.

**FUNKIA**

FORTUNEI VARIEGATA, 1*s*.  
JAPONICA, 9*d*.  
LANCIFOLIA, 6*d*.  
SIEBOLDII, 1*s*.  
SUBCORDATA GRANDIFLORA,  
1*s*.

**GAILLARDIAS**

Many beautiful hybrids at  
9*s*. 12*s*. and 18*s*. per doz.

**GALAX**

APHYLLA, 1*s*. 6*d*.

**GALEGA**

OFFICINALIS ALBIFLORA, 9*d*.  
— COMPACTA, 9*d*.

**GAULTHERA**

PROCUMBENS, 6*d*.  
SHALON, 6*d*.

**GAURA**

LINDHEIMERI, 9*d*.

**GENTIANA**

ACAULIS, 6*d*.  
AFFINIS, 1*s*. 6*d*.  
ANDREWSII, 1*s*.  
ASCLEPIADEA, 1*s*.  
— ALBA, 1*s*. 6*d*.  
BAYARICA, 2*s*. 6*d*.  
CALYCOSA, 1*s*. 6*d*.  
CRUCIATA, 6*d*.  
DECUMBENS, 1*s*. 6*d*.  
LUTEA, 1*s*. 6*d*.  
SEPTEMFIDA, 1*s*.  
VERNA, 1*s*. 6*d*.

**GERANIUM**

ARGENTUM, 1*s*. 6*d*.  
ARMENIUM, 1*s*.  
CINEREUM, 9*d*.  
ENDRESSI, 9*d*.  
IBERICUM, 9*d*.  
PLATYPETALUM, 9*d*.



**GERANIUM**

- PRATENSE, 6*d.*  
 — FL. PL., 6*d.*  
 — ALBUM PLENUM, 6*d.*  
 SANGUINEUM, 6*d.*  
 SYLVATICUM, 6*d.*  
 — PLENUM, 9*d.*

**GEUM**

- ATROSANOUINEUM PLENUM, 9*d.*  
 COCCINEUM PLENUM, 9*d.*  
 EWENII, 1*s.*  
 HELDREICHI, 1*s.*  
 MINIATUM, 1*s.*  
 MONTANUM, 1*s.*

**GILLENIA**

- TRIFOLIATA, 1*s.* 6*d.*

**GLOBULARIA**

- TRICOSANTHA, 6*d.*

**GNAPHALIUM (Edswwiss)**

- LEONTOPIDIUM, 9*d.*  
 MARGARITACEUM, 6*d.*

**GYPSOPHILA**

- PANICULATA, 9*d.*  
 — FL. PL., 5*s.* & 7*s.* 6*d.*  
 PROSTRATA, 9*d.*  
 REPENS, 9*d.*  
 STEVENI, 1*s.*

**HELENIUM**

- AUTUMNALE, 9*d.*  
 — GRANDIFLORUM, 1*s.*  
 — SUPERBUM, 1*s.*  
 BOLANDERII, 1*s.* 6*d.*  
 GRANDICEPHALUM STRIATUM, 1*s.*  
 MAGNIFICUM, 1*s.* 6*d.*  
 PUMILUM MAGNIFICUM, 1*s.* 6*d.*

**HELIANTHEMUM**

- VULGARE, 9*d.*

**HELIANTHUS (Sunflower)**

- DECAPETALUS, 9*d.*  
 LETIFLORUS, 1*s.*  
 MULTIFLORUS, 9*d.*  
 — MAXIMUS, 9*d.*  
 — PLENUM, 9*d.*  
 — SOLEIL D'OR, 1*s.*  
 OCCIDENTALIS, 2*s.*  
 ORYGALIS, 1*s.*  
 RIGIDUS (HARPALIUM), 6*d.*  
 — MISS MELLISH, 1*s.*  
 — PRÆCOX, 1*s.*  
 STRUMOSUS, 9*d.*

**HELIOPSIS**

- PATULA, 9*d.*  
 SCABRA, 9*d.*  
 — MAJOR, 9*d.*

**HELLEBORUS**

- ATHRUBENS, 1*s.* 6*d.*  
 COLCHICUS, 2*s.* 6*d.*  
 OUTTATUS, 2*s.* 6*d.*  
 NIGER (Christmas Rose), 9*d.*  
 Prepared clumps for forcing, 1*s.* 6*d.* & 2*s.* 6*d.*

**HELLEBORUS**

- NIGER, ANOUSTIFOLIUS, 1*s.* 6*d.*  
 to 3*s.* 6*d.*  
 — MADAME FOURCADE, 2*s.* 6*d.*  
 — MAJOR, 1*s.* 6*d.* & 2*s.* 6*d.*  
 — MAXIMUS, 1*s.* 6*d.* to 3*s.* 6*d.*  
 ORIENTALIS (Lenten Rose), 1*s.* to 3*s.* 6*d.*

**HEMEROCALLIS**

- AURANTIACA MAJOR, 2*s.* 6*d.*  
 and 3*s.* 6*a.*  
 DISTICHA, 6*d.*  
 — FL. PL., 6*d.*  
 DUMORTIERI, 6*d.*  
 FLATA, 6*d.*  
 FULVA, 6*d.*  
 KWANSO FL. PL., 6*d.*  
 — FOL. VAR., 9*d.*  
 MIDDENDORFII, 1*s.*  
 THUNBERGII, 9*d.*

**HEPATICA**

- ANGULOSA, 1*s.*  
 TRILOBA, single blue, 6*d.* to 2*s.* 6*d.*  
 — double blue, 2*s.*  
 — single red, 9*d.*  
 — double red, 6*d.* to 2*s.* 6*d.*  
 — single white, 1*s.*

**HERNIARIA**

- GLABRA, 6*d.*

**HESPERIS (Swast Rocket)**

- MATRONALIS, 6*d.*  
 — ALBA, 6*d.*  
 — PLENA, 1*s.*  
 — PURPUREA PLENA, 1*s.*  
 TRISTIS, 6*d.*

**HEUCHERA**

- BRIZIOIDES, 9*d.*  
 — GRACILLIMA, 2*s.* 6*d.*  
 MICRANTHA, 9*d.*  
 — ROSEA, 1*s.*  
 RICHARDSONII, 6*d.*  
 SANOUINEA, 1*s.*  
 — ALBA, 2*s.* 6*d.*  
 — GRANDIFLORA, 1*s.* 6*d.*

**HOUSTONIA**

- CERULEA, 1*s.* 6*d.*  
 — ALBA, 1*s.*

**HUTCHINSIA**

- ALPINA, 6*d.*

**IBERIS**

- CORREÆFOLIA, 6*d.*  
 GIBALTARICA, 9*d.*  
 SEMPERFLORENS, 9*d.*  
 — PLENA, 9*d.*  
 SEMPERVIRENS PLENA, 9*d.*

**INCARVILLEA**

- DELAVAYI, 3*s.* 6*d.*  
 OLOÆ, 1*s.* 6*d.*  
 VARIABILIS, 2*s.* 6*d.* & 3*s.* 6*d.*

**INULA**

- ENSIFOLIA, 6*d.*  
 OLANDULOSA, 1*s.*  
 HELENIUM, 9*d.*

**INULA**

- HOOKERI, 1*s.*  
 ROYLEANA, 2*s.* 6*d.*

**LATHYRUS**

- GRANDIFLORUS, 1*s.*  
 LATIFOLIUS, 1*s.*  
 — ALBUS, 1*s.*  
 — SPLENDENS, 1*s.*  
 SIBTHORPII, 1*s.* 6*d.*

**LIATRIS**

- PYCNOSTACHYA, 1*s.*  
 SPICATA, 9*d.*

**LINARIA**

- ALPINA, 9*d.*  
 MACEDONICA, 1*s.*  
 PALLIDA, 9*d.*

**LINNEA**

- BOREALIS, 1*s.*

**LINUM**

- ARBOREUM, 1*s.*  
 CAMPANULATUM GRANDIFLORUM, 9*d.*  
 FLAVUM, 9*d.*  
 MONOGYNUM, 1*s.*  
 NARBONENSE, 1*s.*

**LITHOSPERMUM**

- PROSTRATUM, 1*s.*

**LOBELIA**

- CARDINALIS, 1*s.*  
 — QUEEN VICTORIA, 1*s.*  
 GERRARDII, New Hybrids, many beautiful varieties, 2*s.* 6*d.* each.  
 SYPHILITICA, 9*d.*  
 — ALBA, 1*s.*

**LUPINUS**

- ARBOREUS, 1*s.*  
 — SNOW QUEEN, 1*s.* 6*d.*  
 and 2*s.* 6*d.*  
 NOOTKATENSIS, 9*d.*  
 POLYPHYLLUS, 6*d.*  
 — ALBUS, 6*d.*  
 — BICOLOR, 1*s.*  
 — TRICOLOR, 1*s.* 6*d.*

**LYCHNIS**

- CHALCEDONICA, 9*d.*  
 — PLENA, 1*s.*  
 — ALBA PLENA, 1*s.* 6*d.*  
 DIOICA RUBRA PLENA, 9*d.*  
 FLOS UCULI ALBA PLENA, 1*s.*  
 — ROSEA PLENA, 1*s.*  
 FLOS JOVIS, 6*d.*  
 FULGENS, 9*d.*  
 HAAGEANA, 6*d.*  
 LAGASCE, 1*s.*  
 VESPERTINA PLENA, 1*s.* 6*d.*  
 VISCARIA SPLENDENS PLENA, 9*d.*

**LYSIMACHIA**

- CLETHROIDES, 9*d.*  
 NUMMULARIA, 6*d.*  
 — AUREA, 6*d.*  
 VERTICILLATA, 9*d.*

**LYTHRUM**

- ROSEUM SUPERBUM, 9*d.*  
 SALICARIA, 9*d.*

**MALVA**

- MOSCHATA, 6*d.*  
 — ALBUM, 6*d.*

**MECONOPSIS**

- CAMBRICA, 9*d.*  
 WALLICHII, 2*s.* 6*d.*

**MEGASEA**

- CORDIFOLIA, 9*d.*  
 — PURPUREA, 1*s.*  
 CRASSIFOLIA, 9*d.*  
 STRACHSEYI, 1*s.* 6*d.*

**MERTENSIA**

- VIROINICA, 1*s.*

**MICHAUXIA**

- CAMPANULOIDES, 1*s.*

**MIMULUS**

- LUTEUS, 6*d.*

**MONARDA**

- DIDYMA, 6*d.*  
 FISTULOSA, 9*d.*

**MORINA**

- LONCOFOLIA, 9*d.*

**MUEHLENBECKIA**

- COMPLEXA, 1*s.*

**NIEREMBERGIA**

- RIVULARIS, 9*d.*

**OMPHALODES**

- VERNA, 9*d.*  
 — ALBA, 9*d.*

**ONONIS**

- NATRIX, 9*d.*  
 ROTUNDIFOLIA, 9*d.*  
 — SPLENDENS, 1*s.* 6*d.*

**ONOSMA**

- TAURICUM, 1*s.* 6*d.*

**OROBUS**

- AURANTIACUS, 1*s.* 6*d.*  
 CANESCENS, 1*s.*  
 LATHYROIDES, 9*d.*  
 VERNUS, 9*d.*  
 — ALBUS PLENUS, 1*s.*

**OSTROWSKIA**

- MAONIFICA, 5*s.* to 10*s.* 6*d.*

**OURISIA**

- COCCINEA, 1*s.*

**OXALIS**

- BOWIANA, 9*d.*

**PAPAVER**

- BRACTEATUM, 9*d.*  
 NUDICAULE, 6*d.*  
 — ALBUM, 6*d.*  
 — MINIATUM, 6*d.*  
 ORIENTALE, 9*d.*  
 — in variety, 9*d.* and 1*s.*  
 RUFI-FRACUM, 1*s.*

**PENTSTEMON**

- ANTIRRHIOIDES, 1*s.* 6*d.*  
 AZUREUS JAFFRAYANUS, 1*s.*  
 COBÆA, 1*s.*  
 GLABER, 9*d.*  
 HETEROPHYLLUS, 9*d.*  
 MURRAYANUS, 1*s.*  
 OVATUS, 9*d.*

**PENTSTEMON**

- SPECTABILIS, 9*d.*  
 Many beautiful new hybrid  
 varieties at 2*s.* 6*d.* and  
 3*s.* 6*d.* each.

**PHLOX**

- AMENA, 9*d.*  
 ATROPURPUREA, 9*d.*  
 CANADENSIS, 1*s.*  
 — ALBA, 1*s.*  
 NELSONI, 9*d.*  
 SRETACEA, 9*d.*

Many fine hybrids can be  
 supplied at 1*s.*, 1*s.* 6*d.*  
 and 2*s.* 6*d.* each.

**PHYGELIUS**

- CAPENSIS, 9*d.*

**PHYSOSTEGIA**

- VIRGINIA ALBA, 9*d.*

**PINKS**—Perpetual Flowering.

Many beautiful named  
 varieties can be supplied  
 at 1*s.* 6*d.* and 2*s.* 6*d.* each.

**PLUMBAGO**

- LARPENTÆ, 9*d.*

**PODOPHYLLUM**

- PELTATUM, 1*s.*

**POLEMONIUM**

- CERULEUM VARIEGATUM, 9*d.*  
 CONFERTUM MELITTUM,  
 1*s.* 6*d.*  
 FLAVUM, 9*d.*  
 HIMALAICUM, 9*d.*  
 RICHARDSONII, 9*d.*  
 — ALBUM, 9*d.*

**POLYGONATUM**

- MULTIFLORUM, 6*d.*

**POLYGONUM**

- AFFINE (BUNONIS), 9*d.*  
 BALDSCHUANICUM, 3*s.* 6*d.*  
 and 5*s.*  
 CUSPIDATUM, 9*d.*  
 MULTIFLORUM, 9*d.*  
 SACHALINENSE, 1*s.*  
 VACCINIFOLIUM, 9*d.*

**POTENTILLA**

- FORMOSA, 9*d.*  
 HOPWOODIANA, 1*s.*  
 RUPESTRIS, 9*d.*  
 TONGUEI, 1*s.* 6*d.*  
 Many pretty hybrids at 9*d.*  
 and 1*s.* each.

**PRIMULA**

- ALTAICA, 6*d.*  
 AURICULA, 9*d.*  
 CAPITATA, 1*s.*  
 CLUSIANA, 1*s.*  
 CORFUSOIDES, 6*d.*  
 — AMENA, 6*d.*  
 — SIEBOLDII, in variety,  
 1*s.* to 2*s.* 6*d.*  
 FARINOSA, 6*d.*  
 INTERIORPOLIA, 1*s.* 6*d.*  
 JAPONICA, 9*d.*  
 — ATROSANQUINEA, 1*s.*  
 LUTOLA, 1*s.* 6*d.*  
 MARGINATA, 1*s.*

**PRIMULA**

- NIVALIS, 1*s.* 6*d.*  
 SIKKIMENSIS, 1*s.*  
 VISCOSA MAJOR, 1*s.*  
 VULGARIS ALBA PLENA, 6*d.*  
 — CARNEA PLENA, 1*s.*  
 — CROUSSEI, 9*d.*  
 — LILACINA PLENA, 9*d.*  
 — PURPUREA PLENA, 9*d.*  
 — RUBRA PLENA, 1*s.* 6*d.*  
 and 2*s.* 6*d.*  
 — SULPHUREA PLENA, 6*d.*

**PRUNELLA**

- WEBBIANA, 6*d.*

**PULMONARIA**

- ANGUSTIFOLIA AZURKA, 9*d.*  
 SACCHARATA, 9*d.*

**PYRETHRUM**

- TANACETIFOLIUM, 9*d.*  
 ULIGINOSUM, 9*d.*  
 Hybrid varieties, 9*s.*, 12*s.*  
 and 18*s.* per doz.

**RAMONDIA**

- PYRENAICA, 1*s.*

**RANUNCULUS**

- ACONITIFOLIUS PLENUS, 9*d.*  
 ACRIIS FL. PL., 6*d.*  
 AMPLEXICAULIS, 1*s.*  
 ANEMONOIDES, 1*s.* 6*d.*  
 SPECIOSUS PLENUS, 1*s.*

**RHEUM**

- OFFICINALE, 1*s.*, 1*s.* 6*d.* and  
 2*s.* 6*d.*  
 PALMATUM SANGUINEUM, 1*s.*

**RODGERSIA**

- PODOPHYLLA, 1*s.* 6*d.*

**RUDBECKIA**

- BICOLOR SUPERBA, 9*d.*  
 CALIFORNICA, 1*s.*  
 LACINIATA, 6*d.*  
 — GOLDEN GLOW, 1*s.* 6*d.*  
 MAXIMA, 1*s.*  
 NEWMANI, 6*d.*  
 PURPUREA, 1*s.*  
 SUBTOMENTOSA, 9*d.*

**SALVIA**

- PATENS, 9*d.*

**SANGUINARIA**

- CANADENSIS, 9*d.*

**SANTOLINA**

- INCANA, 9*d.*

**SAAPONARIA**

- CAUCASICA, 9*d.*

**SAXIFRAGES**

- In great variety, 6*d.*, 9*d.*,  
 1*s.* and 1*s.* 6*d.* each.

**SCABIOSA**

- CAUCASICA, 9*d.*  
 — ALBA, 1*s.* 6*d.* & 2*s.* 6*d.*  
 — CONNATA, 1*s.* 6*d.*  
 OCHROLEUCA, 9*d.*

**SCHIZOSTYLIS**

- COCCINEA, 6*d.*  
 Strong clumps, 1*s.* & 1*s.* 6*d.*

**SEDUM**

- OLAUCUM, 6*d.*  
 SIEBOLDII, 6*d.*  
 — VARIEGATUM, 6*d.*  
 SPECTABILE, 6*d.*

**SEMPERVIVUM**

In variety at 6*d.* each.

**SENECIO**

- DORONICUM, 6*d.*  
 MACROPHYLLUM, 9*d.*  
 PULCHER, 1*s.*

**SHORTIA**

- OALACIFOLIA, 2*s.* 6*d.* & 3*s.* 6*d.*

**SIDALCEA**

- CANDIDA, 9*d.*  
 LISTERI, 9*d.*  
 MALVEFLORA, 9*d.*

**SILENE**

- ACAULIS, 9*d.*  
 ALPESTRIS, 1*s.*  
 CAUCASICA, 9*d.*  
 MARITIMA FL. PL., 9*d.*  
 SCHAFTZ, 9*d.*  
 VIRGINICA, 1*s.*

**SISYRINCHIUM**

- ANCEPS, 1*s.* and 1*s.* 6*d.*  
 BERMUDIANUM, 1*s.*  
 GRANDIFLORUM, 9*d.*  
 — ALBUM, 9*d.*

**SOLDANELLA**

- ALPINA, 1*s.*  
 — ALBA, 1*s.* 6*d.*

**SOLIDAGO**

- ALTISSIMA, 1*s.* 6*d.*  
 OCCIDENTALIS, 1*s.*  
 PINCEA, 1*s.*  
 SEROTINA, 9*d.*  
 VIROA AUREA, 9*d.*  
 — NANA, 9*d.*

**SPIRÆA**

- ARUNCUS, 1*s.*, 1*s.* 6*d.* and 2*s.* 6*d.*  
 ASTILBOIDES, 9*d.*, 1*s.* and 1*s.* 6*d.*  
 — FLORIBUNDA, 6*d.*, 9*d.* and 1*s.*  
 CALLOSUS ALBUS, 1*s.* and 1*s.* 6*d.*  
 FILIPENDULA PLENA, 9*d.*  
 JAPONICA, 6*d.*, 9*d.* and 1*s.*  
 — AUREO-RETICULATA, 9*d.* and 1*s.*  
 — MULTIFLORA COMPACTA, 9*d.* and 1*s.*  
 KAMSCHATICA, 1*s.* 6*d.*  
 PALMATA, 6*d.*, 9*d.* and 1*s.*  
 — ALBA, 9*d.* and 1*s.*  
 ULMARIA VARIEGATA, 9*d.*  
 VENUSTA, 1*s.* and 1*s.* 6*d.*

**STACHYS**

- LANATA, 6*d.*

**STATICE**

- BERSERIANA, 9*d.*  
 EXIMIA, 9*d.*  
 GÆLINI, 9*d.*  
 INCANA NANA, 6*d.*  
 LATIFOLIA, 1*s.*  
 LIMONIUM, 9*d.*  
 SPECIOSA, 1*s.* 6*d.*  
 TARTARICA, 9*d.*

**STIPA**

- PINNATA, 9*d.*

**STOBÆA**

- PURPUREA, 1*s.*

**STOKESIA**

- CYANEA, 1*s.*

**SYMPHYTUM**

- ASPERIMUM AUREUM, 1*s.*  
 CAUCASICUM, 9*d.*  
 OFFICINALE ARGENTEUM, 9*d.*  
 — AUREUM, 9*d.*  
 — BOHEMICUM, 9*d.*  
 TAURICUM, 9*d.*

**TELEKIA**

- SPECIOSA, 9*d.*, 1*s.* and 1*s.* 6*d.*

**THALICTRUM**

- ADIANTFOLIUM, 1*s.*  
 ANEMONOIDES, 1*s.*  
 AQUILEGIFOLIUM, 1*s.*  
 — RUBRUM, 1*s.*  
 OLAUCUM, 9*d.*  
 MINUS, 9*d.*  
 PANICULATUM, 9*d.*

**THERMOPSIS**

- FABACEA, 1*s.* 6*d.*

**THYMUS**

- CHAMÆDRYS LANUGINOSUS, 6*d.*  
 CITRIODORUS AUREUS, 6*d.*  
 — ARGENTUS, 6*d.*  
 SERPYLLUM ALBUM, 9*d.*  
 — COCCINEUM, 1*s.*

**TIARELLA**

- CORDIFOLIA, 9*d.*

**TRADESCANTIA**

- CONOESTA, 9*d.*  
 SUBASPERA, 9*d.*  
 VIRGINICA, 9*d.*  
 — ALBA, 9*d.*

**TRILLIUM**

- GRANDIFLORUM, 1*s.*

**TRITOMA**

- BURCHELLII, 1*s.* 6*d.*  
 CAULESCENS, 2*s.* 6*d.*  
 CORALLINA, 1*s.* 6*d.*  
 GRANDIS, 2*s.* 6*d.*  
 LEICHTLINII, 3*s.* 6*d.*  
 MACOWANII, 1*s.* 6*d.*  
 NOBILIS, 2*s.* 6*d.*  
 OBELISQUE, 2*s.* 6*d.*  
 PFITZERI, 5*s.*  
 PYRAMIDALIS, 2*s.* 6*d.*  
 ROOPERI, 1*s.* 6*d.*  
 SAUNDERSII, 2*s.* 6*d.*  
 UVARIA GRANDIFLORA, 9*d.*  
 — OLAUCESCENS, 1*s.*

**TROLLIUS**

- ASIATICUS, 9*d.*  
 EUROPEUS, 9*d.*  
 FORTUNEI FL. PL., 1*s.* 6*d.*  
 GIBSONII, 1*s.* 6*d.*  
 GIOANTEUS, 9*d.*  
 JAPONICUS FL. PL., 1*s.*  
 LEDBOURII, 1*s.*  
 NAPPILIFOLIUS, 1*s.*  
 ORANGE GLOBE, 1*s.* 6*d.*

**TROPÆOLUM**

- PENTAPHYLLUM, 1*s.* 6*d.*  
 POLYPHYLLUM, 6*d.*, 9*d.* and 1*s.*  
 SPECIOSUM, 9*d.* and 1*s.*  
 TUBROSUM, 6*d.*

**TUNICA**

- SAXIFRAGA, 6*d.*

**TUSSLAGO**

- FARFARA VARIEGATA, 9*d.*  
 FRAGRANS, 6*d.*

**UVULARIA**

- SESSILIFOLIA, 1*s.*

**VEBATRUM**

- ALBUM, 1*s.*  
 NIGRUM, 1*s.*

**VERBASCUM**

- CHAIXII, 1*s.*  
 OLYMPICUM, 1*s.*  
 PHENICEUM, 6*d.*

**VERONICA**

- AMETHYSTINA, 9*d.*  
 GENTIANOIDES VARIEGATA, 6*d.*  
 GUTHRIANA, 9*d.*  
 INCANA, 6*d.*  
 LONGIFOLIA SUBSESSILIS, 9*d.*  
 PROSTRATA, 6*d.*  
 REPENS, 6*d.*  
 RUPESTRIS, 6*d.*  
 SAXATILIS, 6*d.*  
 SPICATA, 6*d.*

**VINCA**

- MINOR ALBA, 6*d.*  
 — AROENTEA VARIEGATA, 6*d.*  
 — AUREO-VARIEGATA, 6*d.*  
 — CERULEA PLENA, 9*d.*  
 — PURPUREA PLENA, 9*d.*  
 MAJOR, 6*d.*  
 — ELEGANTISSIMA, 6*d.*

**VIOLA**

- CUCULLATA, 6*d.*  
 — ALBA, 6*d.*  
 ODORATA (Sweet Violet). In all the leading varieties, 6*s.*, 9*s.* and 12*s.* per doz.  
 PEDATA, 1*s.*

**WALDSTEINIA**

- TRIPOLIA, 9*d.*

**ZAUSCHNERIA**

- CALIFORNICA SPLENDENS, 1*s.*



# LILIUMS.

Supplied in dormant bulbs at proper seasons.



LILIUM AURATUM.

	Each.	Per dozen.
<b>AURANTIACUM</b> , <i>vide</i> crocceum.		
<b>AURATUM</b> , fine bulbs of this popular Lily ..	{ 6d., 9d., 1/-, 1/6 & 2/-	5s., 7s. 6d. 10s., 15s. & 21s.
— <b>CRUENTUM</b> , the finest of the <i>auratum</i> section, each petal marked with a broad band of the richest crimson'.. ..	7s. 6d.	
— <b>PLATYPHYLLUM</b>	2/6 & 3/6	24s. & 36s.
— <b>VIRGINALE</b> ..	3/6 & 5/-	
— <b>RUBRO-VITTATUM</b> ..	3/6 & 5/-	
— <b>VIRGINALE</b> (Wittei)	3/6 & 5/-	
— <b>WITTEI</b> , <i>vide</i> <i>aura-</i> <i>tum</i> <i>virginale</i> .		
<b>BATEMANÆ</b> .. ..	9d. & 1s.	7/6 & 10/-
<b>BROWNII</b> , very handsome	1/6 & 2/6	15/- & 24/-
<b>BYZANTINUM</b> , <i>vide</i> chal- cedonicum.		
<b>CALIFORNICUM</b> .. ..	2s. 6d.	24s.
<b>CANADENSE</b> .. ..	9d. & 1s.	7/6 & 10/-
<b>CANDIDUM</b> , per 100, 30s.	6d.	5s.
<b>CHALCEDONICUM</b> (By- zantinum), brilliant scarlet flowers .. ..	1/- & 1/6	10s. & 15s.
<b>CROCEUM</b> ( <i>aurantiacum</i> )	4d. & 6d.	3/6 & 5/-
<b>DALMATIUM</b> , <i>vide</i> mar- tagon <i>dalmaticum</i> .		
<b>DAHURICUM</b> , a fine dwarf early flowering Lily, either for pots or borders Unnamed vars., per 100, 20s.	3d.	2s. 6d.
— of sorts .. ..	4d. & 6d.	3/6 & 5/-
.. .. .	1s. 6d.	
.. .. .	4d. & 6d.	3/6 & 5/-
.. .. .	6d.	5s.
.. .. .	6d.	5s.
.. .. 25s, per 100	4d. & 6d.	3/6 & 5/-
.. .. .	6d.	5s.
.. .. .	5/7/6 & 10/6	
.. .. .	2/6 & 3/6	24/- & 36/-
shape as "speciosum" ..	5/- & 7/6	
.. .. .	2s. 6d.	24s.
l white Lily .. ..	3/6 & 5/-	
dwarf habit .. ..	1/6 & 2/6	15/- & 24/-
.. .. .	4d., 6d. & 9d.	3/6, 5/- & 7/6
ure white .. .. .	9d. & 1s.	7/6 & 10/-

Good and varied Selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

# LILIUMS—continued.

	Each.	Per dozen.
<b>LONGIFLORUM HARRISII</b> , the handsome free-flowering Easter Lily of } Bermuda. Fine bulbs .. .. . }	1/-, 1/6, and 2/6	10/-, 15/-, and 24/-
— <b>TAKESIMA</b> .. .. .	9d. & 1/-	7/6 & 10/-
<b>MARTAGON</b> (Common Turk's Cap Lily) ..	3d.	2s. 6d.
— <b>ALBUM</b> (White Turk's Cap Lily) ..	3/6 & 5/-	
— <b>AURANTIACUM</b> (Yellow Turk's Cap Lily), <i>vide pyrenaicum</i> .		
— <b>COCCINEUM</b> (Scarlet Turk's Cap Lily), <i>vide chalcodonicum</i> .		
— <b>DALMATIUM</b> (Black Turk's Cap Lily), rich blackish purple .. .. .	2s. 6d.	24s.
<b>MONADELPHUM SZOVITZIANUM</b> ..	1/6 & 2/6	15/- & 24/-
<b>NEPALENSE</b> , one of the most distinct and beautiful of the Indian Lilies .. .. .	5s.	
<b>OCROLEUCUM</b> (sulphureum, Wallichianum superbum) ..	3/6 & 5/-	
<b>PARDALINUM</b> , rich golden-orange spotted with maroon-purple ..	1/- & 1/6	10/- & 15/-
<b>PEREGRINUM</b> , <i>vide testaceum</i> .		
<b>POMPONIUM</b> , an elegant species with bright scarlet flowers ..	1/- & 1/6	10/- & 15/-
<b>PYRENAICUM</b> (Yellow Turk's Cap) .. ..	6d.	5s.
<b>RUBELLUM</b> , a new dwarf Lily in the way of <i>L. Krameri</i> ..	1/6 & 2/6	15/- & 24/-
<b>SPECIOSUM (LANCIFOLIUM) ALBUM</b> .. .. .	9d. & 1/-	7/6 & 10/-
— (—) <b>NOVUM</b> .. .. .	1/6 & 2/6	15/- & 24/-
— (—) <b>KRETZERI</b> , most exquisitely formed flowers of snowy whiteness ..	1/6 & 2/6	12/- & 18/-
— (—) <b>MELPOMENE</b> , very rich colour, the best of the section ..	1/6 & 2/6	12/- & 18/-
— (—) <b>ROSEUM</b> .. .. .	6d. & 9d.	5/- & 7/6
— (—) <b>RUBRUM</b> .. .. .	6d. & 9d.	5/- & 7/6
— (—) <b>SUPERBUM</b> .. .. .	1/6 & 2/6	15/- & 24/-
<b>SUPERBUM</b> .. .. .	9d. & 1/-	7/6 & 10/-
— <b>PYRAMIDALE</b> .. .. .	2s. 6d.	24s.
<b>SZOVITZIANUM</b> , <i>vide monadelphum Szovitzianum</i> .		
<b>TENUIFOLIUM</b> , a pretty dwarf Lily, with intense rich scarlet flowers ..	1/- & 1/6	10/- & 15/-
<b>TESTACEUM</b> (excelesum, Isabellinum, peregrinum), nankeen coloured flowers ..	1/- & 1/6	10/- & 15/-
<b>THUNBERGIANUM</b> , <i>vide elegans</i> .		
<b>TIGRINUM</b> .. .. .	per 100, 10/6	3d.
— <b>FLORE PLENO</b> .. .. .	4d. & 6d.	1s. 6d.
— <b>FORTUNEI</b> .. .. .	4d. & 6d.	3/- & 5/-
— extra fine bulbs .. .. .	9d. & 1/-	3/- & 5/-
— <b>LEOPOLDII (SPLENDENS)</b> , bright orange-scarlet, large dark spots ..	3d. & 6d.	7/6 & 10/-
<b>UMBELLATUM</b> , <i>vide dahuricum</i> .		2/- & 4/-
<b>WALLICHIANUM</b> .. .. .	5s.	
— <b>SUPERBUM</b> , <i>vide ochroleucum</i> .		
<b>WASHINGTONIANUM</b> , flowers white, flushed with lilac .. .. .	2/6 & 3/6	

Good and varied Selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

# ORCHIDS.

Sizes and Prices furnished on application of any not priced.

*S* distinguishes the Stove kinds; *I*, Intermediate House; *C*, Cool House.

Those marked thus (\*) are Winter-blooming kinds.

## ACANTHEPHIPIUM

*S* BICOLOR ..... Java ..... 7s. 6d. and 10s. 6d.

## ACINETA

*I* BARKERI ..... Mexico ..... 5s., 7s. 6d. and 10s. 6d.  
*I* HUMBOLDTI ..... Colombia ..... 5s., 7s. 6d. and 10s. 6d.

## ACROPERA

*I* LODDIGESII ..... Mexico ..... 5s., 7s. 6d. and 10s. 6d.

## ADA

\**C* AURANTIACA ..... Pamplona ..... 3s. 6d., 5s. and 7s. 6d.

## AERIDES

*I* AFFINE ..... Sylhet ..... 10s. 6d.  
*I* — ROSEUM ..... Sylhet ..... 10s. 6d.  
*I* CRASSIFOLIUM ..... Burmah ..... 7s. 6d. and 10s. 6d.  
*I* CRISPUM ..... Bombay ..... 10s. 6d. and 15s.  
*S* CYLINDRICUM ..... East Indies ..... 42s.  
*S* FALCATUM ..... East Indies ..... 21s. and 31s. 6d.  
*S* — LEONIS ..... East Indies ..... 15s., 21s. and 31s. 6d.  
*I* FIELDINGII (Fox Brush) ..... East Indies ..... 10s. 6d., 15s. and 21s.  
*S* HOULETTIANUM ..... Cochin China ..... 21s.  
*C* JAPONICUM ..... Japan ..... 7s. 6d.  
*S* LOBBII ..... Moulmein ..... 7s. 6d., 10s. 6d. and 15s.  
*S* — RUBRUM ..... Moulmein ..... 42s. and 63s.  
*S* ODORATUM ..... East Indies ..... 5s., 7s. 6d. and 10s. 6d.  
*S* — MAJUS ..... East Indies ..... 7s. 6d. and 10s. 6d.  
*S* QUINQUEVULNERUM ..... Philippine Islands ..... 10s. 6d., 15s. and 21s.  
*S* SANDERIANUM ..... East Indies ..... 21s., 31s. 6d. and 42s.  
*S* SAVAGEANUM ..... East Indies ..... 21s. and 31s. 6d.  
*S* SUAVISSIMUM ..... East Indies ..... 10s. 6d., 15s. and 21s.  
*S* VIRENS ..... Java ..... 7s. 6d. and 10s. 6d.

## ANGRÆCUM

*S* ARTICULATUM ..... Madagascar ..... 10s. 6d., 15s. and 21s.  
*S* BILOBUM ..... West Coast of Africa ..... 10s. 6d.  
*S* CITRATUM ..... Madagascar ..... 15s., 21s. and 31s. 6d.  
*S* DE BUYSONIANUM ..... Madagascar ..... 31s. 6d.  
\**S* EBURNEUM ..... Madagascar ..... 10s. 6d., 15s. and 21s.  
*I* FALCATUM ..... Japan ..... 10s. 6d. and 15s.  
*S* LEONIS ..... Comoro Island ..... 5s., 7s. 6d. & 10s. 6d.  
*S* MODESTUM ..... West Coast of Africa ..... 7s. 6d., 10s. 6d. & 15s.  
*S* SANDERIANUM ..... West Coast of Africa ..... 7s. 6d., 10s. 6d. & 15s.  
*S* SCOTTIANUM ..... West Coast of Africa ..... 7s. 6d., 10s. 6d. & 15s.  
\**S* SESQUIPEDALE ..... Madagascar ..... 10s. 6d. to 42s.  
\**S* — MAJUS ..... Madagascar ..... 84s. and 105s.  
*S* STYLOSUM ..... West Coast of Africa ..... 42s. and 63s.  
\**S* VIRENS ..... Madagascar ..... 15s. and 21s.

## ANGULOA

*I* CLOWESII ..... Colombia ..... 7s. 6d. and 10s. 6d.  
*I* EBURNEA ..... Peru ..... 31s. 6d., 42s. and 63s.  
*I* RUCKERII ..... South America ..... 10s. 6d., 15s. and 21s.  
*I* UNIFLORA ..... Colombia ..... 10s. 6d., 15s. and 21s.  
*I* — SUPERBA ..... Colombia ..... 42s.

## ANECTOCYLUS

*S* DAWSONIANUS ..... East Indies ..... 7s. 6d. and 10s. 6d.  
*S* — LANCEOLATUS ..... East Indies ..... 31s. 6d.  
*S* INTERMEDIUS ..... East Indies ..... 15s. and 21s.  
*S* LOWII ..... Borneo ..... 63s.  
*S* PETOLA ..... Borneo ..... 10s. 6d., 15s. and 21s.  
*S* SETACEUS ..... East Indies ..... 21s. and 31s. 6d.  
*S* TURNERI ..... Java ..... 21s. and 31s. 6d.

## ARPOPHYLLUM

*I* GIGANTEUM ..... Mexico ..... 21s. and 31s. 6d.



**BRASSAVOLA**

<i>S</i> DIGBYANA .....	Honduras .....	10s. 6d., 15s. and 21s.
<i>I</i> GLAUCOA .....	Mexico .....	5s., 7s. 6d. & 10s. 6d.

**BRASSIA**

<i>I</i> KEHLIANA .....	South America .....	42s. and 63s.
<i>S</i> MACULATA .....	West Indies .....	10s. 6d. and 15s.
<i>C</i> VERRUCOSA .....	Guatemala .....	3s. 6d., 5s. and 7s. 6d.

**BRASSO-CATTLEYA***Sizes and prices on application.*

<i>S</i> DIGBYANO-MENDELII .....	Hybrid .....	
<i>S</i> MOSSLER-DIGBYANA .....	Hybrid .....	

**BRASSO-LÆLIA***Sizes and prices on application.*

<i>S</i> HELEN .....	Hybrid .....	
( <i>Lælia tenebrosa</i> × <i>Brassavola Digbyana</i> )		
<i>S</i> MRS. M. GRATRIX .....	Hybrid .....	42s. and 63s.
( <i>L. cinnabarina</i> × <i>B. Digbyana</i> )		
<i>S</i> PURPURATO-DIGBYANA .....	Hybrid .....	

**BROUGHTONIA**

<i>S</i> SANGUINEA .....	Jamaica .....	7s. 6d. and 10s. 6d.
--------------------------	---------------	----------------------

**BULBOPHYLLUM**

<i>S</i> LOBBII .....	East Indies .....	10s. 6d., 15s. and 21s.
<i>S</i> RETICULATUM .....	East Indies .....	
<i>S</i> UMBELLATUM .....	East Indies .....	21s., 31s. 6d. and 42s.

**BURLINGTONIA**

<i>I</i> CANDIDA .....	Demerara .....	7s. 6d. and 10s. 6d.
<i>I</i> DECORA .....	Brazil .....	21s. and 31s. 6d.
<i>I</i> PUBESCENS .....	Brazil .....	10s. 6d. and 15s.

**CALANTHE**

<i>I</i> BELLA .....	Hybrid .....	10s. 6d.
<i>I</i> BRYAN .....	Hybrid .....	15s. and 21s.
<i>I</i> CLIVE .....	Hybrid .....	
* <i>I</i> REGNIERI .....	Cochin China .....	7s. 6d., 10s. 6d. and 15s.
* <i>I</i> — AMETHYSTINA .....	Cochin China .....	12s.
* <i>I</i> — PURPUREA .....	Cochin China .....	42s.
<i>I</i> RUBENS .....	Hybrid .....	
<i>I</i> SANDHURSTIANA .....	Hybrid .....	
* <i>I</i> STEVENSIANA .....	Cochin China .....	7s. 6d., 10s. 6d. and 15s.
* <i>I</i> TURNERI .....	India .....	10s. 6d. and 15s.
* <i>I</i> — NIVALIS .....	Tavoy, Java .....	15s. and 21s.
<i>I</i> VEITCHII .....	Hybrid .....	3s. 6d., 5s. and 7s. 6d.
<i>I</i> — SUPERBA .....	Hybrid .....	10s. 6d.
* <i>I</i> VESITTA LUTEO-OCULATA .....	Tavoy, Java .....	3s. 6d. and 5s.
* <i>I</i> — OCULATA GIGANTEA .....	Tavoy, Java .....	21s.
* <i>I</i> — RUBRO-OCULATA .....	Tavoy, Java .....	3s. 6d. and 5s.

**CATASETUM**

<i>I</i> BUNGEROTHII .....	Ecuador .....	21s. and 31s. 6d.
<i>I</i> CALLOSUM .....	South America .....	10s. 6d. and 15s.
<i>I</i> FIMBRIATUM .....	South America .....	21s. and 31s. 6d.
<i>I</i> MACROCARPUM .....	Brazil .....	7s. 6d. and 10s. 6d.

**CATTLEYA HYBRIDS***Sizes and prices on application.*

<i>S</i> ARIEL .....	Hybrid .....	
( <i>Bowringiana</i> × <i>Gaskelliana</i> )		
<i>S</i> HARDYANA .....	Hybrid .....	
<i>S</i> JOHN BAGULEY .....	Hybrid .....	
( <i>Bowringiana</i> × <i>Hardyana</i> )		
<i>S</i> LOUIS CHATON .....	Hybrid .....	
( <i>Lawrenceana</i> × <i>Trianae</i> )		
<i>S</i> MANTINI .....	Hybrid .....	42s., 63s. and 84s.
( <i>Bowringiana</i> × <i>aurea</i> )		
<i>S</i> — NOBILIOR .....	Hybrid .....	
<i>S</i> MRS. J. W. WHITELEY .....	Hybrid .....	42s., 63s. and 84s.
( <i>Bowringiana</i> × <i>Massaiana</i> )		
<i>S</i> PORTIA .....	Hybrid .....	10s. 6d., 15s. and 21s.
( <i>Bowringiana</i> × <i>labiata</i> )		
<i>S</i> WENDLANDIANA .....	Hybrid .....	63s. and 84s.
( <i>Bowringiana</i> × <i>gigas</i> )		

**CATTLEYA**

<i>I</i> ACLANDIÆ .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> AMETHYSTOGLOSSA .....	Brazil .....	10s. 6d., 15s. and 21s.

## CATTLEYA

<i>S</i> AUREA	Colombia	10s. 6d., 15s. to 42s.
<i>I</i> BICOLOR	Brazil	31s. 6d. and 42s.
<i>I</i> BOWRINGIANA	Central America	10s. 6d. and 15s.
<i>C</i> CITRINA	Oaxaca	5s. and 7s. 6d.
<i>I</i> CRISPA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i> — SUPERBA	Brazil	21s., 31s. 6d. and 42s.
<i>I</i> DOLOSA	Brazil	10s. 6d. and 15s.
<i>S</i> DOWIANA	Costa Rica	10s. 6d., 15s. and 21s.
<i>S</i> — AUREA	Colombia	10s. 6d., 15s. to 42s.
<i>I</i> ELDORADO	Rio Negro	10s. 6d. and 15s.
<i>I</i> — CARNEA	Rio Negro	31s. 6d. and 42s.
<i>I</i> — SPLENDENS	Rio Negro	21s., 31s. 6d. and 42s.
<i>I</i> — WALLISII (ALBA)	Rio Negro	105s. and 147s.
<i>I</i> GASKELLIANA	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i> — DELICATA	Brazil	21s. and 31s. 6d.
<i>I</i> — PULCHRA	Brazil	21s. and 31s. 6d.
<i>I</i> — SUPERRA	Brazil	21s. and 31s. 6d.
<i>I</i> OIOAS	Colombia	10s. 6d., 15s. and 21s.
<i>I</i> — IMPERIALIS	Colombia	21s., 31s. 6d. and 42s.
<i>I</i> — MAONIFICA	Colombia	
<i>I</i> — NORMANIANA	Colombia	
<i>I</i> — REGINÆ	Colombia	
<i>I</i> — SANDERIANA	Colombia	10s. 6d., 15s. and 21s.
<i>I</i> GUTTATA	Brazil	21s. and 31s. 6d.
<i>I</i> HARRISONIÆ	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> — SUPERBA	Brazil	31s. 6d. and 42s.
<i>I</i> INTERMEDIA	Brazil	10s. 6d. and 15s.
<i>I</i> — ALBA	Brazil	
<i>I</i> LABIATA	South America	3s. 6d., 5s. and 7s. 6d.
<i>I</i> — MARGINATA	South America	
<i>I</i> — PICTA	South America	
<i>I</i> LAWRENCIANA	Roraima	31s. 6d. and 42s.
<i>I</i> LEOPOLDII	Brazil	10s. 6d., 15s. and 21s.
<i>I</i> LOBATA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i> LODDIGESII	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i> MARINATA RUBRA	Oaxaca	63s.
<i>I</i> MAXIMA	Ecuador, Popayan	21s., 31s. 6d. and 42s.
<i>I</i> MENDELI	South America	7s. 6d., 10s. 6d. & 15s.
<i>I</i> — CHELSIENSIS	South America	
<i>I</i> — DELICATA	South America	
<i>I</i> — GRANDIFLORA	South America	
<i>I</i> — INSIONIS	South America	
<i>I</i> — MAJESTICA	South America	
<i>I</i> — PRINCEPS	South America	
<i>I</i> — REX	South America	
<i>I</i> — SUPERRA	South America	
<i>I</i> — TINCTA	South America	21s., 31s. 6d. and 42s.
<i>I</i> — TRIUMPHANS	South America	
<i>I</i> MOSSLÆ	Venezuela	5s., 7s. 6d. and 10s. 6d.
<i>I</i> — ALBO-MARGINATA	Venezuela	63s. and 84s.
<i>I</i> — AURANTIACA	Venezuela	15s., 21s. and 31s. 6d.
<i>I</i> — AUREA GRANDIFLORA	Venezuela	
<i>I</i> — CHELSIENSIS	Venezuela	
<i>I</i> — CONSPICUA	Venezuela	
<i>I</i> — DELICATA	Venezuela	21s. and 31s. 6d.
<i>I</i> — — AURANTIACA	Venezuela	
<i>I</i> — FLAMMEA	Venezuela	
<i>I</i> — GRANDIFLORA	Venezuela	21s. and 31s. 6d.
<i>I</i> — GRANDIS	Venezuela	
<i>I</i> — LAWRENCIANA	Venezuela	63s. and 84s.
<i>I</i> — MARGINATA	Venezuela	
<i>I</i> — PICTURATA	Venezuela	63s. and 84s.
<i>I</i> — PULCHERRIMA	Venezuela	63s. and 84s.
<i>I</i> — ROSEA	Venezuela	63s. and 84s.
<i>I</i> — RUBRA	Venezuela	105s. and 147s.
<i>I</i> — SUPERBA	Venezuela	21s., 31s. 6d. and 42s.
<i>I</i> — VENOSA	Venezuela	
<i>I</i> NOBILIOR	Brazil	31s. 6d. and 42s.
<i>I</i> PERCIVALIANA	South America	7s. 6d., 10s. 6d. & 15s.
<i>I</i> REX	South America	

**CATTLEYA**

<i>I</i> SCHILLERIANA	Brazil	15s., 21s. and 31s. 6d.
<i>I</i> SCHOFIELDIANA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i> SOHRODERÆ	Colombia	7s. 6d., 10s. 6d. to 42s.
<i>I</i> — AURANTIACA	Colombia	
<i>I</i> — DELICATA	Colombia	
<i>I</i> — SUPERBA	Colombia	42s. and 63s.
<i>I</i> — VIRGINALIS	Colombia	
<i>I</i> SKINNERI	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>I</i> SPECIOSISSIMA	Venezuela	5s., 7s. 6d. to 21s.
<i>S</i> SUPERBA	Essequibo	7s. 6d., 10s. 6d. & 15s.
* <i>I</i> TRIANÆ	Colombia	5s. and 7s. 6d.
* <i>I</i> — ALBA	Colombia	
* <i>I</i> — AMENA	Colombia	
* <i>I</i> — AMPLIATA	Colombia	42s. and 63s.
* <i>I</i> — DELICATA	Colombia	5s., 7s. 6d. & 10s. 6d.
* <i>I</i> — ERUBESCENS	Colombia	
* <i>I</i> — EXCELLENS	Colombia	105s.
* <i>I</i> — FIMBRIATA	Colombia	
* <i>I</i> — FLAMMEA	Colombia	
* <i>I</i> — ILLUSTRIS	Colombia	105s.
* <i>I</i> — INSIGNIS	Colombia	84s.
* <i>I</i> — MARGINATA	Colombia	42s. and 63s.
* <i>I</i> — ORNATA	Colombia	
* <i>I</i> — PICTA	Colombia	63s. and 84s.
* <i>I</i> — QUADRICOLOR	Colombia	31s. 6d. and 42s.
* <i>I</i> — ROSEA	Colombia	31s. 6d. and 42s.
* <i>I</i> — SPLENDENS	Colombia	42s. and 63s.
* <i>I</i> — SUPERBA	Colombia	31s. 6d. and 42s.
<i>I</i> VELUTINA	Brazil	15s., 21s. and 31s. 6d.
<i>I</i> WALKERIANA	Brazil	7s. 6d.
<i>I</i> WARNERI	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> — MAGNIFICA	Brazil	
<i>I</i> — SUPERBA	Brazil	

**CHYSIS**

<i>I</i> AUREA	Mexico	10s. 6d. and 15s.
<i>I</i> BRACITESCENS	Peru	7s. 6d., 10s. 6d. & 15s.
<i>I</i> LEVIS	Mexico	21s.

**CIRRHOPETALUM**

<i>I</i> IMBRICATUM	East Indies	
---------------------	-------------	--

**COCHLIODA**

<i>C</i> NOEZLIANA	Peru	7s. 6d., 10s. 6d. & 15s.
--------------------	------	--------------------------

**CELIA**

<i>S</i> BELLA	Mexico	21s. and 31s. 6d.
----------------	--------	-------------------

**CELOGYNE**

* <i>I</i> BARBATA	Assam	7s. 6d., 10s. 6d. & 15s.
<i>I</i> CORRUGATA	Khasya	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> CRISTATA	Nepal, Sylhet	3s. 6d., 5s. and 7s. 6d.
* <i>C</i> — ALBA	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i> — CHATSWORTH VARIETY	East Indies	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> — LEMONIANA	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>S</i> DAYANA	Borneo	7s. 6d., 10s. 6d. & 15s.
<i>I</i> FIMBRIATA	East Indies	15s. and 21s.
* <i>I</i> FLACCIDA	Assam	7s. 6d., 10s. 6d. & 15s.
<i>I</i> LENTIGINOSA	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i> MASSANGIANA	Assam	7s. 6d., 10s. 6d. & 15s.
<i>I</i> OVALIS	East Indies	15s. and 21s.
<i>S</i> PANDURATA	East Indies	21s. and 31s. 6d.
<i>I</i> SPECIOSA	Java	7s. 6d., 10s. 6d. & 15s.
<i>I</i> TOMENTOSA	East Indies	10s. 6d.

**COLAX**

<i>C</i> JUGOSUS	Brazil	7s. 6d., 10s. 6d. & 15s.
------------------	--------	--------------------------

**COMPARETTIA**

<i>I</i> MACROPECTRON	South America	10s. 6d., 15s. 21s.
-----------------------	---------------	---------------------

**CRYPTOPHORANTHUS**

<i>C</i> DAYANUM (MASDEVALLIA DAYANA)	Colombia	15s. and 21s.
---------------------------------------	----------	---------------

**CYCNOCHESES**

<i>S</i> CHLOROCHILON	South America	10s. 6d., 15s. and 21s.
-----------------------	---------------	-------------------------





**CYMBIDIUM EBURNEUM.**

*See page 56.*

## CYMBIDIUM

<i>I</i> DEVONIANUM .....	Assam .....	21s. and 31s. 6d.
<i>C</i> EBURNEO-LOWIANUM .....	Hybrid .....	42s. and 63s.
* <i>C</i> EBURNEUM .....	East Indies .....	10s. 6d., 15s. and 21.
* <i>C</i> — DAYANUM .....	East Indies .....	
* <i>C</i> — TINCTUM .....	East Indies .....	
<i>S</i> ELEGANS .....	East Indies .....	15s., 21s. and 31s. 6d.
* <i>C</i> GIGANTEUM .....	Assam .....	7s. 6d., 10s. 6d. & 15s.
<i>C</i> GRANDIFLORUM (HOOKERIANUM) .....	Sikkim, Himalaya .....	42s. and 63s.
<i>C</i> LOWIANUM .....	Burmah .....	10s. 6d., 15s. and 21s.
<i>C</i> — ATROPURPUREUM .....	Burmah .....	
<i>C</i> — CONCOLOR .....	Burmah .....	5 guineas.
<i>C</i> — EXIMIUM .....	Burmah .....	
<i>C</i> — FULGENS .....	Burmah .....	
<i>C</i> — SUPERBUM .....	Burmah .....	
* <i>C</i> MASTERSII .....	East Indies .....	10s. 6d., 15s. and 21s.
* <i>C</i> — AFFINE .....	East Indies .....	15s., 21s. to 42s.
<i>I</i> PENDULUM .....	East Indies .....	7s. 6d. and 10s. 6d.
<i>I</i> THORINUM .....	East Indies .....	42s. and 63s.
<i>C</i> TRACYANUM .....	East Indies .....	15s., 21s. and 31s. 6d.

## CYPERORCHIS

<i>S</i> ELEGANS (CYMBIDIUM) .....	East Indies .....	15s., 21s. and 31s. 6d.
------------------------------------	-------------------	-------------------------

## CYPRIPEDIUM

<i>I</i> A. DE LAIRESSE .....	Hybrid .....	5 guineas.
<i>I</i> AINSWORTHII .....	Hybrid .....	21s., 31s. 6d. and 42s.
<i>I</i> ALBO-PURPUREUM .....	Hybrid .....	15s., 21s. and 31s. 6d.
<i>I</i> ALCIDES .....	Hybrid .....	
<i>I</i> ALLANIANUM .....	Hybrid .....	
* <i>I</i> AMANDUM .....	Hybrid .....	10s. 6d. and 15s.
<i>I</i> AMESIANUM .....	Hybrid .....	7s. 6d., 10s. 6d. and 15s.
* <i>I</i> AROUS .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
* <i>I</i> — SUPERBUM .....	East Indies .....	42s. and 63s.
<i>I</i> ARTHURIANUM .....	Hybrid .....	10s. 6d. and 15s.
<i>I</i> ASHBURTONIÆ .....	Hybrid .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> AUOREUM .....	Hybrid .....	
<i>I</i> BARBATUM .....	Mount Ophir .....	3s. 6d. and 5s.
<i>I</i> — BIFLORUM .....	Mount Ophir .....	10s. 6d., 15s. and 21s.
<i>I</i> — GRANDIFLORUM .....	Java .....	15s., 21s. and 31s. 6d.
<i>I</i> — NANUM .....	Java .....	10s. 6d., 15s. and 21s.
<i>I</i> — MAJUS .....	Mount Ophir .....	10s. 6d.
<i>I</i> — NIGRUM .....	Mount Ophir .....	10s. 6d. and 15s.
<i>I</i> — PICTUM .....	Mount Ophir .....	15s.
<i>I</i> — PULCHERRIMUM .....	Mount Ophir .....	15s. and 21s.
<i>I</i> — PURPUREUM .....	Mount Ophir .....	10s. 6d. and 15s.
<i>I</i> — SUPERBUM .....	Mount Ophir .....	7s. 6d. and 10s. 6d.
* <i>I</i> — WARNERIANUM .....	East Indies .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> BARTETII .....	Hybrid .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i> BELLATULUM .....	Siam .....	5s., 7s. 6d. and 10s. 6d.
<i>S</i> — ALBUM .....	Siam .....	
<i>I</i> BERKELEYANUM SUPERBUM .....	Hybrid .....	
<i>C</i> BOXALLII .....	Burmah .....	5s., 7s. 6d. to 15s.
<i>C</i> — ATRATUM .....	Burmah .....	10s. 6d., 15s. and 21s.
* <i>I</i> BULLENIANUM .....	Borneo .....	3s. 6d. and 5s.
<i>I</i> CALLOSUM .....	Siam .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> — SANDERÆ .....	Siam .....	8 guineas.
<i>I</i> CALOPHYLLUM .....	Hybrid .....	10s. 6d., 15s. and 21s.
<i>I</i> CALURUM .....	Hybrid .....	3s. 6d., 5s. and 7s. 6d.
<i>I</i> CALYPSO .....	Hybrid .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> CARDINALE .....	Hybrid .....	10s. 6d. and 15s.
<i>I</i> CARNUSIANUM .....	Hybrid .....	10s. 6d., 15s. and 21s.
<i>I</i> — ATRATUM .....	Hybrid .....	63s. and 84s.
<i>I</i> CAUDATUM .....	Central America .....	10s. 6d., 15s. to 31s. 6d.
<i>I</i> — ROSEUM .....	Central America .....	15s., 21s. and 31s. 6d.
<i>I</i> — WALLISII .....	Ecuador .....	42s. and 63s.
<i>S</i> CHAMBERLAINIANUM .....	New Guinea .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i> CHARLESWORTHII .....	East Indies .....	3s. 6d., 5s. and 7s. 6d.
<i>S</i> — SUPERBUM .....	East Indies .....	
<i>I</i> CHLORONEURUM .....	Hybrid .....	10s. 6d., 15s. and 21s.

## CYPRIPEDIUM

<i>I</i> CICERO .....	Hybrid	
<i>I</i> CILIOLARE .....	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i> CONCHIFERUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> CONCOLOR .....	Moulmein	10s. 6d., 15s. and 21s.
* <i>I</i> CROSSIANUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> — SUPERBUM .....	Hybrid	31s. 6d. and 42s.
<i>S</i> CURTISII .....	Sumatra	5s., 7s. 6d. and 10s. 6d.
<i>C</i> DAUTHIERII .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> DAYANUM .....	Borneo	7s. 6d., 10s. 6d. & 15s.
<i>I</i> DOMINII .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> DRURYI .....	East Indies	10s. 6d., 15s. and 21s.
<i>I</i> ELLIOTIANUM .....	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i> EMPEROR .....	Hybrid	
<i>I</i> EMPRESS .....	Hybrid	42s. and 63s.
<i>I</i> EPIHALTES .....	Hybrid	
<i>I</i> EURYADES PALLIDA .....	Hybrid	
<i>I</i> EURYALE .....	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>S</i> EURYANDRUM .....	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i> EXUL .....	East Indies	7s. 6d. and 10s. 6d.
<i>I</i> FITCHIANUM .....	Hybrid	21s. and 31s. 6d.
<i>S</i> FORMOSUM .....	Hybrid	
<i>S</i> GEMMIFERUM .....	Hybrid	21s. and 31s. 6d.
<i>S</i> GERMINYANUM .....	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>S</i> GODEFROYÆ .....	Siam	10s. 6d. and 15s.
<i>S</i> ORANDE .....	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>C</i> HARRISIANUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — NIGRUM .....	Hybrid	42s. and 63s.
<i>C</i> — SUPERBUM .....	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i> HAYNALDIANUM .....	East Indies	10s. 6d., 15s. and 21s.
<i>I</i> HIRSUTISSIMUM .....	Assam	7s. 6d., 10s. 6d. & 15s.
<i>S</i> HOOKERÆ .....	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i> HYBRIDUM .....	Hybrid	10s. 6d., 15s. and 21s.
* <i>C</i> INSIGNE .....	Nepal	3v. 6d. and 5s.
* <i>C</i> — ALBO-MARGINATUM .....	Nepal	10s. 6d. and 15s.
* <i>C</i> — CHANTINII .....	Nepal	7s. 6d., 10s. 6d. & 15s.
* <i>C</i> — FREEMANII .....	Nepal	
* <i>C</i> — GIOANTEUM .....	Nepal	15s., 21s. and 31s. 6d.
* <i>C</i> — HAREFIELD HALL VARIETY .....	Nepal	
* <i>C</i> — MACULATUM .....	Nepal	10s. 6d. and 15s.
* <i>C</i> — MAULEI .....	Nepal	7s. 6d., 10s. 6d. & 15s.
* <i>C</i> — ODDITY .....	Nepal	
* <i>C</i> — PICTUM .....	Nepal	21s.
* <i>C</i> — PUNCTATUM .....	Nepal	15s.
* <i>C</i> — SANDERÆ .....	Nepal	
<i>I</i> Io .....	Hybrid	31s. 6d. and 42s.
<i>I</i> — GRANDE .....	Hybrid	42s. and 63s.
<i>S</i> JAVANICO-SUPERBIENS .....	Hybrid	42s., 63s. and 84s.
<i>I</i> JAVANICUM .....	Java	5s., 7s. 6d. and 10s. 6d.
<i>S</i> LÆVIGATUM .....	Philippine Islands	10s. 6d. and 15s.
<i>I</i> LAFORCADEI .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> LATHIAMIANUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>I</i> LAWRENCEANUM .....	Borneo	3s. 6d., 5s. and 7s. 6d.
<i>I</i> — COLORATUM .....	Borneo	63s.
<i>I</i> — EXPANSUM .....	Borneo	42s.
<i>I</i> — HYEANUM .....	Borneo	
<i>I</i> — SUPERBUM .....	Borneo	21s. and 31s. 6d.
* <i>I</i> LEEANUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
* <i>I</i> — CLINKABERRYANUM .....	Hybrid	
* <i>I</i> — GIOANTEUM, G. S. BALL'S VARIETY .....	Hybrid	
* <i>I</i> — SUPERBUM .....	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i> LEUCORRHODUM .....	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i> LINDELEYANUM .....	British Guiana	7s. 6d., 10s. 6d. & 15s.
<i>I</i> LONOIFOLIUM .....	Costa Rica	5s., 7s. 6d. and 10s. 6d.
<i>S</i> LOWII .....	Borneo	15s. and 21s.
<i>I</i> LURLINE .....	Hybrid	
<i>I</i> MADAME BARBY .....	Hybrid	
<i>S</i> MARMOROPHYLLUM .....	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>S</i> MASTERSIANUM .....	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i> MAUDLE .....	Hybrid	
<i>I</i> MEASURESIANUM .....	Hybrid	



**CYPRIPEDIUM**

*S	MELANOPHTHALMUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
S	MORGANIE	Hybrid	31s. 6d., 42s. and 63s.
S	NIOBE	Hybrid	31s. 6d., 42s. and 63s.
*S	NITENS	Hybrid	10s. 6d., 15s. and 21s.
*S	— SUPERBUM	Hybrid	15s., 21s. and 31s. 6d.
S	NITIDISSIMUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
*S	NIVEUM	East Indies	10s. 6d., 15s. and 21s.
I	NOBILE	Hybrid	
I	ONANTHUM	Hybrid	5s., 7s. 6d. & 10s. 6d.
I	— SUPERBUM	Hybrid	10s. 6d., 15s. and 21s.
S	PARISHII	East Indies	7s. 6d., 10s. 6d. & 15s.
I	PAVONINUM	Hybrid	
I	— INVERSUM	Hybrid	
I	PELLUCIDUM	Hybrid	
S	PICTURATUM	Hybrid	10s. 6d., 15s. and 21s.
I	PLACIDA	Hybrid	
I	POLITUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
S	POLYSTIGMATICUM	Hybrid	21s. and 31s. 6d.
I	PORPHYREUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
S	PORTIA	Hybrid	15s. and 21s.
S	PULCHELLUM	Hybrid	
I	PURPURATUM	Hong Kong	7s. 6d., 10s. 6d. & 15s.
I	REGALE	Hybrid	10s. 6d., 15s. and 21s.
S	ROTHSCHILDIANUM	East Indies	10s. 6d., 15s. and 21s.
S	ROYAL PRINCE	Hybrid	31s. 6d. and 42s.
I	SALLIERII	Hybrid	7s. 6d., 10s. 6d. & 15s.
S	SANDERIANUM	Malay Archipelago	21s., 31s. 6d. and 42s.
C	SCHLIMII	Colombia	7s. 6d., 10s. 6d. & 15s.
I	SCHRODERÆ	Hybrid	10s. 6d., 15s. and 21s.
C	SEDENI	Hybrid	5s., 7s. 6d. & 10s. 6d.
C	— CANDIDULUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
I	SEGERIANUM	Hybrid	31s. 6d., 42s. and 63s.
I	SELLIGERUM	Hybrid	5s., 7s. 6d. & 10s. 6d.
I	— MAJUS	Hybrid	31s. 6d. and 42s.
*I	SPICERIANUM	East Indies	3s. 6d., 5s. and 7s. 6d.
I	STENOPHYLLUM	Hybrid	10s. 6d., 15s. and 21s.
S	STONEI	Borneo	10s. 6d. and 15s.
I	SUPERBIENS (VEITCHII)	Java	10s. 6d., 15s. and 21s.
I	SUPERCILIARE	Hybrid	5s., 7s. 6d. & 10s. 6d.
I	— ORNATUM	Hybrid	10s. 6d., 15s. and 21s.
I	SWANIANUM	Hybrid	10s. 6d., 15s. and 21s.
I	SYBIL	Hybrid	
I	TENELLUM	Hybrid	
S	TONSUM	Sumatra	10s. 6d., 15s. and 21s.
I	TRIOLUS	Hybrid	
*C	VENUSTUM	Nepal	3s. 6d., 5s. and 7s. 6d.
*C	— PARDINUM	Nepal	15s. and 21s.
I	VERNIXIUM	Hybrid	5s., 7s. 6d. & 10s. 6d.
I	VEXILLARIUM	Hybrid	21s., 31s. 6d. and 42s.
C	VILLOSUM	Moulmein	5s., 7s. 6d. & 10s. 6d.

**CYRTOPODIUM**

I	FUNCTATUM	South America	15s., 21s. and 31s. 6d.
I	ST. LEGERIANUM	Paraguay	15s., 21s. and 31s. 6d.

**CYRTOPTERA**

S	REGNIERI	Cochin China	21s. and 31s. 6d.
---	----------	--------------	-------------------

**DENDROBIUM**

I	AGGREGATUM	East Indies	5s., 7s. 6d. & 10s. 6d.
I	AINSWORTHII	Hybrid	7s. 6d., 10s. 6d. to 21s.
I	— ROSEUM	Hybrid	31s. 6d., 42s. and 63s.
I	ALBO-SANGUINEUM	Moulmein	10s. 6d. and 15s.
I	AMCENUM	East Indies	15s. and 21s.
S	ANOSMUM	Manilla	21s. and 31s. 6d.
I	AUREUM (HETEROCARPUM)	East Indies	7s. 6d., 10s. 6d. and 15s.
S	BENSONLE	Arracan Hills	7s. 6d. and 10s. 6d.
S	BIGINIUM	Torres Straits	10s. 6d. and 15s.
S	BRYMERIANUM	Burmah	10s. 6d., 15s. and 21s.
I	CALCEOLARIA	East Indies	10s. 6d. and 15s.
I	CAMBRIDGEANUM	East Indies	5s., 7s. 6d. and 10s. 6d.
I	CHRYSANTHUM	Nepal	5s., 7s. 6d. and 10s. 6d.
I	CHRYSOTOXUM	Moulmein	5s., 7s. 6d. and 10s. 6d.
I	CLAVATUM	East Indies	10s. 6d., 15s. and 21s.

**DENDROBIUM**

*S	CRASSINODE	Siam	5s., 7s. 6d. and 10s. 6d.
*S	— BARBERIANUM	Siam	7s. 6d., 10s. 6d. and 15s.
S	CRYSTALLINUM	Arracan Mountains	7s. 6d. and 10s. 6d.
S	DALHOUSIANUM	East Indies	10s. 6d. and 15s.
S	DEAREI	Philippino Islands	7s. 6d., 10s. 6d. and 15s.
I	DENSIFLORUM	East Indies	7s. 6d., 10s. 6d. and 15s.
I	DEVONIANUM	Khasya	5s., 7s. 6d. and 10s. 6d.
I	DIXANTHUM	East Indies	10s. 6d. and 15s.
I	DOMINII	Hybrid	10s. 6d., 15s. and 21s.
I	ENDOCHARIS	Hybrid	10s. 6d., 15s. and 21s.
I	FALCONERI	East Indies	10s. 6d. and 15s.
S	FARMERI	India	10s. 6d. and 15s.
I	FIMBRIATUM	Nepal	7s. 6d. and 10s. 6d.
I	— OCULATUM	Nepal	10s. 6d. and 15s.
S	FINDLAYANUM	Moulmein	7s. 6d., 10s. 6d. and 15s.
S	FORMOSUM GIGANTEUM	Burmah	5s., 7s. 6d. and 10s. 6d.
I	FREEMANII	Assam	15s. and 21s.
I	GIBSONII	Tenasserim	21s. and 31s. 6d.
I	GRIFFITHIANUM	East Indies	42s. and 63s.
I	GUIBERTII	East Indies	
C	INFUNDIBULUM	Moulmein	5s., 7s. 6d. and 10s. 6d.
C	JAMESIANUM	Moulmein	5s., 7s. 6d. and 10s. 6d.
I	KINGIANUM	Australia	10s. 6d., 15s. and 21s.
I	— ALBUM	Australia	31s. 6d. and 42s.
S	LEECHIANUM	Hybrid	7s. 6d., 10s. 6d. & 15s.
I	LINAWIANUM	China and Japan	10s. 6d., 15s. and 21s.
I	LITUFLOSUM	East Indies	7s. 6d., 10s. 6d. & 15s.
I	LUTEOLUM	Moulmein	10s. 6d. and 15s.
S	MACCARTHYI	Ceylon	7s. 6d., 10s. 6d. & 15s.
S	MACROPHYLLUM	Manilla	10s. 6d. and 15s.
I	MARMORATUM	Assam	7s. 6d. and 10s. 6d.
I	MOSCHATUM	East Indies	10s. 6d. and 15s.
*I	NOBILE	Assam	3s. 6d., 5s. and 7s. 6d.
I	— COOKSONI	Assam	7s. 6d., 10s. 6d. & 15s.
*I	— GRANDIFLORUM	Assam	21s. and 31s. 6d.
*I	— NOBILIUS	Assam	31s. 6d., 42s. and 63s.
*I	— PENDULUM	Assam	21s. and 31s. 6d.
*I	— PULCHERRIMUM	Assam	21s. and 31s. 6d.
*I	— WALLICHIANUM	Assam	15s. and 21s.
I	OCHREATUM	Chittagong	5s., 7s. 6d. & 10s. 6d.
I	PARISHII	Moulmein	5s., 7s. 6d. & 10s. 6d.
I	PAXTONII	Khasya	10s. 6d. and 15s.
S	PHALENOPSIS	North Australia	
S	— SCHRODERIANUM	New Guinea	3s. 6d., 5s. and 7s. 6d.
*I	PIERARDI	Delta of Ganges	5s. and 7s. 6d.
I	PRIMULINUM	East Indies	5s., 7s. 6d. & 10s. 6d.
*C	SPECIOSUM	Australia	10s. 6d. and 15s.
*C	— HILLII	Australia	21s. and 31s. 6d.
S	SPLENDIDISSIMUM GRANDIFLORUM	Hybrid	42s. and 63s.
S	SUAVISSIMUM	Burmah	7s. 6d., 10s. 6d. & 15s.
S	SUPERBIENS	Torres Straits	42s. and 63s.
S	SUPERBUM	Manilla	10s. 6d. and 15s.
I	THYSIFLORUM	Burmah	5s., 7s. 6d. & 10s. 6d.
I	— CARNEUM	Burmah	21s.
I	— SUPERBUM	Burmah	63s., 84s. and 105s.
I	— WALKERIANUM	Burmah	
S	TORTILE	East Indies	7s. 6d., 10s. 6d. and 15s.
*I	WARDIANUM	Burmah	5s., 7s. 6d. and 10s. 6d.
*I	— GRANDIFLORUM	Burmah	31s. 6d., 42s. and 63s.

**DENDROCHILUM**

S	FILIFORME	Manilla	7s. 6d., 10s. 6d. and 15s.
S	OLUMACEUM	Philippines	7s. 6d., 10s. 6d. and 15s.
S	UNCATUM	East Indies	10s. 6d. and 15s.

**DICHÆA**

S	VAGINATA	Mexico	10s. 6d. and 15s.
---	----------	--------	-------------------

**DISA**

C	GRANDIFLORA	Cape of Good Hope	10s. 6d., 15s. and 21s.
C	KLEWENSIS	Hybrid	5s., 7s. 6d. and 10s. 6d.
C	LANGLEYENSIS	Hybrid	5s., 7s. 6d. and 10s. 6d.
C	RACEMOSA	Cape of Good Hope	10s. 6d., 15s. and 21s.

**EPIDENDRUM**

<i>I</i> AROMATICUM	Guatemala	10s. 6d. and 15s.
<i>I</i> BRASAVOLÆ	Guatemala	15s. and 21s.
<i>I</i> BURTONI	South America	
<i>I</i> CILIARE	South America	7s. 6d. and 10s. 6d.
<i>I</i> COCHLEATUM	West Indies	7s. 6d. and 10s. 6d.
<i>I</i> COOPERIANUM	South America	21s.
<i>I</i> EYECTUM	South America	10s. 6d. and 15s.
<i>I</i> FALCATUM	Mexico	10s. 6d., 15s. and 21s.
<i>I</i> FRAGRANS.	South America	5s.
<i>I</i> FREDERICI GUILIELMI	Peru	10s. 6d., 15s. and 21s.
<i>C</i> MACROCHILUM	South America	10s. 6d., 15s. and 21s.
<i>C</i> — ALBUM	South America	
<i>I</i> NEMORALE	Mexico	10s. 6d. and 15s.
<i>I</i> PRISMATOCARPUM	Chiriqui	10s. 6d., 15s. and 21s.
<i>I</i> RHIZOPHORUM (RADICANS)	Mexico	7s. 6d. and 10s. 6d.
<i>C</i> VITELLINUM MAJUS	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i> WALLISII	South America	10s. 6d.

**ERIA**

<i>I</i> CONVALLARIOIDES	Nepal	15s. and 21s.
<i>I</i> STELLATA	East Indies	10s. 6d., 15s. and 21s.

**ERIOPSIS**

<i>I</i> BILOBA	South America	
<i>I</i> RUTIDOBULBON	South America	

**EULOPHIA**

<i>S</i> PULCHRA	West Africa	10s. 6d.
------------------	-------------	----------

**EULOPHIELLA**

<i>S</i> ELISABETHIÆ	Madagascar	21s., 31s. 6d. and 42s.
----------------------	------------	-------------------------

**GALEANDRA**

<i>S</i> DEVONIANA	Guiana	10s. 6d., 15s. and 21s.
--------------------	--------	-------------------------

**GONGORA**

<i>I</i> PORTENTOSA	South America	15s. and 21s.
---------------------	---------------	---------------

**GOODYERA (ANGECTOCYLUS)**

<i>S</i> DAWSONIANA	East Indies	10s. 6d. and 15s.
<i>S</i> ROLLISSONII	East Indies	15s. and 21s.

**GRAMMATOPHYLLUM**

<i>S</i> ELLISII	Madagascar	
------------------	------------	--

**HABENARIA**

<i>S</i> CARNEA	East Indies	10s. 6d. and 15s.
<i>S</i> MILITARIS	Cochin China	10s. 6d.

**HOULLETIA**

<i>I</i> BROCKLEHURSTIANA	Brazil	7s. 6d., 10s. 6d. & 15s.
---------------------------	--------	--------------------------

**IPSEA**

<i>S</i> SPECIOSA	Ceylon	7s. 6d. and 10s. 6d.
-------------------	--------	----------------------

**KERFERSTEINIA**

<i>S</i> GRAMINEA	Colombia	10s. 6d., 15s. and 21s.
-------------------	----------	-------------------------

**LÆLIA HYBRIDS**

*Sizes and prices on application.*

<i>S</i> LATONA (cinnabarina × purpurata)	Hybrid	21s. and 31s. 6d.
<i>S</i> PACAVIA (tenebrosa × purpurata)	Hybrid	

**LÆLIO-CATTLEYA HYBRIDS**

*Sizes and prices on application.*

<i>S</i> APHRODITE (C. Meudeli × L. purpurata)	Hybrid	105s. and 147s.
<i>S</i> ARNOLDIANA (L. purpurata × C. labiata)	Hybrid	
<i>S</i> ASCANIA (C. Trianae × L. xanthina)	Hybrid	42s. and 63s.
<i>S</i> BLECHILEYENSIS (L. tenebrosa × C. gigas)	Hybrid	
<i>S</i> CALLISTOGLOSSA (L. purpurata × C. gigas)	Hybrid	63s. and 84s.
<i>S</i> — IGNESCENS (C. gigas Sanderiana × L. purpurata)	Hybrid	105s. and 147s.
<i>S</i> CANHAMIANA (L. purpurata × C. Mossiae)	Hybrid	42s. and 63s.
<i>S</i> CRANSTOUNIÆ (C. Harrisoniæ violacea × L. tenebrosa)	Hybrid	
<i>S</i> DORA (L. C. Hippolyta Phœbiæ × C. Schroderiæ)	Hybrid	



**LÆLIO-CATTLEYA HYBRIDS**

<i>S</i> EXIMIA.....	Hybrid	
( <i>L. purpurata</i> × <i>C. Warneri</i> )		
<i>S</i> EXONIENSIS.....	Hybrid	
( <i>L. crispa</i> × <i>C. labiata</i> var.)		
<i>S</i> GOTTOIANA.....	Hybrid	
( <i>C. Warneri</i> × <i>L. tenebrosa</i> )		
<i>S</i> G. S. BALL.....	Hybrid	
( <i>L. cinnabarina</i> × <i>C. Schroderae</i> )		
<i>S</i> — BULL'S VAR.....	Hybrid	
( <i>L. cinnabarina</i> × <i>C. Schroderae virginialis</i> )		
<i>S</i> HENRY GREENWOOD.....	Hybrid	
( <i>L. elegans Stelzneriana</i> × <i>C. Hardyana</i> )		
<i>S</i> HIGHBURYENSIS.....	Hybrid	10s. 6d., 15s. and 21s.
( <i>L. cinnabarina</i> × <i>C. Lawrenceana</i> )		
<i>S</i> HIPPOLYTA.....	Hybrid	105s. and 147s.
( <i>L. cinnabarina</i> × <i>C. Mossiae</i> )		
<i>S</i> INORAMII.....	Hybrid	
( <i>L. Dayana</i> × <i>C. aurea</i> )		
<i>S</i> INTERMEDIO-FLAVA.....	Hybrid	
( <i>L. flava</i> × <i>C. intermedia</i> )		
<i>S</i> ISSY.....	Hybrid	
( <i>L. tenebrosa</i> × <i>C. Leopoldii</i> )		
<i>S</i> LUMINOSA.....	Hybrid	
( <i>L. tenebrosa</i> × <i>C. aurea</i> )		
<i>S</i> MAJOR-GENERAL BADEN-POWELL.....	Hybrid	
( <i>L. tenebrosa</i> × <i>C. Lawrenceana</i> )		
<i>S</i> MARTINETTI.....	Hybrid	
( <i>C. Mossiae</i> × <i>L. tenebrosa</i> )		
<i>S</i> MOZART.....	Hybrid	
( <i>C. lobata</i> × <i>L. purpurata</i> )		
<i>S</i> NYSA.....	Hybrid	63s. and 84s.
( <i>L. crispa</i> × <i>C. gigas</i> )		
<i>S</i> OPHIR.....	Hybrid	
( <i>L. xanthina</i> × <i>C. aurea</i> )		
<i>S</i> PALLAS.....	Hybrid	42s., 63s. and 84s.
( <i>L. crispa</i> × <i>C. Dowiana</i> )		
<i>S</i> PHEBE.....	Hybrid	
( <i>C. Mossiae</i> × <i>L. cinnabarina</i> )		
<i>S</i> PIRRYNE.....	Hybrid	
( <i>C. gigas</i> × <i>L. xanthina</i> )		
<i>S</i> REMULA.....	Hybrid	
( <i>L. tenebrosa</i> × <i>C. Aclandiae</i> )		
<i>S</i> SALLIERII.....	Hybrid	
( <i>L. purpurata Williamsii</i> × <i>C. Loddigesii</i> )		
<i>S</i> SEMIRAMIS.....	Hybrid	
( <i>L. Perrinii</i> × <i>C. Gaskelliana</i> )		
<i>S</i> STATTERIANA.....	Hybrid	42s., 63s. and 84s.
( <i>C. labiata</i> × <i>L. Perrinii</i> )		
<i>S</i> SUNRAY.....	Hybrid	
( <i>L. cinnabarina</i> × <i>C. superba</i> )		
<i>S</i> WARHAMENSE.....	Hybrid	
( <i>L. cinnabarina</i> × <i>C. Trianae</i> )		
<i>S</i> — HYPATIA.....	Hybrid	
( <i>L. cinnabarina</i> × <i>C. Trianae Normanii</i> )		
<i>S</i> ZEPHYRA.....	Hybrid	63s. and 84s.
( <i>C. Mendelii</i> × <i>L. xanthina</i> )		

**LÆLIA**

* <i>C</i> ACUMINATA.....	Mexico	7s. 6d., 10s. 6d. & 15s.
* <i>C</i> ALBIDA.....	Guatemala	7s. 6d. and 10s. 6d.
* <i>C</i> — BELLA.....	Guatemala	10s. 6d. and 15s.
* <i>C</i> — MARIANE.....	Guatemala	10s. 6d. and 15s.
* <i>C</i> ANCEPS.....	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> — BULL'S ALBA.....	Mexico	
* <i>C</i> — BARKERIANA.....	Mexico	7s. 6d., 10s. 6d. & 15s.
* <i>C</i> — DAWSONII.....	Mexico	
* <i>C</i> — GRANDIFLORA.....	Mexico	
* <i>C</i> — HILLII.....	Mexico	42s. and 63s.
* <i>C</i> — OCULATA.....	Mexico	21s. and 31s. 6d.
* <i>C</i> — RUBRA.....	Mexico	42s. and 63s.
* <i>C</i> — SANDERIANA.....	Mexico	10s. 6d., 15s. and 21s.

**LÆLIA**

*C	ANCEPS SCHRODERIANA	Mexico	
*C	— STELLA	Mexico	
*C	— WILLIAMSIANA	Mexico	
*C	AUTUMNALIS	Mexico	7s. 6d., 10s. 6d. & 15s.
*C	— ALBA	Mexico	42s. and 63s.
*C	— ATORRUBENS	Mexico	15s., 21s. and 31s. 6d.
I	CINNABARINA	Brazil	7s. 6d., 10s. 6d. & 15s.
I	CRISPA	Brazil	10s. 6d., 15s. and 21s.
I	— SUPERBA	Brazil	21s., 31s. 6d. and 42s.
*I	DAYANA	Brazil	5s., 7s. 6d. and 10s. 6d.
I	DORMANIANA	Brazil	21s. and 31s. 6d.
I	ELEGANS	Brazil	21s., 31s. 6d. and 42s.
I	— ALBA	Brazil	
I	— SCHILLERIANA	Brazil	63s. and 84s.
C	FURFURACEA	Mexico	21s. and 31s. 6d.
*C	GOULDIANA	Mexico	
I	GRANDIS	Brazil	21s.
I	HARPOPHYLLA	Brazil	7s. 6d., 10s. 6d. & 15s.
I	LINDLEYANA	Brazil	42s.
I	LOBATA (CATTLEYA LOBATA)	Brazil	10s. 6d., 15s. and 21s.
C	MAJALIS (FLOR DE MAIO)	Oaxaca	7s. 6d., 10s. 6d. & 15s.
I	PATINII	Colombia	10s. 6d., 15s. and 21s.
I	PERRINII	Brazil	7s. 6d., 10s. 6d. to 21s.
I	— SUPERBA	Brazil	31s. 6d. and 42s.
*I	PRÆSTANS	Brazil	7s. 6d. and 10s. 6d.
I	PURPURATA	Brazil	10s. 6d., 15s. and 21s.
I	— ALBA	Brazil	31s. 6d. and 42s.
I	— OLORIOSA	Brazil	
I	— ALEXANDRÆ	Brazil	
I	— ATORRUBENS	Brazil	
I	— ILLUSTRIS	Brazil	
I	— MAGNIFICA	Brazil	
I	— RUBELLA	Brazil	
I	— RUSSELLIANA	Brazil	21s., 31s. 6d. and 42s.
I	— SUNRAY	Brazil	
I	SUPERBIENS	Malacatan	10s. 6d., 15s. and 21s.
I	TENEBROSA	Brazil	7s. 6d., 10s. 6d. & 15s.
I	— MELPOMENE	Brazil	
I	XANTHINA	Brazil	10s. 6d., 15s. and 21s.

**LEPTOTES**

I	BICOLOR	South America	7s. 6d. and 10s. 6d.
---	---------	---------------	----------------------

**LIMATODIS**

*I	ROSEA	Moulmein	5s. and 7s. 6d.
----	-------	----------	-----------------

**LIPARIS**

S	LONOIPES	India	10s. 6d. and 15s.
---	----------	-------	-------------------

**LYCASTE**

C	AROMATICA	Mexico	7s. 6d., 10s. 6d. and 15s.
C	COSTATA	South America	7s. 6d., 10s. 6d. and 15s.
C	CRUENTA	Guatemala	7s. 6d., 10s. 6d. and 15s.
C	— MAJOR	Guatemala	
C	DEPPEI	Mexico	7s. 6d. and 10s. 6d.
C	GIGANTEA	South America	21s. and 31s. 6d.
C	LANIPES	Guayaquil	10s. 6d., 15s. and 21s.
*I	PLANA MEASURESIANA	Bolivia	21s., 31s. 6d. and 42s.
C	ROSSIANA	South America	7s. 6d. and 10s. 6d.
*C	SKINNERI	Guatemala	5s. and 7s. 6d.
*C	— ALBA	Guatemala	42s., 63s. and 84s.
*C	— DELICATA	Guatemala	21s. and 31s. 6d.
*C	— RUBELLA	Guatemala	21s. and 31s. 6d.
*C	— SUPERBA	Guatemala	15s. and 21s.

**MASDEVALLIA**

C	ABBREVIATA	Colombia	5s. and 7s. 6d.
C	AMABILIS	Colombia	7s. 6d. and 10s. 6d.
C	BARLEANA	Peru	5s., 7s. 6d. and 10s. 6d.
C	BELLA	Colombia	10s. 6d., 15s. and 21s.
C	BONPLANDII	Colombia	5s. and 7s. 6d.
C	CALURA	Colombia	42s.
C	CARDERI	Colombia	31s. 6d., 42s. and 63s.
C	CHELSEIENSIS	Hybrid	5s., 7s. 6d. and 10s. 6d.
C	CHESTERTONI	Colombia	42s.
C	CHIMERA	Colombia	10s. 6d., 15s. and 21s.

MASDEVALLIA

<i>C</i> CHIMÆRA BACKHOUSIANA .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> — GIGANTEA .....	Colombia .....	42s. and 63s.
<i>C</i> — ROEHLII .....	Colombia .....	21s. and 31s. 6d.
<i>C</i> — WALLISH .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i> — WINNIANA .....	Colombia .....	21s. and 31s. 6d.
<i>C</i> CORNICULATA .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> CUCULLATA .....	Colombia .....	42s., 63s. and 84s.
<i>C</i> DAVISII .....	South America .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i> DAYANA (CRYPTOPHORANTHUS) .....	Colombia .....	15s. and 21s.
<i>C</i> DEMISSA .....	South America .....	21s. and 31s. 6d.
<i>C</i> ERYTHROCHÆTE .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> ESTRADÆ .....	South America .....	10s. 6d., 15s. and 21s.
<i>C</i> HARRYANA .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ACANTHIFOLIA .....	Colombia .....	42s. and 63s.
<i>C</i> — ACUMINATA .....	Colombia .....	42s. and 63s.
<i>C</i> — ATROPURPUREA .....	Colombia .....	42s. and 63s.
<i>C</i> — ATROSANGUINEA .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i> — AURANTIACA .....	Colombia .....	15s., 21s. and 31s. 6d.
<i>C</i> — CÆRULESCENS .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ATROVIOLOCEA .....	Colombia .....	63s. and 84s.
<i>C</i> — CONCOLOR .....	Colombia .....	31s. 6d. and 42s.
<i>C</i> — GIGANTEA .....	Colombia .....	84s. and 105s.
<i>C</i> — GRANDIFLORA .....	Colombia .....	63s. and 84s.
<i>C</i> — MAGNIFICA .....	Colombia .....	42s. and 63s.
<i>C</i> — MAXIMA .....	Colombia .....	63s. and 84s.
<i>C</i> — SUPERBA .....	Colombia .....	42s. and 63s.
<i>C</i> — CHELSEIENSIS .....	Colombia .....	
<i>C</i> — COCCINEA .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> — COMPT .....	Colombia .....	42s., 63s. and 84s.
<i>C</i> — CONCHIFLORA .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i> — CONSPICUA .....	Colombia .....	
<i>C</i> — DECORA .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i> — DELICATA .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i> — DENISONIANA .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i> — ELECTRIC .....	Colombia .....	
<i>C</i> — ELEGANS .....	Colombia .....	42s. and 63s.
<i>C</i> — EXPANSA .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> — FLAMBEAU .....	Colombia .....	
<i>C</i> — FLAMMEA .....	Colombia .....	
<i>C</i> — FORMOSA .....	Colombia .....	42s. and 63s.
<i>C</i> — FULGENS .....	Colombia .....	
<i>C</i> — OEMMA .....	Colombia .....	
<i>C</i> — OLORIOSA .....	Colombia .....	
<i>C</i> — HENDERSONI .....	Colombia .....	15s.
<i>C</i> — ILLUSTRIS .....	Colombia .....	
<i>C</i> — INSIGNIS .....	Colombia .....	
<i>C</i> — LEONIS .....	Colombia .....	15s. and 21s.
<i>C</i> — LILACINA .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — LUTEO-OCULATA .....	Colombia .....	42s. and 63s.
<i>C</i> — MAGNIFICA .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i> — MARS .....	Colombia .....	
<i>C</i> — METEOR .....	Colombia .....	
<i>C</i> — MINIATA .....	Colombia .....	
<i>C</i> — MIRABILIS .....	Colombia .....	63s. and 84s.
<i>C</i> — OCULATA .....	Colombia .....	15s. and 21s.
<i>C</i> — ORNATA .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i> — PATENS .....	Colombia .....	
<i>C</i> — PRINCEPS .....	Colombia .....	63s.
<i>C</i> — PURPUREA .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i> — — MAONIFICA .....	Colombia .....	
<i>C</i> — REGALIS .....	Colombia .....	31s. 6d. and 42s.
<i>C</i> — REGINÆ .....	Colombia .....	
<i>C</i> — ROSACEA .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ROSEA .....	Colombia .....	21s. and 31s. 6d.
<i>C</i> — ROTUNDIFLORA .....	Colombia .....	
<i>C</i> — SALMONEA .....	Colombia .....	
<i>C</i> — SANGUINEA .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i> — — AURANTIACA .....	Colombia .....	63s. and 84s.
<i>C</i> — SPECIOSA .....	Colombia .....	



**MASDEVALLIA**


<i>C</i> HARRYANA SPLENDENS	Colombia	21s., 31s. 6d. and 42s.
<i>C</i> — SUPERBA	Colombia	21s., 31s. 6d. and 42s.
<i>C</i> — TRIUMPHANS	Colombia	21s. and 31s. 6d.
<i>C</i> — VERSICOLOR	Colombia	15s., 21s. and 31s. 6d.
<i>C</i> — VIOLACEA	Colombia	10s. 6d. and 15s.
<i>C</i> — MAONIFICA	Colombia	63s. and 84s.
<i>C</i> — OCULATA	Colombia	42s. and 63s.
<i>C</i> — SUPERBA	Colombia	42s. and 63s.
<i>C</i> — VIVICANS	Colombia	10s. 6d. and 15s.
<i>C</i> — WALKERIANA	Colombia	31s. 6d. and 42s.
<i>C</i> IGNEA	Colombia	7s. 6d. and 10s. 6d.
<i>C</i> — AURANTIACA	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i> — CITRINA	Colombia	
<i>C</i> — ECKHARDTII	Colombia	31s. 6d.
<i>C</i> — MASSANOEANA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i> — MILITARIS	Colombia	31s. 6d. and 42s.
<i>C</i> — PURPUREA	Colombia	42s. and 63s.
<i>C</i> — SPLENDENS	Colombia	63s. and 84s.
<i>C</i> — PENANTHE	Colombia	15s. and 21s.
<i>C</i> — SPECIOSA	Colombia	
<i>C</i> — STOBARTIANA	Colombia	21s. and 31s. 6d.
<i>C</i> INFLATA	Colombia	42s. and 63s.
<i>C</i> IONOCCHARIS	South America	15s., 21s. and 31s. 6d.
<i>C</i> LINDENI	Colombia	7s. 6d. and 10s. 6d.
* <i>C</i> MACRURA	Colombia	31s. 6d. and 42s.
<i>C</i> MUSCOSA	South America	10s. 6d. and 15s.
<i>C</i> NYCTERINA	Colombia	10s. 6d. and 15s.
<i>C</i> OCHRODES	Colombia	5s.
<i>C</i> PERISTERIA	Colombia	10s. 6d., 15s. and 21s.
<i>C</i> POLYSTICTA	Colombia	5s. and 7s. 6d.
<i>C</i> PSITTACINA	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i> RADIOSA	Colombia	21s. and 31s. 6d.
<i>C</i> — MAJOR	Colombia	
<i>C</i> REICHENBACHIANA	South America	10s. 6d. and 15s.
<i>C</i> SCHLIMM	Colombia	10s. 6d., 15s. and 21s.
<i>C</i> SCHRODERIANA SPLENDENS	Colombia	
<i>C</i> SEVERA	Colombia	42s. and 63s.
<i>C</i> SHUTTLEWORTHII	Colombia	10s. 6d., 15s. and 21s.
<i>C</i> — XANTHOCORYS	Colombia	15s. and 21s.
<i>C</i> SIMULA	South America	
<i>C</i> SWERTICIFOLIA	Colombia	10s. 6d. and 15s.
<i>C</i> TORTA	Colombia	42s. and 63s.
* <i>I</i> TOVARENSIS	Venezuela	5s., 7s. 6d. and 10s. 6d.
<i>C</i> TRIADACTYLITES	South America	21s. and 31s. 6d.
<i>I</i> TRIANGULARIS	Venezuela	7s. 6d. and 10s. 6d.
<i>C</i> TRIOPHETE	Colombia	21s. and 31s. 6d.
<i>C</i> TROCHILUS	Colombia	21s. and 31s. 6d.
<i>C</i> VEITCHIANA	Peru	7s. 6d., 10s. 6d. & 15s.
<i>C</i> — GRANDIFLORA	Peru	42s. and 63s.
<i>C</i> — MAONIFICA	Peru	
<i>C</i> VESPERTILIO	Colombia	21s. and 31s. 6d.
<i>I</i> WAONERIANA	Venezuela	10s. 6d., 15s. and 21s.
<i>C</i> XANTHINA	Colombia	15s., 21s. and 31s. 6d.

**MAXILLARIA**

<i>C</i> ORANDIFLORA	South America	7s. 6d., 10s. 6d. & 15s.
<i>C</i> HARRISONIÆ	South America	7s. 6d. and 10s. 6d.
* <i>C</i> LUTEO-ALBA	Colombia	7s. 6d., 10s. 6d. & 15s.
<i>I</i> SANDERIANA	South America	7s. 6d., 10s. 6d. & 15s.
<i>I</i> TENUIFOLIA	Mexico	7s. 6d. and 10s. 6d.
<i>C</i> VENUSTA	Colombia	7s. 6d. and 10s. 6d.

**MESOSPINIDIUM**

<i>C</i> ROSEUM	Mexico	10s. 6d.
-----------------	--------	----------



**MILTONIA VEXILLARIA INSIGNIS.**

A splendid variety of this popular Orchid. The flowers are of a deep rosy blush colour, with a prominent transverse band of bright yellow across the base of the lip; above the yellow band are two parallel crimson lines, and below the band on the white basal part of the lip is a broad transverse semi-circular blotch of deep purplish red. Price on application.

**MESOSPINIDIUM**

* <i>C</i> SANGUINEUM	Ecuador	10s. 6d. and 15s.
<i>C</i> VULCANICUM	Ecuador	7s. 6d., 10s. 6d. & 15s.
<i>C</i> — GRANDIFLORUM	Peru	10s. 6d., 15s. and 21s.

**MICROSTYLIS**

<i>S</i> CALOPHYLLA	East Indies	10s. 6d. and 15s.
---------------------	-------------	-------------------

**MILTONIA**

<i>I</i> CANDIDA	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> CLOWESII	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> — PAUCIGUTTATA	Brazil	42s. and 63s.
<i>I</i> CUNEATA	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> MORELIANA	Brazil	10s. 6d., 15s. and 21s.
<i>I</i> — ATROPURPUREA	Brazil	
<i>I</i> PHALLENOPSIS	Ocaña	7s. 6d., 10s. 6d. to 21s.
<i>I</i> REGNELII (CEREOLA)	Brazil	21s. and 31s. 6d.
<i>I</i> — PURPUREA	Brazil	42s. and 63s.
<i>I</i> ROEZLII	Colombia	7s. 6d., 10s. 6d. & 15s.
<i>S</i> — ALBA	Colombia	10s. 6d., 15s. and 21s.
<i>S</i> — ALEXANDRE	Colombia	
<i>I</i> SPECTABILIS	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i> VEXILLARIA (ODONTOGLOSSUM VEXILLARIUM)	Colombia	5s., 7s. 6d., 10s. 6d. & 15s.
<i>I</i> — AMENA	Colombia	
<i>I</i> — COBBIANA	Colombia	84s. and 105s.
<i>I</i> — CONSPICUA	Colombia	
<i>I</i> — GIGANTEA	Colombia	84s. and 105s.
<i>I</i> — INSIGNIS	Colombia	
<i>I</i> — MACULATA	Colombia	
<i>I</i> — PICTURATA	Colombia	
<i>I</i> — PULCHERRIMA	Colombia	42s. and 63s.
<i>I</i> — PURPURASCENS	Colombia	
<i>I</i> — ROSEA	Colombia	31s. 6d., 42s. and 63s.
<i>I</i> — RUBELLA (Autumn-flowering)	Colombia	10s. 6d., 15s. and 21s.
<i>I</i> — RUBRA	Colombia	
<i>I</i> — SPLENDENS	Colombia	
<i>I</i> — SUPERBA	Colombia	
<i>I</i> — TRICOLOR	Colombia	

**MORMODES**

<i>I</i> PARDINUM UNICOLOR	Mexico	
----------------------------	--------	--

**NANODES**

<i>I</i> MEDUSÆ	South America	21s. and 31s. 6d.
-----------------	---------------	-------------------

**ODONTOGLOSSUM**

<i>C</i> ADRIANÆ (Nat. hybrid)	Colombia	42s.
<i>C</i> — CHELSEIENSE (Nat. hybrid)	Colombia	
<i>C</i> — VULCAN (Nat. hybrid)	Colombia	
<i>C</i> ANDERSONIANUM	Bogota	5s., 7s. 6d. to 21s.
<i>C</i> ARNOLDIANUM	Colombia	21s., 31s. 6d. and 42s.
* <i>C</i> ASPERSUM (Nat. hybrid)	Mexico	21s., 31s. 6d. and 42s.
* <i>C</i> BAPHICANTHUM (Nat. hybrid)	Colombia	21s., 31s. 6d. and 42s.
* <i>C</i> BELLINUM (Nat. hybrid)	Colombia	
* <i>C</i> BICTONENSE	Guatemala	10s. 6d., 15s. and 21s.
<i>C</i> BLANDUM	Colombia	10s. 6d., 15s. and 21s.
<i>C</i> BLEPHARICANTHUM	Venezuela	42s. and 63s.
<i>C</i> CALINIFERUM	South America	21s. and 31s. 6d.
* <i>C</i> CERVANTESII	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i> CHESTERTONI (Nat. hybrid)	Colombia	42s. and 63s.
<i>C</i> CIRROSUM	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i> — KLABOCHORUM	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i> CITROSUM (PENDULUM)	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ALBUM	Mexico	
<i>C</i> — CARNEUM	Mexico	
<i>C</i> — GRANDIFLORUM	Mexico	
<i>C</i> — MAXIMUM	Mexico	
<i>C</i> — PUNCTATUM	Mexico	
<i>C</i> — ROSEUM	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i> — RUBRUM	Mexico	
<i>C</i> — — GRANDIFLORUM	Mexico	
<i>C</i> CONSTRICTUM	South America	7s. 6d. and 10s. 6d.
<i>C</i> CORADINEI	Colombia	21s. and 31s. 6d.





ODONTOGLOSSUM CIRROSUM.

## ODONTOGLOSSUM

*C	CORDATUM	Mexico	3s. 6d., 5s. to 10s. 6d.
*C	— PICTUM	Mexico	63s.
*C	— SUPERBUM	Mexico	42s. and 63s.
C	CORONARIUM	Colombia	42s. and 63s.
*C	CRISPUM	Colombia	3s. 6d., 5s. to 21s.
*C	— OUTTATUM	Colombia	63s. and 84s.
*C	— PICTUM	Colombia	
*C	— PUNCTATUM	Colombia	
*C	— PURPUREUM	Colombia	
*C	— ROSEUM	Colombia	42s., 63s. and 84s.
*C	— VIROINALE	Colombia	
C	CRISTATELLUM	Colombia	10s. 6d., 15s. and 21s.
C	CRISTATUM	Peru	10s. 6d., 15s. and 21s.
C	CUSPIDATUM	Colombia	
C	DECORUM (Nat. hybrid)	Colombia	
C	DELTOLOSSUM (Nat. hybrid)	Colombia	
C	EDWARDII	Ecuador	10s. 6d., 15s. and 21s.
*C	EHRENBERGII	Mexico	
C	FACETUM	Colombia	15s., 21s. and 31s. 6d.
C	GLORIOSUM	Ocaña	5s., 7s. 6d. and 10s. 6d.
C	— ALBUM (NÆVIUM MAJUS)	Ocaña	10s. 6d., 15s. and 21s.
C	ORANDE	Guatemala	5s., 7s. 6d. to 21s.
C	HALLII	Ecuador	7s. 6d., 10s. 6d. & 15s.
C	— TIGRINUM	Ecuador	21s., 31s. 6d. and 42s.
C	— XANTHOLOSSUM	Ecuador	10s. 6d., 15s. and 21s.
I	HARRYANUM	South America	7s. 6d. to 21s.
I	HASTILABIMUM	Colombia	7s. 6d., 10s. 6d. & 15s.
C	HEBRAICUM (Nat. hybrid)	Colombia	21s., 31s. 6d. and 42s.
C	HIEROGLYPHICUM (Nat. hybrid)	Colombia	
C	HOLFORDIANUM	Colombia	
C	HUNNEWELLIANUM	Colombia	21s. and 31s. 6d.
C	HYSTRIX	Colombia	7s. 6d., 10s. 6d. & 15s.
I	INSLEAYI LEOPARDINUM	Mexico	10s. 6d. and 15s.
I	— SPLENDENS	Mexico	21s., 31s. 6d. and 42s.
I	KRAMERI	Costa Rica	10s. 6d., 15s. and 21s.
C	LEPIDUM (Nat. hybrid)	South America	
C	LINDENI	Colombia	15s. and 21s.
C	LINDLEYANUM	Colombia	3s. 6d. and 5s.
C	LUTEO-PURPUREUM	Colombia	7s. 6d., 10s. 6d. & 15s.
*C	MACULATUM	Mexico	5s., 7s. 6d. and 10s. 6d.
C	MADRENSE (MAXILLARE)	Mexico	10s. 6d., 15s. and 21s.
C	— MAJUS	Mexico	42s. and 63s.
C	MEMBRANACEUM	Mexico	10s. 6d. and 15s.
C	MIRABILE (Nat. hybrid)	Colombia	
C	MIRANDUM	Colombia	7s. 6d. and 10s. 6d.
C	MULUS	Colombia	
C	NÆVIUM	Ocaña	21s., 31s. 6d. and 42s.
C	— MAJUS (GLORIOSUM ALBUM)	Ocaña	10s. 6d., 15s. and 21s.
C	NEBULOSUM	Mexico	7s. 6d., 10s. 6d. & 15s.
C	— PARDINUM	Mexico	21s., 31s. 6d. and 42s.
C	NEVADENSE	Colombia	
C	ODORATUM	Colombia	5s., 7s. 6d. and 10s. 6d.
C	PESCATOREI	Colombia	5s. to 21s.
C	— NIVALE	Colombia	42s. and 63s.
I	PHALENOPSIS (MILTONIA)	Ocaña	7s. 6d., 10s. 6d. to 21s.
C	POLYXANTHUM	Ecuador	21s. and 31s. 6d.
*C	PULCHELLUM	Mexico	5s., 7s. 6d. and 10s. 6d.
*C	— MAJUS	Mexico	7s. 6d., 10s. 6d. & 15s.
C	RAMOSISSIMUM	Colombia	21s., 31s. 6d. and 42s.
C	— ALBUM	Colombia	42s. and 63s.
C	RAMULOSUM	Ocaña	15s. and 21s.
C	REICHENHEIMI	Mexico	21s. and 31s. 6d.
S	ROEZLI (MILTONIA)	Colombia	7s. 6d., 10s. 6d. & 15s.
S	— ALBUM	Colombia	10s. 6d., 15s. and 21s.
S	— ALEXANDRE	Colombia	
*C	ROSSII MAJUS	Mexico	3s. 6d., 5s. and 7s. 6d.
C	RUCKERIANUM (Nat. hybrid)	Colombia	31s. 6d., 42s. and 63s.
C	SANDERIANUM	Colombia	10s. 6d., 15s. and 21s.
C	SCEPTRUM	Colombia	21s., 31s. 6d. and 42s.
*C	TRIPUDIANS	Peru	5s., 7s. 6d. and 10s. 6d.

**ODONTOGLOSSUM**

<i>C</i> TRIUMPHANS .....	Ocaña .....	7s. 6d., 10s. 6d. & 15s.
<i>C</i> — CHRYSOLOLUM .....	Ocaña .....	
<i>C</i> UROSKINNERI .....	Guatemala .....	42s. and 63s.
<i>I</i> VEXILLARIUM, <i>vide</i> <i>Miltonia vexillaria</i>		
<i>C</i> WALLISII .....	Colombia .....	10s. 6d. and 15s.
<i>C</i> WILCKEANUM ( <i>Nat. hybrid</i> ) .....	Colombia .....	42s., 63s. and 84s.
<i>C</i> — CHELSEIENSE ( <i>Nat. hybrid</i> ) .....	Colombia .....	

**ONCIDIUM**

<i>S</i> AMPLIATUM .....	Panama .....	10s. 6d. and 15s.
<i>S</i> — MAJUS .....	Panama .....	10s. 6d. and 15s.
<i>I</i> ANCIFERUM .....	South America .....	15s. and 21s.
<i>C</i> AUROSUM .....	Ecuador .....	10s. 6d. and 15s.
<i>C</i> BALDERAME .....	Colombia .....	
<i>C</i> CONCOLOR .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> CORNOERUM .....	Brazil .....	15s. and 21s.
<i>C</i> CRISPUM .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ORANDIFLORUM .....	Brazil .....	15s. and 21s.
<i>C</i> CUCULLATUM .....	South America .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> CURTUM .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>C</i> DASYTILE .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> FLEXUOSUM .....	Brazil .....	5s. and 7s. 6d.
<i>C</i> FORBESII .....	Brazil .....	5s., 7s. 6d. to 21s.
<i>C</i> — ORANDIFLORUM .....	Brazil .....	31s. 6d. and 42s.
<i>C</i> GARDNERIANUM .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i> HARRISONIANUM .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i> HASTATUM (STELLIGERUM) .....	Mexico .....	15s. and 21s.
<i>C</i> INCURVUM .....	Oaxaca .....	5s., 7s. 6d. and 10s. 6d.
<i>S</i> KRAMERIANUM .....	Colombia .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i> LAMELLOERUM .....	Ecuador .....	15s., 21s. and 31s. 6d.
<i>I</i> LEUCOCYLUM .....	Mexico .....	21s. and 31s. 6d.
<i>S</i> LURIDUM (OUTTATUM) .....	West Indies .....	10s. 6d., 15s. and 21s.
<i>C</i> MACRANTHUM .....	Ecuador .....	10s. 6d., 15s. and 21s.
<i>C</i> — HASTIFERUM .....	Ecuador .....	31s. 6d., 42s. and 63s.
<i>C</i> MARSHALLIANUM .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> OLIVACEUM LAWRENCEANUM .....	Brazil .....	
* <i>C</i> ORNITHORRHYNCHUM .....	Guatemala .....	5s. and 7s. 6d.
<i>S</i> PAPILLO .....	Panama .....	5s., 7s. 6d. and 10s. 6d.
<i>S</i> — MAJUS .....	Panama .....	10s. 6d., 15s. and 21s.
<i>I</i> PHYMATOCYLUM .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>C</i> PRETEXTUM .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> PULVINATUM .....	Brazil .....	7s. 6d., 10s. 6d. & 15s.
<i>I</i> SARCODES .....	Brazil .....	10s. 6d. and 15s.
<i>I</i> — SUPERBUM .....	Brazil .....	31s. 6d. and 42s.
<i>C</i> SERRATUM .....	Peru .....	21s. and 31s. 6d.
<i>I</i> SPHACELATUM .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i> SPHEGIFERUM .....	South America .....	15s. and 21s.
<i>I</i> SPLENDIDUM .....	Guatemala .....	7s. 6d., 10s. 6d. & 15s.
<i>I</i> STELLIGERUM .....	Mexico .....	15s. and 21s.
<i>C</i> SUPERBIENS .....	Colombia .....	10s. 6d., 15s. and 21s.
* <i>C</i> TIGRINUM .....	Mexicoacan .....	7s. 6d. and 10s. 6d.
<i>C</i> UNDULATUM .....	Colombia .....	10s. 6d., 15s. and 21s.
* <i>I</i> UNOUCULATUM .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> VARICOSUM .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i> — ROGERSII .....	Brazil .....	7s. 6d., 10s. 6d. & 15s.
<i>C</i> ZEBRINUM .....	Colombia .....	10s. 6d., 15s. and 21s.

**ORNITHIDIUM**

<i>I</i> COCCINEUM .....	Brazil .....	15s. and 21s.
--------------------------	--------------	---------------

**PALUMBINA**

<i>I</i> CANDIDA .....	Mexico .....	7s. 6d., 10s. 6d. & 15s.
------------------------	--------------	--------------------------

**PERISTERIA**

<i>S</i> ELATA (THE DOVE FLOWER) .....	Panama .....	10s. 6d., 15s. and 21s.
<i>El Espíritu Santo</i> ( <i>Holy Ghost Flower</i> ) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.		

**PHAIUS**

<i>I</i> BLUMEI .....	Assam .....	7s. 6d., 10s. 6d. & 15s.
* <i>I</i> ORANDIFOLIUS .....	Hong Kong .....	7s. 6d., 10s. 6d. & 15s.
<i>S</i> HUMBLOTH .....	Madagascar .....	7s. 6d., 10s. 6d. & 15s.



**PHAIUS**

<i>C</i> SIEBOLDII .....	Japan .....	10s. 6d. and 15s.
<i>I</i> WALLICHII .....	Sylhet .....	21s. and 31s. 6d.

**PHALENOPSIS**

<i>S</i> AMABILIS (ORANDIFLORA) .....	Borneo .....	15s. and 21s.
<i>S</i> APHRODITE (AMABILIS) .....	Sunda Islands .....	15s. and 21s.
<i>S</i> ESMERALDA .....	Cochin China .....	7s. 6d., 10s. 6d. & 15s.
<i>S</i> — REONIERI .....	Cochin China .....	10s. 6d., 15s. and 21s.
<i>S</i> LOWII .....	East Indies .....	21s.
<i>S</i> LÜDEMANNIANA .....	Philippine Islands .....	7s. 6d., 10s. 6d. & 15s.
<i>S</i> SANDERIANA .....	East Indies .....	21s.
* <i>S</i> SCHILLERIANA .....	Manilla .....	10s. 6d., 15s. and 21s.
<i>S</i> STUARTIANA .....	East Indies .....	21s., 31s. 6d. and 42s.

**PILUMNA**

* <i>C</i> FRAORANS .....	Merida .....	5s., 7s. 6d. and 10s. 6d.
* <i>I</i> NOBILIS .....	South America .....	10s. 6d., 15s. and 21s.

**PLEIONE**

* <i>C</i> HUMILIS .....	East Indies .....	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> LAONARIA .....	Khasya .....	5s. and 7s. 6d.
* <i>C</i> MACULATA .....	Assam, Khasya .....	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> WALLICHIANA .....	Arracan Mountains .....	5s., 7s. 6d. and 10s. 6d.

**PLEUROTHALLIS**

<i>I</i> ROEZLII .....	South America .....	42s. and 63s.
<i>I</i> SCAPHA .....	South America .....	84s. and 105s.
<i>I</i> TRIDENTATA .....	South America .....	10s. 6d.

**PROMENEA**

<i>S</i> CITRINA .....	Brazil .....	7s. 6d. and 10s. 6d.
<i>S</i> STAPELOIDES .....	Brazil .....	7s. 6d. and 10s. 6d.

**RENANTHERA**

<i>S</i> COCCINBA .....	Cochin China .....	21s. and 31s. 6d.
-------------------------	--------------------	-------------------

**RESTREPIA**

<i>C</i> ANTENNIFERA .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i> ELEGANS .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>I</i> OPHIOCEPHALA .....	Mexico .....	21s.

**RODRIGUEZIA**

<i>S</i> PLANIFOLIA .....	South America .....	7s. 6d. and 10s. 6d.
---------------------------	---------------------	----------------------

**SACCOLABIUM**

<i>S</i> AMPULLACEUM .....	Rangoon .....	7s. 6d. and 10s. 6d.
<i>S</i> BELLINUM .....	Burmah .....	21s., 31s. 6d. and 42s.
<i>S</i> BLUMBI .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i> — DAYANUM .....	East Indies .....	10s. 6d., 15s. and 21s.
<i>S</i> — MAJUS .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i> CURVIFOLIUM .....	Nepal, Ceylon .....	10s. 6d., 15s. and 21s.
* <i>S</i> OIGANTHEUM .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
* <i>S</i> — ILLUSTRE .....	East Indies .....	15s., 21s. and 31s. 6d.
<i>S</i> OUTTATUM .....	East Indies .....	7s. 6d., 10s. 6d. to 31s. 6d.
<i>S</i> HARRISONIANUM .....	Pulo, Copang .....	10s. 6d., 15s. and 21s.
<i>S</i> PREMORSUM .....	Java .....	42s. and 63s.
<i>S</i> RETUSUM .....	Java .....	42s. and 63s.
<i>S</i> VIOLACEUM .....	Manilla .....	7s. 6d., 10s. 6d. and 15s.

**SARCOCHILUS**

<i>S</i> HARTMANNI .....	North Australia .....	
--------------------------	-----------------------	--

**SARCOPODIUM**

<i>S</i> LOBBI .....	East Indies .....	10s. 6d., 15s. and 21s.
----------------------	-------------------	-------------------------

**SCHOMBURGKIA**

<i>S</i> LYONSH .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> TIBIOTIS .....	Mexico .....	15s., 21s. and 31s. 6d.

**SOBRALIA**

<i>I</i> MACRANTHA .....	Guatemala .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> — NANA .....	Guatemala .....	10s. 6d., 15s. and 21s.

**SOPHRONITIS**

* <i>C</i> ORANDIFLORA .....	Brazil .....	5s., 7s. 6d. to 21s.
------------------------------	--------------	----------------------

**SPATHOGLOTTIS**

<i>S</i> FORTUNEI .....	Hong Kong .....	21s. and 31s. 6d.
-------------------------	-----------------	-------------------

**STANHOPEA**

<i>I</i> AMESIANA .....	South America .....	63s.
<i>I</i> EBURNEA .....	South America .....	21s. and 31s. 6d.
<i>C</i> OCULATA .....	Xalapa .....	10s. 6d. and 15s.
<i>C</i> TIGRINA .....	Xalapa .....	10s. 6d. and 15s.
<i>I</i> WARDIANA .....	La Guayra .....	10s. 6d. and 15s.
<i>I</i> — VENUSTA .....	La Guayra .....	31s. 6d.

**THUNIA**

<i>I</i> ALBA .....	India .....	7s. 6d. and 10s. 6d.
<i>S</i> BENSONIÆ .....	Moulmein .....	10s. 6d., 15s. and 21s.
<i>S</i> ——— SPLENDENS .....	Moulmein .....	21s. and 31s. 6d.
<i>S</i> MARSHALLIANA .....	India .....	7s. 6d., 10s. 6d. & 15s.
<i>S</i> ——— CITRINA .....	India .....	21s.
<i>S</i> ——— IONOPHLEBIA .....	India .....	42s. and 63s.
<i>S</i> VEITHIANA .....	Hybrid .....	7s. 6d., 10s. 6d. & 15s.

**TRICHOPILOIA**

<i>C</i> COCCINEA .....	Costa Rica .....	10s. 6d. and 15s.
<i>C</i> ——— MARGINATA .....	Costa Rica .....	
<i>I</i> CRISPA (GLOXINIEFLORA) .....	Costa Rica .....	21s., 31s. 6d. and 42s.
<i>I</i> ——— MARGINATA .....	Costa Rica .....	
<i>I</i> LAXA .....	South America .....	5s. and 7s. 6d.
<i>I</i> SUAVIS .....	Costa Rica .....	7s. 6d., 10s. 6d. & 15s.
<i>C</i> TORTILIS .....	Mexico .....	7s. 6d., 10s. 6d. & 15s.

**TRICHOSMA**

* <i>C</i> SUAVIS .....	Assam .....	5s., 7s. 6d. and 10s. 6d.
-------------------------	-------------	---------------------------

**UROPEDIUM**

<i>I</i> LINDENI .....	Colombia .....	21s., 31s. 6d. and 42s.
------------------------	----------------	-------------------------

**VANDA**

<i>S</i> AMESIANA .....	Eastern Archipelago .....	5s., 7s. 6d. to 31s. 6d.
<i>S</i> BATEMANII .....	Moluccas .....	21s. and 31s. 6d.
<i>I</i> CÆRULEA .....	Khasya .....	7s. 6d., 10s. 6d. & 15s.
<i>I</i> CÆRULESCENS .....	Burmah .....	21s. and 31s. 6d.
<i>S</i> DENISONIANA .....	India .....	21s. and 31s. 6d.
<i>S</i> INSIGNIS .....	Timor .....	21s. and 31s. 6d.
<i>S</i> KIMBALLIANA .....	Eastern Archipelago .....	10s. 6d., 15s. to 31s. 6d.
<i>S</i> PARISHII .....	Burmah .....	21s. and 31s. 6d.
<i>S</i> ——— MARRIOTTIANA .....	Burmah .....	21s., 31s. 6d. and 42s.
<i>S</i> SANDERIANA .....	Eastern Archipelago .....	
<i>S</i> SUAVIS .....	Java .....	10s. 6d., 15s. and 21s.
<i>S</i> ——— (CHATS WORTH VARIETY) .....	Java .....	31s. 6d. and 42s.
<i>S</i> TERES .....	Sylhet .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i> ——— ANDERSONI .....	Sylhet .....	10s. 6d., 15s. and 21s.
<i>I</i> TRICOLOR .....	Java .....	10s. 6d. and 15s.

**VANILLA**

<i>S</i> AROMATICA .....	Brazil .....	3s. 6d. and 5s.
<i>S</i> PLANIFOLIA .....	South America .....	5s. and 7s. 6d.

**ZYGOPETALUM**

* <i>I</i> CRINITUM OERULUM .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i> GAUTIERI .....	Brazil .....	21s. and 31s. 6d.
<i>I</i> INTERMEDIUM .....	Brazil .....	10s. 6d., 15s. and 21s.
* <i>C</i> MAORAYI .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i> ROSTRATUM .....	South America .....	21s. and 31s. 6d.

**COLLECTIONS OF ORCHIDS.**

FOR COOL HOUSE.

FOR INTERMEDIATE HOUSE.

FOR STOVE HOUSE.

2, 3 and 5 guineas per dozen.

**IMPORTED ORCHIDS.**

These can be supplied during the Season as importations arrive.

**POTTING MATERIAL FOR ORCHIDS.**

Best Belgian Leaf Mould, 7s. 6d. per bag, 20s. per 4-bushel sack.  
Selected Sphagnum Moss, 3s. 6d. per bushel, 12s. per bag.  
Best Fibrous Peat, 7s. 6d. per bag, 20s. per 4-bushel sack.

**THE EXCELSIOR SEEDLING ORCHID SPRAYER**

Offered by William Bull & Sons is strongly recommended to ensure success in raising Seedling Orchids. The Spray can be easily regulated so that the Seed is not disturbed in watering. Price 12s. 6d. each.



**EXCELSIOR SEEDLING ORCHID SPRAYER.**

# OFFICIAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Our collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

African Mangosteen .....	Garcinia Livingstonei .....	Africa .....	10/6
African Rubber .....	Landolphia Watsoni .....	Zanzibar .....	7/6
African Wine Palm .....	Raphia vinifera .....	W. Coast of Africa 21/-	
Allspice .....	Pimenta officinalis .....	W. Indies .....	5/-
Angostura Bitters .....	Triplasia Aurantiola .....	Tropical Asia .....	7/6
Arnatto Dye Plant .....	Bixa Orellana .....	Tropical America 5/-	
Arrowroot .....	Maranta arundinacea .....	S. America .....	7/6
Australian Bauyan .....	Ficus macrophylla .....	Australia .....	5/-
Avocado Pear .....	Persea gratissima .....	Tropical America 10/6	
Balsam of Peru .....	Myroxylon Pereire .....	Peru .....	7/6
Banyan Tree .....	Ficus bengalensis (indica) .....	E. Indies .....	3/6
Baobab .....	Adansonia digitata .....	Tropical Africa .....	10/6
Bark of Commerce .....	Cinchona officinalis .....	Tropical America 7/6	
Bengal Quince .....	Æglo Marmelos .....	E. Indies .....	5/-
Battle Pepper .....	Piper Betlo .....	E. Indies .....	5/-
Black Pepper .....	Piper nigrum .....	E. Indies .....	3/6
Blimbing .....	Averrhoa Bilimbi .....	E. Indies .....	7/6
Botany Bay Tea .....	Smilax glycyphylla .....	Australia .....	5/-
Brazil Cheiry .....	Eugenia brasiliensis .....	Brazil .....	7/6
Brazil Nut .....	Bertholletia excelsa .....	Brazil .....	21/-
Butter Tree .....	Pontadesma butyracea .....	Tropical Africa .....	10/6
Cabbage Palm .....	Eutérpe edulis .....	Brazil .....	5/-
Calabash Tree .....	Crescentia Cujete .....	S. America .....	10/6
Camphor .....	Cinnamomum Camphora .....	Japan .....	3/6 & 5/-
Caoutchouc .....	Castilleja elastica .....	Honduras .....	5/-
Cape Chestnut .....	Calodendron capense .....	Cape Colony .....	5/-
Cardamoms (Round) .....	Amomum Cardamomum .....	E. Indies .....	2/6
Carnauba Palm .....	Copernicia cerifera .....	Brazil .....	31/6
Cashew Nut .....	Anacardium occidentale .....	W. Indies .....	10/6
Cassia Bark .....	Cinnamomum Cassia .....	E. Indies .....	10/6
Cherimoyer .....	Anona Cherimolia .....	Peru .....	5/-
Chinese Plantain Tree .....	Musa Cavendishii .....	China .....	10/6
Cinnamon .....	Cinnamomum zeylanicum .....	Ceylon .....	7/6
Coca .....	Erythroxylon Coca .....	Peru .....	15/-
Cocoa .....	Theobroma Cacao .....	Tropical America 21/-	
Coffee, Arabian .....	Coffea arabica .....	Yemen .....	3/6
Coffee, Liberian .....	Coffea liberica .....	Liberia .....	3/6
Contrayerva Root .....	Dorstenia Contrayerva .....	S. America .....	5/-
Cuba Bast .....	Hibiscus (Paritium) elatus .....	W. Indies .....	7/6
Cubeb Pepper .....	Piper Cubeba .....	Java .....	5/-
Cundurango .....	Marsdenia (Gonolobus) Cundurango .....	S. America .....	10/6
Custard Apple, East Indian, see Sweet Sop.			
Custard Apple, West Indian, see Netted-leaved Custard Apple.			
Date .....	Phoenix dactylifera .....	Levant .....	5/-
Edible Eugenia .....	Eugenia edulis .....	Brazil .....	15/-
Edible Vangueria, or Voa Vanga .....	Vangueria edulis .....	Madagascar .....	15/-
Fiddle Wood .....	Citharexylon quadrangulare .....	Jamaica .....	5/-
Flamo Tree .....	Sterculia (Brachychiton) acerifolia .....	N. S. Wales .....	5/-
Fustick Wood .....	Chlorophora (Maolura) tinctoria .....	W. Indies .....	15/-
Gambier Tannin Tree .....	Uncaria Gambier .....	E. Indies .....	21/-
Gamboge .....	Garcinia Xanthochymus .....	E. Indies .....	21/-
Gigantic Granadilla .....	Passiflora macrocarpa .....	Rio Negro .....	3/6
Ginger .....	Zingiber officinale .....	E. Indies .....	2/6



Granadilla.....	Passiflora quadrangulâris .....	W. Indies .....	3/6
Guarana Tea Plant .....	Paullinia Cupana (sôrbilis) ....	Brazil .....	10/6
Guava .....	Psidium Cattleianum .....	Brazil .....	3/6
Hottentot Fig .....	Mesembryanthemum edule .....	South Africa ..	3/6
Indian Rubber .....	Ficus elastica .....	India .....	3/6
Ipecacuanha .....	Cephaelis Ipecacuanha .....	Brazil .....	21/-
Iron Wood .....	Mesua ferrea .....	India .....	7/6
Jaborandi Pepper .....	Piper Jaborandi .....	S. America .....	3/6
Jack Fruit.....	Artocarpus integrifolia .....	W. Indies .....	10/6
Jack in the Box .....	Hernandia sonora .....	W. Indies .....	21/-
Jamaica Quassia .....	Picroeua oxelsa .....	Jamaica .....	10/6
Japanese Pepper .....	Piper Futokadsura .....	Japan .....	3/6
Kola Nut .....	Cola acuminata .....	Niger .....	10/6
Lagos Rubber .....	Kickxia africana .....	W. Africa .....	21/-
Ledger's Bark .....	Cinchona Ledgeriana .....	S. America .....	10/6
Lemon Grass .....	Andropogon citratus .....	India .....	3/6 & 5/-
Litchi.....	Nephelium Litchi .....	China .....	21/-
Logwood .....	Hæmatoxylon Campechianum ..	Central America	10/6
Loquat .....	Eriobótريا japonica .....	Japan .....	7/6
Malabar Silk Cotton Tree .....	Bombax malabaricum .....	Malabar .....	7/6
Mangosteen .....	Garcinia Mangostana .....	Java .....	42/-
Mastic .....	Pistacia Leutiscus .....	South Europe ..	7/6
Matico .....	Piper angustifolium .....	Peru .....	7/6
Mexican Apple.....	Casimiroa edulis .....	Mexico .....	15/-
Mustard Tree of Scripturo .....	Salvadora persica .....	Persia .....	21/-
Nardoo .....	Marsilea macrópus .....	Australia .....	10/6
Natal Plum .....	Carissa (Arduina) grandiflora ..	Natal .....	7/6
Netted-leaved Custard Apple .....	Aoua reticulata .....	S. America .....	15/-
Nutmeg .....	Myristica fragrans .....	Moluccas .....	31/6
Palissander Wood .....	Machærium firmum .....	S. America .....	15/-
Papau .....	Carica Papaya .....	Trop. America..	7/6
Para Rubber .....	Hévea brasiliensis .....	Brazil .....	31/6
Patchouli Scent Plant.....	Pogostemon Patchouli suavis ..	E. Indies .....	3/6
Pepper Tree .....	Schinus molle .....	Trop. America..	3/6
Pissava Palm of Madagascar.....	Dictyosperma fibrosum .....	Madagascar ..	31/6
Poison Nut .....	Thevetia nereifolia .....	Trop. America..	10/6
Queensland Nut .....	Macadámia tornifolia ..	Queensland .....	10/6
Queensland Plum .....	Davidsonia pruriens .....	Queensland 15/- & 21/-	
Red Bark .....	Cinchona succirubra .....	S. America .....	7/6
Rhubarb .....	Rhéum officinale .....	China .....	2/6
Rice Paper Plant .....	Aralia papyrifera .....	China .....	3/6
Rose Apple .....	Eugenia Jambos .....	India .....	10/6
Sacred Indian Fig .....	Ficus religiosa .....	India .....	7/6
Sand Box Tree .....	Hura crepitans .....	Trop. America..	7/6
Sarsaparilla .....	Smilax Sarsaparilla .....	N. America .....	10/6
Satin Wood .....	Chloroxylum Swietenia .....	E. Indies .....	21/-
Sea Side Grape .....	Coccoloba uvifera .....	Trop. America..	5/-
Snake Wood .....	Cecropia palmata .....	S. America .....	7/6
Soap Berry .....	Sapindus Saponaria .....	W. Indies .....	21/-
Sour Sop .....	Anóna muricata .....	W. Indies .....	15/-
Spanish Caper .....	Capparis frondosa .....	S. America .....	5/-
Star Apple .....	Ochrophyllum Cainito .....	W. Indies .....	7/6
Sugar Cane .....	Saccharum officinarum .....	India .....	5/-
Sugar Cane, Elephant .....	Saccharum officinarum giganteum	India .....	31/6
Sweet Cup.....	Passiflora edulis .....	Brazil .....	3/6
Sweet Sop .....	Anóna squamosa .....	S. America .....	10/6
Sycamore Tree of Scripture .....	Ficus Sycomorus .....	Egypt .....	7/6
Tamarind Tree .....	Tamarindus indica .....	E. Indies .....	5/-
Tea, Assam .....	Camellia Theifera assamica .....	Assam .....	3/6
Tonga .....	Epipremnum mirabile .....	South Sea Islands	3/6
Trincanalee Wood .....	Berrya Ammonilla .....	Ceylon .....	5/-
Upas Tree .....	Antiaris toxicaria .....	Java .....	21/-
Vanilla .....	Vanilla aromática .....	S. America .....	7/6
Violet Sugar Cane .....	Saccharum violaceum .....	India .....	15/-
Water Lemon .....	Passiflora laurifolia .....	W. Indies .....	5/-
West Indian Cedar (Pencil Cedar) .....	Cedrela odorata .....	W. Indies .....	7/6
Zerumbet Ginger .....	Zingiber Zerumbet .....	E. Indies .....	3/6

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

# WILLIAM BULL & SONS

WISH TO DRAW SPECIAL ATTENTION TO THE  
MAGNIFICENT COLLECTION

## SPECIMEN PALMS, ENCEPHALARTOS, &c.

OF

### WINTER GARDEN,

AND WILL BE PLEASED TO QUOTE SIZES AND PRICES ON APPLICATION.

## PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

*Those marked with an asterisk (\*) are kinds that will succeed in a Greenhouse.*

### ARECA

- \* BAUERI, 5s., 7s. 6d. and 10s. 6d.
- LUTESCENS, 2s. 6d., 3s. 6d. and 5s.
- \* SAPIDA, 3s. 6d., 5s. and 7s. 6d.

### BOWENIA

SPECTABILIS, 10s. 6d.

### CALAMUS

INTERMEDIUS, 7s. 6d.  
MICRANTHUS, 7s. 6d. and 10s. 6d.  
SIKKIMENSIS, 7s. 6d. and 10s. 6d.

### CARLUDOVICA

DRUDEI, 10s. 6d. and 15s.  
PLUMIERI, 10s. 6d.

### CARYOTA

SIAMENSIS, 31s. 6d.  
URENS, 3s. 6d. and 5s.

### CATAKIDZAMIA

HOPEI.

### CERATTOZAMIA

FUSCO-VIRIDIS, 2, 3 and 4 guineas.

### CHAMÆROPS

- \* ELEOANS, 3s. 6d. and 5s.
- \* EXCELSA, in all sizes, 3s. 6d., 5s., 7s. 6d., 10s. 6d. to 1, 2, 3, 4 and 5 guineas each.
- \* FORTUNEI, in all sizes, 3s. 6d., 5s., 7s. 6d., 10s. 6d. to 1, 2, 3, 4 and 5 guineas each.
- \* HUMILIS. This useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 21s. to 2, 3 and 4 guineas each.
- \* — ORACILIS, 15s. and 21s.
- \* — ROBUSTA, 15s. and 21s.

### COCOS

- \* AUSTRALIS, 3s. 6d. and 5s.
- FLEXUOSA, 3s. 6d. and 5s.
- PLUMOSA, 3s. 6d. and 5s.
- WEDDELLIANA, one of the most elegant Palms. *Vide illustration, page 75.* In all sizes, 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 21s.

### CORYPHA

- \* AUSTRALIS, 1s. 6d., 2s. 6d., 3s. 6d. and 5s.
- WAGONII, 21s.

### CYCAS

- \* REVOLUTA, in all sizes, 7s. 6d., 10s. 6d., 15s. and 21s.

### CYCLANTHUS

DISCOLOR, 21s.

### CYRTOSTACHYS

RENDA.

### DEMONOROPS

CINNAMOMEUS, 5s. and 7s. 6d.  
FISSUS, 5s. and 7s. 6d.  
PERIACANTHUS, 5s. and 7s. 6d.

### DICTYOSPERMA

FIBROSUM (PISSAVA OF MADAGASCAR), 1½ guinea.



GEONOMA GRACILIS.

**DIOON**

EDULE, 15s., 21s., 1½ and 2 guineas.

**DYPsis**

MADAGASCARIENSIS, 3s. 6d. and 5s.

**ENCEPHALARTOS**

\* CAFFRA.

\* HORRIDUS.

\* (ZAMIA) REOALIS.

\* (—) VILLOSUS.

\* (—) — VROOMII, 4 and 5 guineas.

**EUTERPE**

EDULIS, "Assai Palm."

**GEONOMA**

ACAULIS, 4 and 5 guineas.

GRACILIS, 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.

*Vide* illustration, page 74.

**GEONOMA**

INTERMEDIA, 2s. 6d., 3s. 6d. and 5s.

LATIFOLIA, 3s. 6d. and 5s.

SCHOTTIANA, 3s. 6d. and 5s.

**KENTIA**

\* BELMOREANA, "Curly Palm," in all sizes, 1s. 6d., 2s. 6d., 3s. 6d. upwards. *Vide* illustration, page 77.

\* CANTERBURYANA, "Umbrella Palm," 3s. 6d., 5s. and 7s. 6d.

\* FORSTERIANA, "Flat or Thatch-leaf Palm," 1s. 6d., 2s. 6d., 3s. 6d. upwards.


MACARTHURII, 3s. 6d., 5s. and 7s. 6d.

MOOREI, 3s. 6d., 5s. and 7s. 6d.

ORNATA, 42s.


SANDERIANA, 5s., 7s. 6d. and 10s. 6d.

WENDLANDIANA, 5s. and 7s. 6d.



**COCOS WEDDELLIANA.**





LICUALA GRANDIS.

**LATANIA**

- \* **BORBONICA**, in all sizes, from 2s. 6d., 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and 2 to 3, 4 and 5 guineas each.

**COMMERSONI** (L. RUBRA), 1 and 1½ guinea.

**LICUALA** (Pritchardia)

**GRANDIS**, 5s., 7s. 6d. and 10s. 6d.

**MUELLERI**, a pretty and attractive unarmed Palm of neat habit, from Rockingham Bay, that is destined to become a general favourite. In a young state the leaves are plicate, divided nearly to the base into truncate lobes or segments obtusely toothed and jagged. The foliage is bright green, closely veined with dark green, thus giving it a maculated or mottled appearance. 3s. 6d., 5s. and 7s. 6d.

**SPINOSA**, 10s. 6d. and 15s.

**LIVISTONA**

**ALTISSIMA**, 10s. 6d., 15s. and 21s.

**HOOGENDORPILII**, 7s. 6d.

**INERMIS**, an elegant and ornamental species introduced from Queensland, 15s. and 1 guinea.

**RAMSAYI**, 10s. 6d. and 15s.

**ROTUNDIFOLIA** (SUBLOBOSA), 7s. 6d. & 10s. 6d.

**WOODFORDII**, 10s. 6d.

**MACROZAMIA**

**DENISONI**, 10s. 6d. and 15s.

**MOOREI**, 7s. 6d. and 10s. 6d.

**MARTINEZIA**

**ELONGATA**, 31s. 6d.

**PHŒNIX**

- \* **CANARIENSIS**, 5s., 7s. 6d. and 10s. 6d.

- \* **DACTYLIFERA** (THE DATE PALM), 3s. 6d., 5s. and 7s. 6d.

- \* **HYBRIDA**, 21s. and 31s. 6d.



**KENTIA BELMOREANA.**

**PHŒNIX**

- \* **RECLINATA**, 3s. 6d., 5s., 7s. 6d. and 10s. 6d.

**ROEBELINII**.



**PHŒNIX RUPICOLA.**

- \* **RUPICOLA**, one of the most graceful of greenhouse Palms, very useful for every decorative purpose. *Vide illustration.* 2s. 6d., 3s. 6d. and 5s. Fine plants, 21s., 31s. 6d. and 42s.

- \* **TENUIS**, 3s. 6d. and 5s.

**PINANGA**

**MACULATA**, 10s. 6d. to 21s.

**PRITCHARDIA**

**GRANDIS** (LICUALA GRANDIS), 5s., 7s. 6d. and 10s. 6d.

**PACIFICA.**

**PTYCHOSPERMA**

- \* **ALEXANDRE**, 3s. 6d. and 5s.

**RAPHIA**

**VINIFERA**, "AFRICAN WINE PALM," 21s.

**RHAPIS**

- \* **FLABELLIFORMIS**, 5s., 7s. 6d. to 21s.

**HUMILIS**, 21s. and 31s. 6d.

**SABAL**

**ADANSONI**, "Dwarf Palmetto," 3s. 6d. & 5s.

**UMBRACULIFERA** (BLACKBURNIANA), 3s. 6d. and 5s.

**SEAFORTHIA**

- \* **ELEOANS**, 3s. 6d. and 5s. Specimen plants, price on application.

**STANGERIA**

**PARADOXA**, 21s.

**STEVENSONIA**

**GRANDIFOLIA**, 3s. 6d., 5s., 7s. 6d. and 10s. 6d.

**THRINAX**

**CHUCO**, 5s. and 7s. 6d.

- \* **PARVIFLORA**, 3s. 6d., 5s. and 7s. 6d.

**RADIATA** (ELEOANS), 5s., 7s. 6d. and 10s. 6d.

**VEITCHIA**

**JOHANNIS.**

**WALLICHIA**

**DENSIFLORA**, 21s. and 31s. 6d.


**OBTUSA.**

**ZAMIA**

- \* **BREVIFRONS**, 1½ and 2 guineas.

**PRASINA**, 1½ guinea.





DICKSONIA ANTARCTICA.

CYATHEA DEALBATA.

*Vide next page.*



# TREE FERNS.

Of these majestic plants our collection is unique. They have stems of varying height, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens.

## DICKSONIA ANTARCTICA.


No.	Height of Trunk.	Height of Head.	Total Height.	Diameter of Tub or Pot.	Price.
1	2 ft. 8 in.	2 ft.	4 ft. 8 in.	12 in.	5 guineas
2	2 ft. 4 in.	2 ft. 4 in.	4 ft. 8 in.	12 in.	5 "
3	3 ft.	1 ft. 6 in.	4 ft. 6 in.	12 in.	6 "
4	3 ft. 8 in.	2 ft.	5 ft. 8 in.	14 in.	5 "
5	3 ft. 8 in.	2 ft.	5 ft. 8 in.	15 in.	6 "
6	3 ft. 4 in.	2 ft.	5 ft. 4 in.	14 in.	6 "
7	3 ft. 9 in.	2 ft. 3 in.	6 ft.	12 in.	5 "
8	3 ft. 2 in.	2 ft. 4 in.	5 ft. 6 in.	14 in.	6 "
9	3 ft. 1 in.	2 ft.	5 ft. 1 in.	12 in.	5 "
10	2 ft. 8 in.	1 ft. 6 in.	4 ft. 2 in.	12 in.	4 "
11	3 ft. 8 in.	2 ft. 6 in.	6 ft. 2 in.	14 in.	6 "
12	4 ft.	2 ft. 6 in.	6 ft. 6 in.	14 in.	6 "
13	3 ft.	1 ft. 6 in.	4 ft. 6 in.	10 in.	2 "
14	3 ft. 5 in.	2 ft.	5 ft. 5 in.	15 in.	6 "
15	4 ft. 3 in.	1 ft.	5 ft. 3 in.	14 in.	6 "
16	5 ft.	2 ft. 8 in.	7 ft. 8 in.	16 in.	10 "
17	4 ft. 1 in.	2 ft.	6 ft. 1 in.	14 in.	7 "
18	6 ft.	3 ft.	9 ft.	21 in.	15 "
19	8 ft.	3 ft.	11 ft.	22 in.	18 "
20	3 ft. 7 in.	2 ft. 6 in.	6 ft. 1 in.	14 in.	6 "
21	6 ft.	2 ft. 6 in.	8 ft. 6 in.	16 in.	14 "
22	5 ft. 9 in.	2 ft.	7 ft.	20 in.	14 "
23	6 ft.	2 ft.	8 ft.	18 in.	12 "
24	3 ft. 2 in.	2 ft.	5 ft. 2 in.	12 in.	4 "
25	3 ft. 8 in.	2 ft.	5 ft. 8 in.	15 in.	4 "
26	4 ft. 2 in.	1 ft. 6 in.	5 ft. 8 in.	14 in.	6 "
27	2 ft. 3 in.	1 ft. 3 in.	3 ft. 6 in.	12 in.	3 "
28	2 ft. 4 in.	1 ft. 6 in.	3 ft. 10 in.	10 in.	2 "
29	3 ft.	2 ft.	5 ft.	12 in.	4 "
30	2 ft. 10 in.	2 ft.	4 ft. 10 in.	12 in.	4 "
31	2 ft.	1 ft. 6 in.	3 ft. 6 in.	10 in.	2 "
32	2 ft.	1 ft.	3 ft.	10 in.	1½ "
33	1 ft. 2 in.	1 ft. 6 in.	3 ft. 8 in.	14 in.	1½ "
34	1 ft. 8 in.	1 ft. 6 in.	3 ft. 2 in.	10 in.	2 "

## CYATHEA DEALBATA.

35	2 ft. 4 in.	2 ft. 4 in.	4 ft. 8 in.	12 in.	6 guineas
36	2 ft. 10 in.	2 ft. 6 in.	5 ft. 4 in.	14 in.	8 "
37	3 ft. 2 in.	1 ft. 6 in.	4 ft. 8 in.	12 in.	4 "

## CYATHEA MEDULLARIS.

38	7 ft. 6 in.	2 ft. 6 in.	10 ft.	20 in.	15 guineas
----	-------------	-------------	--------	--------	------------



**ANEMIA ROTUNDIFOLIA.**

# NEW AND CHOICE FERNS.

## ANEMIA ROTUNDIFOLIA.

Awarded a First Class Certificate by the Royal Horticultural Society.

This pretty ornamental species is one of those popularly known as Flowering Ferns. It is of tufted habit with spreading barren fronds and erect fertile ones. The stalks are at first coarsely hairy, subsequently becoming glabrescent; sterile fronds oblong, ending in a long curled tendril. The pinnae are numerous and alternate, each broadly oblong obtuse, oblique and coarsely toothed. When young the fronds are pinkish bronze, turning to green as they become mature. The fertile fronds are in pairs, arising from between the basal pair of pinnae; erect, linear oblong with numerous spore cases, borne in graceful spike-like panicles. *See illustration, page 80. 10s. 6d.*

## DICKSONIA (CIBOTIUM) GLAUCA.

This elegant Tree Fern has been introduced from the Sandwich Isles, and in the young state will be found a striking and ornamental Fern for the greenhouse. The fronds are spreading and bipinnate, oblong acute in outline and glaucous beneath; pinnae very numerous, alternate and linear lanceolate; pinnules curved, oblong acute, with spore cases along the margins. The fronds are covered with rich golden brown hair. *10s. 6d.*



POLYPODIUM IRIOIDES RAMO-CRISTATUM.



**POLYPODIUM CONJUGATUM.**

Awarded a First Class Certificate by the Royal Horticultural Society.

An extremely handsome and effective Fern with long pinnately divided glossy green leaves, arising from a stout creeping rhizomous rootstock densely covered with long reddish brown silky hair. The fronds are broadly lanceolate in outline, the pinnæ being alternate and narrowly lanceolate with undulate margins, the blade of each pinnæ being connate with the next close to the stipes. The sori are borne in two rows between each of the primary veins, reaching from the midrib to the margin. It was imported from Queensland. *Vide* illustration. 2 guineas.

**POLYPODIUM IRIOIDES RAMO-CRISTATUM.**

Award of Merit from the Royal Horticultural Society.

A handsome variety with bright green coriaceous leaves contracted at the base into very short stipes. It is remarkable, and varies from the type in the tips of the fronds breaking up into lobes, some of the leaves bearing as many as ten to twelve segments at the apex. This Fern is of robust growth and valuable for decorative purposes. It has been introduced from Queensland. *Vide* illustration, page 81. 10s. 6d.



**POLYPODIUM CONJUGATUM.**

# CHOICE STOVE FERNS.

Selections can be supplied at 24s., 30s. and 42s. per dozen.

## ACROPHORUS

AFFINIS, 2s. 6d. and 3s. 6d.  
PULCHRA, 2s. 6d. and 3s. 6d.

## ACROSTICHUM

DRYNARIOIDES, 3s. 6d.  
LATIFOLIUM CALLÆFOLIUM, 2s. 6d. and 3s. 6d.

## ACTINOPTERIS

RADIATA, 3s. 6d.

## ADIANTOPSIS

RADIATA, 3s. 6d.

## ADIANTUM

ÆMULUM, 1s. 6d.  
ÆTHIOPICUM, 1s. 6d.  
AMABILE, 1s. 6d.  
ANEITENSE, 2s. 6d. and 3s. 6d.  
BAUSEI, 2s. 6d.  
BELLUM, 2s. 6d.  
BESSONIANA, 3s. 6d.  
BIRKENHEADII, 3s. 6d.  
BRASILIENSE, 3s. 6d.  
CARDIOCHLÆNA, 3s. 6d.  
CAUDATUM, 2s. 6d. and 3s. 6d.  
OILIATUM, 2s. 6d. and 3s. 6d.  
CLAESIANUM, 5s.  
COLLISII, 1s. 6d. and 2s. 6d.  
CONOINNUM, 1s. 6d. and 2s. 6d.  
— LATUM, 2s. 6d. and 3s. 6d.  
CRISTATUM, 5s.  
OURVATUM, 3s. 6d.  
DOLABRIFORME, 2s. 6d. and 3s. 6d.  
ELEGANTISSIMUM, 3s. 6d. and 5s.  
EXOISUM MULTIFIDUM, 3s. 6d.  
FARLEYENSE, 3s. 6d. and 5s.  
FASCIOLATUM, 3s. 6d.  
FEROUSONII, 2s. 6d.  
FLEMINGII, 2s. 6d. and 3s. 6d.  
FULVUM, 1s. 6d. and 2s. 6d.  
FUNKII, 1s. 6d. and 2s. 6d.  
GHIESBREGHTII (SCUTUM), 1s. 6d. and 2s. 6d.  
— ROSUM, 2s. 6d. and 3s. 6d.  
KAULFUSSI, 3s. 6d.  
LAMBERTIANUM, 2s. 6d. and 3s. 6d.  
LATHOMII, 3s. 6d.  
LEGRANDII, 1s. 6d. and 2s. 6d.  
LUDEMANNIANUM, 3s. 6d.  
LUNULATUM, 5s.  
MACROPHYLLUM, 2s. 6d. and 3s. 6d.  
— ALBO-STRIATUM, 2s. 6d. and 3s. 6d.  
— BIPINNATUM, 3s. 6d.  
OBLIQUUM, 2s. 6d.  
PENTADACTYLON, 3s. 6d.  
PERUVIANUM, 3s. 6d.  
REGINÆ, 1s. 6d. and 2s. 6d.  
RHODOPHYLLUM, 1s. 6d. and 2s. 6d.  
RHOMBOIDEUM, 3s. 6d.  
RUBELLUM, 2s. 6d. and 3s. 6d.  
SANTÆ CATHERINÆ, 2s. 6d. and 3s. 6d.  
SCHIZOPHYLLUM, 2s. 6d. and 3s. 6d.  
SCUTUM (GHIESBREGHTII), 1s. 6d. and 2s. 6d.  
SEEMANNII, 5s.  
SPECIOSUM, 5s.  
TENERUM, 2s. 6d.  
TETRAPHYLLUM ACUMINATUM, 3s. 6d.  
TINCTUM, 2s. 6d. and 3s. 6d.  
TRAPEZIFORME, 3s. 6d. and 5s.  
VEITCHII, 3s. 6d.

## ADIANTUM

VICTORIÆ, 2s. 6d. and 3s. 6d.  
VILLOSUM, 2s. 6d.  
WALTONII DIFFUSUM, 2s. 6d. and 3s. 6d.  
WEIGANDII, 2s. 6d. and 3s. 6d.  
WILSONII, 3s. 6d.

## AGLAMORPHA

MEYENIANA (The Bear's Foot Fern), 3s. 6d.

## ALEURITOPTERIS

MEXICANA, 5s.

## ANEMEDICTYON

PHYLLITIDIS, 1s. 6d. and 2s. 6d.

## ANEMIA

COLLINA, 2s. 6d.  
ROTUNDIFOLIA, 10s. 6d. See description, p. 81.

## ANTIGRAMMA

BRASILIENSIS, 7s. 6d. and 10s. 6d.

## ASPIDIUM

DILACERATUM, 3s. 6d.  
LEPIDOCAULON, 3s. 6d.  
MACROPHYLLUM, 3s. 6d.  
POLYNORPHIUM, 1s. 6d. and 2s. 6d.  
PUNGENS, 3s. 6d.  
RIODUM, 2s. 6d.  
TRIFOLIATUM, 1s. 6d. and 2s. 6d.

## ASPENIUM

ALATUM, 2s. 6d.  
ANISOPHYLLUM, 3s. 6d.  
ATTENUATUM, 3s. 6d.  
BANTAMENSE, 3s. 6d.  
BAPTISTII, 3s. 6d.  
BELANOERI, 1s. 6d. and 2s. 6d.  
BIFIDUM, 2s. 6d.  
CICUTARIUM, 2s. 6d.  
CULTRIFORME, 2s. 6d. and 3s. 6d.  
ELATUM, 1s. 6d.  
ERECTUM, 1s. 6d. and 2s. 6d.  
FABIANUM (*feniculaceum of gardens*), 2s. 6d.  
FERNANDEZIANUM, 1s. 6d. and 2s. 6d.  
FORMOSUM, 2s. 6d. and 3s. 6d.  
FRAGRANS, 2s. 6d.  
GEMMIFERUM, 2s. 6d. and 3s. 6d.  
HOOKERIANUM, 3s. 6d.  
INEQUALIFOLIUM, 2s. 6d.  
LONOISSIMUM, 3s. 6d.  
MAYI, 10s. 6d.  
NIDUS, 2s. 6d.  
— MULTILOBATUM, 10s. 6d.  
NOBILE, 3s. 6d.  
ORNATUM, 7s. 6d.  
PROLONGATUM, 3s. 6d. and 5s.  
SHEPHERDII, 2s. 6d. and 3s. 6d.  
VIEILLARDI, 3s. 6d.  
VIVIPARUM, 2s. 6d. and 3s. 6d.  
ZEYLANICUM, 2s. 6d.  
See also page 87.

## BLECHNUM


BRASILIENSE, 2s. 6d. and 3s. 6d.  
CORCOVADENSE CRISPUM, 2s. 6d. and 3s. 6d.  
LATIFOLIUM, 2s. 6d. and 3s. 6d.  
OCCIDENTALE, 1s. 6d. and 2s. 6d.  
POLYPODIODES, 2s. 6d. and 3s. 6d.

## BRAINEA

INSIONIS, 5s.


## CHEILANTHES

ALABAMENSIS, 5s.



GYMNOGRAMMA ELEGANTISSIMUM.





DAVALLIA FIJIENSIS PLUMOSA.

**CHEILANTHES**

- ECKLINIANA, 3s. 6d. and 5s.  
 ELEGANS, 2s. 6d. and 3s. 6d.  
 HIRTA ELLISIANA, 2s. 6d.  
 TENUIS, 3s. 6d.  
 TOMENTOSA, 2s. 6d.  
 VISOOSA, 2s. 6d. and 3s. 6d.

**CIBOTIUM**

- BAROMETZ, 3s. 6d.  
 SCHIEDEI, 3s. 6d. and 5s.

**CYATHEA (CIBOTIUM)**

- PRINCEPS, 2s. 6d. and 3s. 6d.

**DAVALLIA**

- BULLATA, 1s. 6d. and 2s. 6d.  
 CHÆROPHYLLA, 3s. 6d.  
 CONCINNA, 10s. 6d.  
 DECORA, 3s. 6d.  
 ELEOANS, 2s. 6d.  
 — POLYDACTYLA, 3s. 6d. and 5s.  
 — RUFA, 3s. 6d.  
 ELEGANTISSIMA, 2s. 6d. and 3s. 6d.  
 EPIPHYLLA, 5s. and 7s. 6d.  
 FANICULACEA, 3s. 6d. and 5s.  
 FIJIENSIS, 3s. 6d. and 5s.  
 — EFFUSA, 3s. 6d.  
 — ORACILLIMA, 3s. 6d.  
 — MAONIFICA, 2s. 6d. and 3s. 6d.  
 — MAJOR, 3s. 6d. and 5s.  
 — PLUMOSA, 3s. 6d. and 5s.  
 — ROBUSTA, 2s. 6d. and 3s. 6d.  
 HEMIPTERA, 3s. 6d.  
 HIRSUTA, 3s. 6d. and 5s.  
 ILLUSTRIS, 2s. 6d. and 3s. 6d.  
 KUNZII, 3s. 6d. and 5s.  
 LAWSONIANA, 2s. 6d. and 3s. 6d.  
 LUCIDA, 5s. and 7s. 6d.  
 MEMBRANULOSA, 2s. 6d. and 3s. 6d.  
 MOOREANA, 2s. 6d. and 3s. 6d.  
 NOVA ZEALANDIÆ, 2s. 6d.  
 ORNATA, 3s. 6d. and 5s.  
 PARVULA, 5s.  
 PENTAPHYLLA, 3s. 6d.  
 POLYANTHA, 3s. 6d.  
 SOLIDA, 3s. 6d.  
 TYERMANNI (HUMATA), 2s. 6d. See also p. 87.

**DENNSTÆDTIA**

- DAVALLIOIDES, 2s. 6d.

**DIPLAZIUM**

- ARNOTTII, 7s. 6d.

**DORYOPTERIS**

- GERANIFOLIA, 2s. 6d. and 3s. 6d.  
 HASTATA, 2s. 6d. and 3s. 6d.  
 LUDENS, 5s.  
 PALMATA, 1s. 6d. and 2s. 6d.  
 PEDATA, 2s. 6d. and 3s. 6d.  
 SAGITTIFOLIA, 3s. 6d. and 5s.

**DRYNARIA**

- BILLARDIERII, 2s. 6d. and 3s. 6d.  
 DIVERSIFOLIA, 3s. 6d. and 5s.  
 MUSCIFOLIA, 2s. 6d. and 3s. 6d.  
 PROPINQUA, 2s. 6d. and 3s. 6d.

**ELAPHOGLOSSUM**

- CONFORME, 3s. 6d. and 5s.  
 OLABRATUM, 7s. 6d.

**FADYENIA**

- PROLIFERA, 3s. 6d.

**GLEICHENIA**

- DICARPA, 7s. 6d. and 10s. 6d.  
 — LONGIPINNATA, 7s. 6d. and 10s. 6d.  
 DICHOTOMA, 7s. 6d. and 10s. 6d.  
 FLABELLATA, 7s. 6d. and 10s. 6d.  
 MENDELI, 10s. 6d. and 15s.  
 MICROPHYLLA, 7s. 6d. and 10s. 6d.  
 RUPESTRIS OLAUCESCENS, 7s. 6d. and 10s. 6d.  
 SEMIVESTITA, 5s. and 7s. 6d.  
 SPELUNCÆ, 7s. 6d. and 10s. 6d.

**GONIOPHLEBIUM**

- APPENDICULATUM, 3s. 6d.  
 BISERIALE, 3s. 6d.  
 FRAXINIFOLIUM, 5s.  
 GLAUOPHYLLUM, 3s. 6d. and 5s.  
 LACHNIFOL, 2s. 6d.  
 RUPESTRIS, 3s. 6d.  
 SUBAURIOLATUM, 2s. 6d.  
 VERRUCOSUM, 3s. 6d.

**GYMNOGRAMMA**

- ALSTONII, one of the best golden Ferns,  
 2s. 6d. and 3s. 6d.  
 CHRYSOPHYLLUM, 1s. 6d. and 2s. 6d.  
 — GRANDICEPS SUPERBUM, 3s. 6d. and 5s.

**GYMNOGRAMMA**

- DECOMPOSITUM, 2s. 6d. and 3s. 6d.  
 ELEGANTISSIMUM, 5s., 7s. 6d. and 10s. 6d.  
 FLAVESCENS, 3s. 6d.  
 LAUCHEANUM, 2s. 6d. and 3s. 6d.  
 MASSONI, 3s. 6d.  
 MAYI, 2s. 6d.  
 MERTENSII, 2s. 6d. and 3s. 6d.  
 MULTIOEPS, 3s. 6d.  
 PARSONSII, 2s. 6d.  
 PEARCEI ROBUSTUM, 3s. 6d. and 5s.  
 PERUVIANUM ARGYROPHYLLUM, 2s. 6d. & 3s. 6d.  
 SCHIZOPHYLLUM, 2s. 6d.  
 — GLORIOSUM, 2s. 6d. and 3s. 6d.  
 TARTAREUM, 2s. 6d.  
 TOMENTOSUM, 2s. 6d.  
 TRIFOLIATUM, 3s. 6d.  
 WETENHALLIANUM, 2s. 6d. and 3s. 6d.

**GYMNOPTERIS**

- QUEROIFOLIA, 3s. 6d.

**GYMNOTHECA**

- RADDIANA, 2 and 3 guineas.

**HEMIONITIS**

- CORDATA, 2s. 6d.  
 PALMATA, 2s. 6d. and 3s. 6d.

**HYMENODIUM**

- CRINITUM, 3s. 6d. and 5s.

**HYPOLEPIS**

- BERGIANA, 2s. 6d. and 3s. 6d.  
 REPENS, 2s. 6d. and 3s. 6d.

**LASTREA**

- QUINQUANGULARIS, 3s. 6d.  
 RICHARDSII MULTIFIDA, 3s. 6d. See also p. 87.

**LOMARIA**

- GIBBA, 1s. 6d. and 2s. 6d.

**LYGODIUM**

- DICHOTOMUM, 3s. 6d.  
 LANCEOLATUM, 5s.  
 MICROPHYLLUM, 2s. 6d.  
 POLYMORPHUM, 3s. 6d.  
 SOANDENS, 2s. 6d.

**MENISCIUM**

- RETICULATUM, 3s. 6d.  
 SIMPLEX, 3s. 6d.

**MICROLEPIA**

- HIRTA CRISTATA, 3s. 6d.  
 PLATYPHYLLA, 2s. 6d. and 3s. 6d.  
 STRIOOSA, 2s. 6d. and 3s. 6d.

**NEPHRODIUM**

- TRUNOATUM, 7s. 6d.

**NEPHROLEPIS**

- ACUTA, 3s. 6d.  
 BARTERII, 2s. 6d., 3s. 6d. and 5s.  
 BAUSEI, 2s. 6d. and 3s. 6d.  
 CORDATA COMPACTA, 2s. 6d.  
 — CRISPATA CONOESTA, 3s. 6d.  
 DAVALLIOIDES, 3s. 6d.  
 — FUECANS, 3s. 6d.  
 — MULTICEPS, 3s. 6d. and 5s.  
 — PLUMOSA, 3s. 6d. and 5s.  
 DUFFII, 2s. 6d. and 3s. 6d.  
 ENSIFOLIA, 3s. 6d.  
 EXALTATA, 1s. 6d. and 2s. 6d.  
 PECTINATA, 2s. 6d. and 3s. 6d.  
 PHILIPPINENSIS, 2s. 6d.  
 PIERSONII, 7s. 6d.  
 RECURVATA, 2s. 6d. and 3s. 6d.  
 RUFESCENS ELEGANS, 2s. 6d. and 3s. 6d.  
 — TRIPINNATIFIDA, 3s. 6d.  
 TUBEROSA, 1s. 6d. and 2s. 6d.

**NOTHOCHLÆNA**

- CHRYSOPHYLLA, 2s. 6d. & 3s. 6d.  
 NIVEA, 2s. 6d. and 3s. 6d.  
 SINUATA, 2s. 6d. and 3s. 6d.

**ONYCHIUM**

- AURATUM, 3s. 6d.

**PHELEBODIUM**

- AUREUM, 1s. 6d. and 2s. 6d.  
 GLAUCUM, 1s. 6d. and 2s. 6d.  
 SPORODOCARPUM, 2s. 6d. and 3s. 6d.

**PLATYCERIUM**

- ANGOULENSE, 10s. 6d. and 15s.  
 GRANDE, 5s. and 7s. 6d.  
 STEMMARIA, 7s. 6d. and 10s. 6d.  
 VEITCHII, 10s. 6d. and 15s.  
 See also page 88.

**PLATYLOMA**

- FLEXUOSUM, 2s. 6d. and 3s. 6d.  
 See also page 88.

**PLEOPELTIS**

- FOSSA, 3s. 6d. and 5s.  
 PELTIDEA, 2s. 6d. and 3s. 6d.  
 PHYMATODES CRISTATA, 5s.  
 PICTA, 5s.  
 PUSTULATA, 2s. 6d. and 3s. 6d.

**POLYPODIUM**

- AREOLATUM, 5s.  
 CONJUGATUM, 2 guineas. For description,  
 see page 82.  
 CRASSIFOLIUM, 3s. 6d.  
 GLAUCUM CRISTATUM, 3s. 6d.  
 GRANDIDENS, 3s. 6d.  
 IRIODES RAMO-CRISTATUM, 10s. 6d. For  
 description, see page 82.  
 MAYII, 3s. 6d. and 5s.  
 NIGRESCENS, 3s. 6d.  
 PECTINATUM, 3s. 6d.  
 VENOSUM, 3s. 6d.  
 See also page 88.

**POLYSTICHUM**

- LENTUM, 5s.  
 TRIANGULARE, 2s. 6d.  
 — LAXUM, 2s. 6d. and 3s. 6d.  
 VIVIPARUM, 3s. 6d. and 5s.  
 See also page 88.

**PTERIS**

- ASPERICAULIS, 1s. 6d. and 2s. 6d.  
 BAUSEI, 2s. 6d., 3s. 6d. and 5s.  
 DIAURITA, 3s. 6d.  
 — ARGENTEA, 2s. 6d. and 3s. 6d.  
 CHILDSII, 5s. and 7s. 6d.  
 FLABELLATA, 3s. 6d.  
 GREVILLEANA, 2s. 6d. and 3s. 6d.  
 — VARIIGATA, 2s. 6d. and 3s. 6d.  
 LUDENS, 3s. 6d.  
 METALLICA, 3s. 6d.  
 MOLUCCANA, 3s. 6d.  
 SUMMERSII, 7s. 6d.  
 TRICOLOR, 2s. 6d. and 3s. 6d.  
 VICTORLE, 2s. 6d. and 3s. 6d.  
 WIMSETTII, 1s. 6d. and 2s. 6d.  
 Of sorts, 2s. 6d. and 3s. 6d. See also page 88.

**RHIPIDOPTERIS**

- PELTATA GRACILLIMA, 3s. 6d.

**SELLIGUEA**

- CAUDIFORME, 2s. 6d. and 3s. 6d.

**STENOCHLÆNA**

- SCANDENS, 3s. 6d.

**STRUTHIOPTERIS**

- GERMANICA, 1s. 6d. and 2s. 6d.

# CHOICE GREENHOUSE FERNS.

Selections of good kinds made at 24s., 30s. and 42s. per dozen.

## ADIANTUM

- ASSIMILE, 1s. 6d.
  - OBTUSATUM, 3s. 6d.
  - CAPILLUS-VENERIS, 1s. 6d.
  - CORNUBIENSE, 2s. 6d.
  - DAPHNITES, 2s. 6d.
  - FISSUM, 2s. 6d.
  - GRANDE, 2s. 6d.
  - IMBRIQATUM, 2s. 6d. and 3s. 6d.
  - MAGNIFICUM, 2s. 6d.
  - MARISSII, 1s. 6d. and 2s. 6d.
  - O'BRIENI, 2s. 6d.
  - PACOTTII, 1s. 6d. and 2s. 6d.
  - CUNEATUM, 1s. 6d. and 2s. 6d.
  - ELEGANS, 2s. 6d.
  - GRANDICEPS, 1s. 6d. and 2s. 6d.
  - GRANDIS, 3s. 6d.
  - VARIEGATUM, 5s.
  - DECORUM, 1s. 6d. and 2s. 6d.
  - FORMOSUM, 1s. 6d.
  - FRAGRANTISSIMUM, 1s. 6d. and 2s. 6d.
  - GLAUCOPHYLLUM, 2s. 6d.
  - GRACILLIMUM, 1s. 6d. and 2s. 6d.
  - HISPIDULUM, 1s. 6d.
  - MUNDULUM, 2s. 6d. and 3s. 6d.
  - PENTAPHYLLUM, 1s. 6d. and 2s. 6d.
  - PUBESCENS, 1s. 6d. and 2s. 6d.
  - RENIFORME, 5s.
  - SETULOSUM, 1s. 6d. and 2s. 6d.
  - TENELLUM, 3s. 6d.
  - VENUSTUM, 2s. 6d.
  - VERSAILLENSIS, 3s. 6d.
  - WILLIAMSII, 2s. 6d. and 3s. 6d.
- See also page 83.

## ALSOPIHILA

- AUSTRALIS, 2s. 6d. and 3s. 6d.
- EXCELSA, 3s. 6d.

## ASPIDIUM

- MUORONATUM, 2s. 6d.

## ASPLENIUM

- BULBIFERUM, 1s. 6d. and 2s. 6d.
- CAUDATUM, 3s. 6d.
- COLENSOI, 1s. 6d. and 2s. 6d.
- DIMORPHUM (*biforme*), 1s. 6d. and 2s. 6d.
- DIVARIOATUM, 2s. 6d. and 3s. 6d.
- EBENNUM, 1s. 6d. and 2s. 6d.
- ELEGANTULUM, 2s. 6d. and 3s. 6d.
- ERECTUM, 1s. 6d. and 2s. 6d.
- FALCUTUM, 7s. 6d.
- FLABELLIFOLIUM, 2s. 6d.
- FLACOIDUM, 1s. 6d. and 2s. 6d.
- HEMIONITIS, 3s. 6d.
- LANCEOLATUM, 1s. 6d. and 2s. 6d.
- LAXUM PUMILUM, 1s. 6d. and 2s. 6d.
- LUOIDUM, 2s. 6d. and 3s. 6d.
- MARGINATUM, 2s. 6d. and 3s. 6d.
- NEO-CALEDONICUM, 3s. 6d.
- PALMATUM, 3s. 6d.

## BLECHNUM

- GRACILE, 2s. 6d.
- INTERMEDIA, 2s. 6d.

## CETERACH

- AUREUM, 5s. and 7s. 6d.

## CIBOTIUM

- GLAUCUM (*DICKSONIA GLAUCA*), 10s. 6d.
- REGALE, 2s. 6d., 3s. 6d. and 5s.

## CYATHEA

- DEALBATA (*The Silver Fern of New Zealand*), 3s. 6d., 5s. and 7s. 6d.
- DREGEI, 3s. 6d. and 5s.
- MEDULLARIS, 2s. 6d. and 3s. 6d. to 21s.
- (*CIBOTIUM*) PRINCEPS, 2s. 6d. and 3s. 6d.

## CYRTOMIUM

- OARYOTIDEUM, 2s. 6d. and 3s. 6d.
- FALCUTUM, 1s. 6d. and 2s. 6d.
- FENSOMII, 2s. 6d.
- FORTUNII, 1s. 6d. and 2s. 6d.

## DAVALLIA

- CANARIENSIS, 2s. 6d.
- DISSECTA, 2s. 6d. and 3s. 6d.
- GRIFFITHIANA, 2s. 6d. and 3s. 6d.
- MARISSII, 2s. 6d. and 3s. 6d.
- CRISTATA, 3s. 6d. and 5s.
- PYXINATA, 3s. 6d.
- TENUIFOLIA, 2s. 6d.
- STRICTA, 2s. 6d.
- VEITCHIANA, 3s. 6d.
- Of sorts, 3s. 6d. and 5s.

## DICKSONIA

- ANTARCTICA, 1s. 6d., 2s. 6d. and 3s. 6d.
- Magnificent specimens of this well-known Tree Fern, see sizes and prices, page 79.
- APHIPOLIA, 3s. 6d.
- (*CIBOTIUM*) GLAUCA, 10s. 6d. See description page 81.
- SQUARROSA, 3s. 6d., 5s. and 7s. 6d.

## DICTYOGRAMMA

- CAUDIFORME, 2s. 6d.
- ELLIPTICA, 2s. 6d.
- JAPONICUM, 1s. 6d. and 2s. 6d.
- VARIEGATUM, 2s. 6d.

## DIDYMOCHLENA

- TRUNCATULA, 3s. 6d.

## DOODIA

- ASPERA, 1s. 6d. and 2s. 6d.
- AMGENA.
- MULTIFIDA, 2s. 6d. and 3s. 6d.
- CAUDATA, 1s. 6d.
- KUNTHIANA, 3s. 6d.
- MERIA, 1s. 6d. and 2s. 6d.

## HYMENOPHYLLUM

- DEMISSUM, 5s. and 7s. 6d.
- MULTIFIDUM, 21s.

## LASTREA

- ARISTATA, 2s. 6d.
- VARIEGATA, 1s. 6d. and 2s. 6d.
- ATRATA, 1s. 6d. and 2s. 6d.
- VARIEGATA, 1s. 6d. and 2s. 6d.
- CORUSCA, 1s. 6d. and 2s. 6d.
- CUSPIDATA, 2s. 6d.
- DECOMPOSITA, 3s. 6d.
- ERYTHROSORA, 1s. 6d.
- GLABELLA, 1s. 6d. and 2s. 6d.
- HISPIDA, 3s. 6d.



**LASTREA**

- LEPIDA, 1s. 6d. and 2s. 6d.  
 MEMBRANIFOLIA, 2s. 6d. and 3s. 6d.  
 PATENS, 1s. 6d.  
 PROLIFICA, 1s. 6d. and 2s. 6d.  
 SIEBOLDII, 1s. 6d. and 2s. 6d.  
 STANDISHII, 2s. 6d.  
 TRIANGULARE, 2s. 6d.  
 VARIA, 2s. 6d.  
*See also page 86.*

**LEUCOSTEGIA**

- IMMERSA, 2s. 6d.

**LITOBROCHIA (PTERIS)**

- VESPERTILIONIS, 2s. 6d. and 3s. 6d.

**LOMARIA**

- ATTENUATA, 3s. 6d. and 5s.  
 CILIATA GRANDIS, 3s. 6d. and 5s.  
 — MAJOR, 2s. 6d.  
 CYCADÆFOLIA, 2s. 6d., 3s. 6d. and 5s.  
 GIBBA, 1s. 6d. and 2s. 6d.  
 NUDA, 3s. 6d.  
 PATERSONII, 1s. 6d. and 2s. 6d.  
 — ELONGATA, 3s. 6d. and 5s.  
 ZAMIÆFOLIA, 2s. 6d. and 3s. 6d.

**NEPHRODIUM**

- OCUTARIUM, 1s. 6d. and 2s. 6d.  
 DEOURRENS, 2s. 6d.  
 MOLLE CORYMBIFERUM, 1s. 6d. and 2s. 6d.  
 — CRISTATUM, 3s. 6d.  
 — RAMOSUM, 3s. 6d.  
 RECEDENS, 2s. 6d.

**NIPHOBOLUS**

- HETERACTIS, 2s. 6d. and 3s. 6d.  
 LINGUA CORYMBIFERA, 3s. 6d. and 5s.

**ONYCHIUM**

- AURATUM, 3s. 6d. and 5s.  
 JAPONICUM, 1s. 6d.

**OSMUNDA**

- JAPONICA CORYMBIFERA, 2s. 6d. & 3s. 6d.  
 PALUSTRIS, 1s. 6d. and 2s. 6d.

**PELLEA**

- INVOLUTA, 2s. 6d. and 3s. 6d.  
 TERNIFOLIA, 3s. 6d. and 5s.

**PLATYCERIUM**

- ALICORNE, 3s. 6d.  
 — MAJUS, 7s. 6d.  
 WILLINCKII, 7s. 6d.  
*See also page 86.*

**PLATYLOMA**

- FALCATUM, 3s. 6d.  
 ROTUNDIFOLIUM, 2s. 6d. and 3s. 6d.  
*See also page 86.*

**PLEOCNEMIA**

- LEUZEANA, 3s. 6d.

**POLYPODIUM**

- PECTINATUM, 3s. 6d.  
 REFRACTUM, 3s. 6d. and 5s.  
 SCHNEIDERI, 5s.  
 TRICHODES (LASTREA TENERIOAULIS), 3s. 6d.,  
 5s. and 7s. 6d. *See also page 86.*

**POLYSTICHUM**

- CAPENSE, 1s. 6d. and 2s. 6d.  
 CORIACEUM, 2s. 6d. and 3s. 6d.  
 MUCRONATUM, 2s. 6d. and 3s. 6d.  
 POLYBLEPHARUM, 2s. 6d., 3s. 6d. and 5s.

**POLYSTICHUM**

- SETOSUM, 1s. 6d. and 2s. 6d.  
 THUS-SIMENSE, 1s. 6d. and 2s. 6d.  
 VENUSTUM, 5s. *See also page 86.*

**PTERIS**

- ADIANTIFOLIA, 1s. 6d. and 2s. 6d.  
 ARGUTA, 2s. 6d.  
 ARGYREIA, 1s. 6d. and 2s. 6d.  
 OBETIOA, 1s. 6d.  
 — ALBO-LINEATA, 1s. 6d.  
 — — ALEXANDRÆ, 2s. 6d. & 3s. 6d.  
 — — CRISTATA, 2s. 6d. and 3s. 6d.  
 — MAYII, 2s. 6d. and 3s. 6d.  
 — NOBILIS, 1s. 6d. and 2s. 6d.  
 — — VARIEGATA, 3s. 6d. and 5s.  
 — TORRANCEI, 5s.  
 — WIMSETII, 1s. 6d. and 2s. 6d.  
 DRINKWATERII, 2s. 6d. and 3s. 6d.  
 ENSIFORMIS, 1s. 6d. and 2s. 6d.  
 HASTATA, 1s. 6d. and 2s. 6d.  
 INTERNATA, 1s. 6d.  
 LEPTOPHYLLA, 2s. 6d.  
 — ARGENTEA, 2s. 6d. and 3s. 6d.  
 LONGIFOLIA, 1s. 6d. and 2s. 6d.  
 — MARIÆII, 2s. 6d. and 3s. 6d.  
 NEMORALIS VARIEGATA, 1s. 6d. and 2s. 6d.  
 NIVALIS, 5s.  
 OUVREARDII, 1s. 6d.  
 PEDATA, 3s. 6d.  
 REGINÆ, 3s. 6d.  
 — CRISTATA, 5s.  
 RHX, 3s. 6d. and 5s.  
 SOABERULA, 2s. 6d. and 3s. 6d.  
 SEMIPINNATA, 2s. 6d. and 3s. 6d.  
 SERRULATA, 1s.  
 — CRISTATA, 1s. 6d.  
 — — COMPACTA, 2s. 6d. and 3s. 6d.  
 — — DENSE, 2s. 6d. and 3s. 6d.  
 — — OLORIOSA, 2s. 6d. and 3s. 6d.  
 — — MAJOR (Chiswick variety), 5s.  
 — — UNDULATA, 2s. 6d.  
 — — VARIEGATA, 2s. 6d. and 3s. 6d.  
 — ORACILIS, 1s. 6d. and 2s. 6d.  
 — MAYII, 1s. 6d.  
 — UNDULATA, 2s. 6d. and 3s. 6d.  
 STRAMINEA, 3s. 6d.  
 TREMULA, 1s. 6d. and 2s. 6d.  
 — BOULTONI, 3s. 6d. and 5s.  
 — ELEGANS, 3s. 6d. and 5s.  
 — FLACOIDA, 2s. 6d. and 3s. 6d.  
 — FOLIOSA, 2s. 6d.  
 — GRANDICEPS, 3s. 6d.  
 — SMITHIANA, 2s. 6d. and 3s. 6d.  
 — VARIEGATA, 5s.  
 UMBROSA, 3s. 6d. *See also page 86.*

**TODEA**

- AFRICANA, 2s. 6d. and 3s. 6d.  
 ARBOREA, 1s. 6d. and 2s. 6d.  
 (LEPTOPTERIS) HYMENOPHYLLOIDES (TODEA  
 PELLUCIDA), 2s. 6d., 3s. 6d. and 5s.

**TRICHOMANES**

- RADICANS (The Killarney or Irish Bristle  
 Fern), 5s., 7s. 6d. and 10s. 6d.

**WOODWARDIA**

- ORIENTALIS, 1s. 6d. and 2s. 6d.  
 RADICANS, 1s. 6d. and 2s. 6d.

**CHOICE HARDY FERNS.**

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

# SELAGINELLAS.

G, Greenhouse; S, Stove.

	s. d.		s. d.
S AFRICANA .....	2 6	G KRAUSSIANA VARIEGATA .....	1 6
S AMENA .....	1s. 6d. &	S LÆVIGATA (CÆSIA ARBOREA) .....	3 6
S APUS (APODA) .....	1 6	S LOBBII .....	2 6
S ATROVIRIDIS .....	2 6	S LYALLII .....	2 6
S CANALICULATA .....	5 0	S MARTENSII .....	1 6
S CAULESCENS .....	2 6	S — ALBO-VARIEGATA .....	1 6
S COGNATA .....	3 6	S RUBRICAULIS .....	2 6
S EMILIANA .....	1 6	S SERPENS (MUTABILIS and VARIABILIS) ..	2 6
S FILICINA (DICHROUS) .....	3 6	S SETOSA .....	2 6
S FLAGELLIFERA .....	2 6	S UNCINATA (CÆSIA) .....	1 6
S GRANDIS .....	3s. 6d. &	S USTA .....	3s. 6d. &
S INÆQUALIFOLIA .....	1s. 6d. &	S VICTORIÆ .....	3 6
G KRAUSSIANA (DENTICULATA) .....	0 9	S WALLICHII .....	3 6
G — AUREA .....	1s. 6d. &	S WATSONI (see description, page 11), 2/6 & 3/6	

Selections of good kinds can be supplied at 18s. per dozen.

## NEW ZONAL PELARGONIUMS. SINGLE-FLOWERED.

For New Varieties offered for the first time, see page 2.

**ADRIENNE CAMBRY**, enormous trusses; flowers pale rose marmored and edged with carmine; white centre.

**ATLAS**, very large flowers of the richest scarlet; extra fine.

**AUGUSTE COMTE**, grand trusses of orange flowers of good shape.

**BELLONE**, rich cerise pink, the basal half of the two upper petals pure white.

**BEROSE**, deep rosy pink flowers, fine truss.

**CEDARO**, pale orange-scarlet flowers, lighter on the margins.

**CHARLES LETOURNEAU**, very large flowers of perfect shape, of a brilliant China rose colour, upper petals marked with white; fine for bedding.

**CHARLES MALO**, globular trusses of round reddish scarlet flowers. Plant of good habit.

**CHARLES RECOLIN**, gigantic trusses of orange-scarlet colour, each petal prettily serrated.

**CLOVIS**, large trusses of rich carmine flowers slightly shaded with magenta, the three lower petals marked at the apex with rose, upper petals shaded light rose.

**CONDOR**, pink shading to white on margin.

**CRUSADER**, rich fiery scarlet, upper petals shaded orange at base.

**DELPHIAN**, good trusses of bright scarlet flowers.

**DEVICE**, fine trusses of orange-scarlet flowers, suffused with a yellowish shade.

**DUCHESS**, magenta rose shaded violet, upper petals feathered with white.

**DUNDAS**, well-shaped trusses of pure white flowers; good habit.

**ELAINE**, fine large truss of soft cerise flowers.

**ELBA**, salmon-cerise shaded scarlet, a fine round flower.

**FANE**, rich violet, upper petals marked with orange-scarlet.

**FLORA**, orange-salmon centre shading off to the margins, very bright and pretty.

**FRANÇOISE DE RIMINI**, enormous trusses of pure white flowers.

**GEORGE ELIOT**, very large trusses of the purest snow-white flowers.

**GEORGES D'ESPARBES**, large trusses of round flowers, salmon variegated with white.

**HENRY FOUQUIER**, large erect trusses of cinnabar-scarlet flowers, maculated with white and rose on the upper petals.

**HENRY GAUTHIER-VILLARS**, rose-coloured flowers, punctulated with carmine.

**HENRY HOUSSAYE**, enormous globular trusses of irregular flowers, rose strikingly shaded with mauve; new colour.

**HERMIT**, fine trusses of bright cerise-pink flowers.

**HERMON**, rich ruby crimson, lower petals shaded with purple at base, upper petals rich scarlet at base; a very fine variety.

**ICARUS**, salmon-scarlet centre, shading off nearly to white at the margins.

**JEAN LAHOR**, fiery salmon flowers; dwarf habit.

**JEAN LOMBARD**, large trusses of enormous round flowers, clear orange-red with white centre.

**JOVIAL**, white, heavily suffused with pink.

**JULES BOIS**, flowers rosy violet, petals edged with carmine; dwarf habit and very floriferous.

**JUMNA**, splendid trusses, magenta cerise, upper petals marked scarlet.

- LANCER**, scarlet magenta, upper petals rich orange vermillion at base.  
**LAURENCE**, magenta purple, edged and marked with vermillion.  
**LEDA**, white ground, shaded salmon-scarlet, deeper in centre.  
**LENA**, bright scarlet shaded rosy magenta; basal half of upper petals white, tips rosy scarlet.  
**LESBLIA**, large trusses of white flowers.  
**LOUIS RATISBONNE**, grand trusses of enormous flowers fading from a margin of bright carmine to a white centre, veined and marbled with rose.  
**MABEL**, white flushed with rose on the basal half of petals.  
**MADAME BENTZON**, enormous trusses, flowers large, rose mauve, maculated with white.  
**MAGNET**, large truss of well-formed deep rose flowers, shaded with salmon.  
**MARK TWAIN**, very large selfering-crimson flowers, shaded with orange; dark nervations.  
**MAXIME GORKI**, fine trusses of large white flowers veined and margined with dark rose.  
**MEDORA**, upper petals orange-scarlet, lower petals rich scarlet flushed with magenta.  
**ORION**, carmine magenta, the base and tips of the two upper petals marked fiery orange.  
**OVID**, rich orange-scarlet, an extremely bright colour; flowers of good substance and shape.  
**PAUL MONCEAUX**, very soft whitish lilac, the petals embroidered with rose.  
**PTERON**, magenta scarlet, shaded orange in centre.  
**RHODA**, bright carmine centre, fading to pink on the margins.  
**ROMEO**, trusses of French white flowers, ornamented with an aureole of salmon-pink.  
**RONURA**, grand trusses of large well-formed cerise-pink flowers.  
**SCPIO**, bright cherry carmine, basal half of upper petals white, shaded with magenta.  
**STEPHANE MALLARME**, enormous round flowers of perfect shape, bright carmine shaded with scarlet, white centre; upper petals marked with white.  
**TAMAR**, very rich crimson-scarlet, the lower half of upper petals magenta rose.  
**THALIA**, fiery orange-scarlet flowers, the two upper petals blotched with white.  
**THERA**, soft magenta-scarlet, shaded fiery scarlet in centre.  
**WHITE WEST BRIGHTON GEM**, a white variety of the well known bedder. An excellent companion to the type.

**Selections made at 12s., 18s., 30s. and 42s. per dozen.**

## NEW ZONAL PELARGONIUMS. DOUBLE-FLOWERED.

- AGRIPPA D'AUBIGNÉ**, dark crimson flowers; leaves darkly zoned.  
**ANDRÉ ANTOINE**, enormous trusses of large pure rose flowers, centre white.  
**AUGUSTE MOIREAU**, magnificently coloured flowers of large size, aurora orange, lighter on the margins.  
**CAPITAINE BIOMET**, orange-scarlet, centre maculated with white.  
**CAROLUS DURAN**, very large semi-double frilled flowers, bright salmon, suffused with golden orange.  
**CARPEAUX**, flowers very large, round and double, soft rose, edged with carmine.  
**CHARLES GARNIER**, large trusses of double flowers, blush rose, with salmon centre; dwarf.  
**COMTESSE DE PILLET-WILL**, large white semi-double flowers, central portion orange-rose.  
**CUVIER**, very bright cerise-red flowers.  
**CYRUS**, violet-red shaded amaranth, maculated white.  
**DAVID D'ANGERS**, trusses of bright rose flowers, edged with carmine; semi-double and very floriferous.  
**E. BERLOT**, dark purple violet flower.  
**EUGÈNE DELACROIX**, immense trusses of enormous double flowers, of the most brilliant shade of scarlet.  
**FANTIN-LATOURET**, fine heads of bright rose-pink flowers, full and double.  
**FRANCILLON**, enormous trusses of snow-white semi-double flowers.  
**FRESQUE**, rosy white flowers.  
**GABRIEL MONOD**, large bright purple crimson flowers, good trusses.  
**GÉRARD DE NERVAL**, large trusses of enormous semi-double flowers, fiery salmon, centre golden orange.  
**GUY DE MAUPASSANT**, stout trusses of orange-scarlet flowers, marked white in upper petals.  
**HENRI BORDEAUX**, centre apricot red, margins lighter, orange guard petals.  
**HUGO DE VRIES**, large unakin-salmon flowers, with orange reflections.  
**JEAN PAUL LAURENS**, erect trusses of perfect double flowers, blush white, centre salmon.  
**LAVE**, clear orange, with orange-yellow reflections.  
**MADAME E. PAVET GIRARD**, rosy mauve flowers with white maculations.  
 — **GIRARDIN**, very large round flowers, pure white.  
 — **HALIMBOURG**, large orange-rose flowers, white eye.



- MADELEINE LEMAIRE**, large flowers of a soft golden orange colour; a new shade.  
**MARGUERITE DURAND**, enormous trusses of semi-double flowers, white shading to cream.  
**MAURICE MONTEGUT**, enormous trusses of large semi-double scarlet flowers.  
**M. C. SAUCARET**, amaranth red, white centre.  
**MÉROWIG**, large trusses of semi-double flowers, bright reddish scarlet.  
**MONTMARTRE**, rosy magenta, centre white.  
**MONT VALERIEN**, crimson red, shaded fiery scarlet.  
**OCTAVE GERARD**, very large trusses of amaranth crimson flowers, shaded carmine.  
**OLIVE SCHREINER**, large flowers with white centre, bordered rose heavily shaded carmine.  
**OSIRIS**, large erect trusses of purplish red flowers.  
**PUVIS DE CHAVANNES**, grand trusses of very large double flowers of good shape and of a very intense scarlet.  
**RENÉ BAZIN**, semi-double flowers of a bright fiery salmon colour.  
**ROCHEGROSSE**, round trusses of serrated double flowers, bright vermilion orange.  
**ROTY**, trusses of medium size; large semi-double flowers of a beautiful China rose colour.  
**SAMUEL ROUSSEAU**, enormous trusses of bright scarlet flowers, borne on long pedicels.  
**SIEGFRIED**, erect trusses of double flowers, cinnamon red with lighter reverse.  
**SIR F. BUXTON**, large trusses of semi-double salmon-pink flowers suffused with white and shaded rose, centre fiery scarlet.  
**STELLA**, trusses of brilliant magenta flowers, shaded with orange.  
**TANAGRA**, large flowers; white bordered with soft rose round all the petals; a very delicate shade.  
**TRIOMPHE DE MONTCHAT**, flowers semi-double of a reddish crimson colour.

**Selections made at 12s., 18s., 30s. and 42s. per dozen.**

## NEW AND CHOICE IVY-LEAF PELARGONIUMS.

### SINGLE-FLOWERED.

- LUCIA**, magenta rose; whitish flake on upper petals surrounded with pale crimson.  
**LUSTROUS**, a very fine variety with rich magenta-carmine flowers, the two upper petals ornamented with purplish rose bars, surrounded and feathered with crimson maroon.  
**MEDEA**, deep carmine shaded magenta, upper petals marked with orange and veined crimson, good round flower.  
**PELIAS**, rich carmine with magenta shade, lightish bar in two upper petals, surrounded crimson maroon.  
**PERSEUS**, splendid heads of bright magenta-carmine flowers, upper petals marked with a light blotch and feathered with dark crimson.  
**RADIANT**, rich scarlet carmine, upper petals marked with rose and spotted violet crimson.  
**RIALTO**, soft cerise, the upper petals having a white bar surrounded with crimson.  
**SALMO**, carmine rose slightly shaded with violet, pale rose blotch on upper petals surrounded with crimson.

**Selections made at 12s., 18s., 30s. and 42s. per dozen.**

## NEW AND CHOICE IVY-LEAF PELARGONIUMS.

### DOUBLE-FLOWERED.

- ACHIEVEMENT**, a cross between an Ivy-leaf and Zonal; flowers bright salmon-pink in immense trusses; very floriferous.  
**BAUDIN**, enormous trusses of large clear red double flowers, prettily imbricated.  
**BEAUTY SUPREME**, of distinct character, giving fine trusses of double flowers of a uniform soft rosy salmon colour, the upper petals marked with crimson.  
**CLAUDINE**, pretty double China rose flowers, lightly maculated on upper petals.  
**COL. BADEN-POWELL**, a fine variety with beautiful blush pink flowers, softly shaded with lilac.  
**CUTBLOOM**, very free variety, bearing a profusion of large blush flowers; a fine full flower of fine shape.  
**GRINGOIRE**, very double violet red flowers.  
**LEOPARD**, one of the most distinct and remarkable Ivy-leaves raised, lilac pink heavily blotched and splashed with rich crimson.

## NEW PELARGONIUMS—continued.

**MRS. HAWLEY**, a great improvement on the well-known *Souvenir de Charles Turner*.

**PASCAL**, brilliant carmine, flowers large and double.

**PELADAN**, round and double orange-salmon flowers.

**PRINCESS VICTORIA**, a charming new variety with large flowers of a lovely shade of blush pink, centre shaded with rose; upper petals feathered crimson.

**SABRINA**, semi-double bright scarlet-cerise flowers.

**THE KING**, large trusses of bright scarlet flowers shaded with magenta; individual blossoms of large size and good substance.

**THE QUEEN**, a lovely variety with immense semi-double flowers of fine shape, the colour being a rich clear salmon-scarlet; most distinct and attractive.

**TOLSTOI**, flowers of a violet mauve colour, full and double.

**WILLY**, large double flowers of a minimum orange colour.

**Selections made at 18s., 30s. and 42s. per dozen.**

## NEW AND CHOICE FUCHSIAS

### OF RECENT INTRODUCTION.

For New Varieties offered for the first time, see page 2.

The varieties marked \* have double flowers.

\***ACHILLES**, a grand variety with short tube and broad dark red shell-shaped sepals; corolla rich plum colour, very full and double, the petals much waved.

**ADEL**, short crimson tube and broad reflexed sepals, very large spreading, single violet blue corolla with several small petals at base, all veined and suffused crimson.

**AGRA**, deep coral-pink tube and sepals, the latter completely recurving; very long corolla, pale pink, veined with magenta rose.

\***ALTAIR**, short tube and sepals of a bright coral-red colour; very large double bluish violet corolla, very shallow and much expanded.

**ASPASIA**, light red sepals completely reflexed over the short tube; bell-shaped single corolla, blush shaded with violet.

**BRUTUS**, a very elegant variety, with short tube and long, narrow, elegantly reflexed, bright crimson scarlet sepals; single corolla of good shape, bright purplish crimson.

\***BUREL**, crimson red tube and sepals, with long irregular semi-double corolla, rich crimson purple, shaded and splashed at base with reddish scarlet.

\***CALLIOPE**, large double flower; corolla rich violet-purple, short tube and broad crimson sepals.

\***CAMBODA**, red tube and sepals, the latter completely reflexed; long double white corolla. Very suitable for growing against a pillar.

\***CAMEO**, very broad crimson sepals well recurved; long semi-double lavender purple corolla.

**CASINO**, very short tube and broad crimson sepals; single corolla, the petals spreading and of a rich purple colour.

**CECIL**, short tube and broad coral-red sepals, large spreading purplish-red single corolla.

**CHAUCER**, short tube with broad red sepals completely recurved; large single lavender purple corolla, veined and shaded crimson at base.

\***CLAUDIA**, very broad bright red sepals completely reflexed over very short tube; enormous blush pink corolla, very full and double.

**DACIA**, short and broad crimson tube and sepals; pretty purple corolla, veined crimson, single or semi-double.

**DIANA**, pink tube and sepals, the latter long and horizontally extended; single plum-coloured corolla marked rose-pink at base. Of distinct colour and shape.

\***DORIS**, short tube and large broad coral-red sepals horizontally extended; immense double corolla, petals reddish purple, margins shaded with metallic blue.

\***ELAINE**, crimson sepals and short tube; large double white corolla, veined at base with rose.

**ELEGANCE**, white tube and sepals, the latter broad and elegantly recurved, single corolla blush pink, each petal margined bright pink.

**ELSA**, short whitish tube with long and very broad rose-pink sepals, the base nearly white; shortish single corolla, rosy purple.

\***ERMAN**, short scarlet tube and well-reflexed sepals; irregular double violet purple corolla.

**FALCON**, short crimson tube and sepals, buds globular; single corolla bluish purple shading.

- FASCINATION**, a most charming variety with long white tube and sepals, which are broad and prettily recurved; single corolla of a lovely shade of rose pink.
- GERARD**, crimson tube and sepals; large bluish purple single corolla, marked with deep rose.
- \***GIDOUR**, short tube and very broad recurved crimson sepals; rich plum purple double corolla.
- \***GRAPHIC**, short and broad crimson tube and sepals, the latter well extended; very large loose double corolla, lavender blue, shaded red at base.
- HAIDEE**, crimson carmine tube and sepals, the latter very broad and recurved; whitish bell-shaped corolla suffused with pink and veined with carmine.
- \***HECLA**, bright rosy red sepals, well reflexed over short tube; large double white corolla, suffused at base with magenta rose.
- HECTOR**, dark crimson-red tube and sepals, the latter broad and well reflexed; crimson purple corolla, the base of petals lit up with bright crimson.
- ICARUS**, carmine sepals completely recurved; blush white single corolla veined with rosy crimson, base of the petals suffused carmine.
- \***JANUS**, carmine tube and sepals, very large double white corolla veined with rose at the base.
- \***LENA**, short whitish tube and sepals, interior heavily shaded with pink, shell-shaped and reflexed on tube; semi-double deep bluish violet corolla.
- LINDA**, large single corolla of good shape, lavender blue veined at base with crimson, broad sepals and short coral-red tube.
- \***LOTHAIR**, short carmine-red tube and completely recurved sepals; large lavender purple double corolla, shaded rose at base.
- LOUISE**, bright reddish scarlet tube and sepals; single white corolla, veined deep rose.
- LYRA**, broad crimson sepals elegantly reflexed, short tube; large single corolla, purple mauve.
- \***LYSIAS**, bright red tube and broad shell-shaped sepals extending over a very large well-expanded double rosy purple corolla.
- \***MADOC**, very short tube and recurved coral-red sepals; semi-double white corolla veined rose.
- MAGNATE**, a very fine flower of good contour; long and broad red sepals; single bell-shaped corolla, rich purple, marked with rosy crimson at the base.
- \***MANFRED**, very broad and long bright red sepals, well reflexed; irregular double corolla, rich purple splashed and flaked with rosy red at base.
- \***MENTO**, a gigantic double flower with broad shell-shaped sepals of a reddish crimson colour, immense bluish purple corolla.
- \***OLYMPUS**, immense flower with short tube and broad reflexed bright scarlet-crimson sepals; monstrous corolla very full and double, rich purplish crimson, suffused with rosy scarlet at base.
- \***PALATINE**, long and broad completely recurved crimson-red sepals; corolla semi-double, very large and of fine shape, of a rich ruby purple colour.
- PEDRO**, large bright crimson sepals completely recurved over short tube; single corolla carmine red shaded with mauve.
- PENDANT**, short tubes with long and broad extended carmine-pink sepals; corolla, single or semi-double, rich plum colour, shaded with deep rose at the base.
- PRINCE OF ORANGE**, short and broad tube and sepals, orange pink tipped greenish yellow; single corolla, very rich dark orange shaded with vermillion.
- \***REGENT**, bright red shell-shaped sepals, partially reflexed; semi-double irregular corolla, lavender purple shaded with rose.
- ROYER**, crimson tube and broad reflexed sepals; bluish violet barrel-shaped corolla suffused rose.
- RUPERT**, short tube completely hid by the broad recurved carmine-red sepals; single corolla, very large and spreading of a rich bright purple, veined and suffused with crimson.
- SABINE**, white tube and sepals, broad and well extended; single corolla, magenta carmine.
- \***SIREN**, broad crimson reflexed sepals; large irregular double purple-crimson corolla.
- TITIAN**, bright crimson sepals, horizontally extending, reddish purple single corolla lit up with scarlet at base.
- TRIBUTE**, very short tube and completely reflexed bright reddish crimson sepals; violet-purple single corolla, veined and shaded at base with crimson-red.
- VALIANT**, coral-red tube and sepals, the latter broad and well reflexed; single corolla with large bright crimson-red petals. Very striking.
- VESTAL**, long white tube and recurved sepals; bright rosy carmine single corolla.
- ZARA**, deep carmine tube and sepals; single purple corolla.

**Selections made at 12s., 18s., 30s. and 42s. per dozen.**





## NEW AND CHOICE CALADIUMS.

WILLIAM BULL & SONS' Selection of Twelve Varieties, 18s., 24s., 30s. and 42s.

WILLIAM BULL & SONS desire to call special attention to the handsome Brazilian and other sorts printed in block type, all being beautiful and attractive varieties of great merit.


<b>ADAMASTOR</b> , 15s.	<b>AURORE BOREALE</b> , 5s. and 7s. 6d.	<b>BARONNE JAMES DE ROTHSCHILD</b> , 3s. 6d.	<b>CLIO</b> , 3s. 6d.
<b>AGRIPPINE DIMITRY</b> , 3s. 6d.	<b>AVILON</b> , 2s. 6d. & 3s. 6d.	<b>BEIJA-FLOE</b> , 5/- & 7/6.	<b>COMTE DE GERMINY</b> , 3/6.
<b>ALBANENSE</b> , 2s. 6d. and 3s. 6d.	<b>AYMORE</b> , 10s. 6d.	<b>BEROSE</b> , 3s. 6d.	<b>COMTESSE CLARY</b> , 5s.
<b>ALBO-LUTEUM</b> , 3s. 6d.	<b>BAHIA</b> , 15s.	<b>BICOLOR FULGENS</b> , 3s. 6d. and 5s.	— <b>DE BROUSSE</b> , 5s.
<b>ALEXANDER III.</b> , 5s.	<b>BARAQUINII SUPERBUM</b> , 3s. 6d. and 5s.	— <b>SPLENDENS</b> , 3s. 6d. and 5s.	<b>CONQUEROR</b> , 21s.
<b>ALICE VAN GEERT</b> , 3s. 6d.	<b>BARBACENA</b> , 10s. 6d.	<b>BIJOU DE 1900</b> , 10s. 6d. and 15s.	<b>COYPEL</b> , 3s. 6d.
<b>ALZIRE</b> , 3s. 6d.	<b>BARON ADOLPHE DE ROTHSCHILD</b> , 3/6 & 5/-	<b>BOELDIEU</b> , 3s. 6d.	<b>CROWN PRINCE OF SIAM</b> , 10s. 6d.
<b>AMARANTE</b> , 5s.	— <b>DE ROTHSCHILD</b> , 3/6.	<b>B. S. WILLIAMS</b> , 2/6 & 3/6	<b>DE CANDOLLE</b> , 2s. 6d. and 3s. 6d.
<b>ANNIBAL</b> , 3s. 6d.	<b>BARONESS SCHRODER</b> , 5s. and 7s. 6d.	<b>CANBIDUM</b> , 2/6 & 3/6.	<b>DELICATISSIMUM</b> , 2/6 & 3/6
<b>ANTONIO JOAQUIN</b> , 5s.	<b>BARONNE CLARA DE HIRSCH</b> , 5s. & 7s. 6d.	<b>CARAMURU</b> , 10s. 6d.	<b>DONA CARMEN MACEDO</b> , 7s. 6d.
<b>AROYRITES</b> , 1s. 6d. and 2s. 6d.	— <b>DE BUSSIERE</b> , 10s. 6d.	<b>CARDINALE</b> , 2s. 6d. and 3s. 6d.	<b>DON PEDRO D'ALCANTARA</b> , 7s. 6d.
<b>ASSUNGUY</b> , 3s. 6d.		<b>CHANTINI</b> , 2s. 6d. & 3s. 6d.	<b>DR. E. V. REGEL</b> , 3s. 6d.
<b>AUGUSTE CARPENTIER</b> , 3s. 6d.			

## NEW AND CHOICE CALADIUMS—continued.

DUO DE MORNAY, 3s. 6d.	JUVÉNILE, 3s. 6d.	MADAME SUEUR, 7s. 6d.	QUIXARE, 10s. 6d.
DUO DE NASSAU, 2s. 6d. and 3s. 6d.	LA CHASSAGNE, 7s. 6d.	— VILLARD, 5s.	RACINE, 5s.
DUCHESSE DE MORTE- MART, 2s. 6d. & 3s. 6d.	LADAS, 2s. 6d. & 3s. 6d.	MAJOR JOIOEY, 5s.	RAOUL PUGNO, 3/6 & 5/-.
DUCHES OF PIPE, 2s. 6d. and 3s. 6d.	LADY DORINGTON, 5s.	MANHUASSU, 10s. 6d.	RAYMOND LEMOINIER, 2s. 6d. and 3s. 6d.
EMILE THIERRARD, 15s.	LADY MOSLEY, 3/6 & 5/-	MARIE FREEMAN, 5s.	REINE DE DANEMARK, 2s. 6d. and 3s. 6d.
ERNST SCHMIDT, 5s.	LADY STAFFORD NORTH- COTE, 10s. 6d.	MARIE LOUISE WINTER- STEIN, 5s. and 7s. 6d.	REINE DE SUÈDE, 21s.
EUCARIS, 3s. 6d.	LÆLIA DUPLESSIS, 21s.	MARQUESS OF CAMDEN, 3s. 6d. and 5s.	RIO CLARO, 15s.
EURYDICE, 3s. 6d. & 5s.	L'ALBANE, 3s. 6d.	MARQUIS F.D'ALBERTAS, 3s. 6d. and 5s.	RIO JANEIRO, 5s.
EUTERPE, 3s. 6d.	LA LORRAINE, 5s.	MARTHA LAForge, 5s.	RONCADOR, 3s. 6d. & 5s.
EXOPTABLE, 5s. & 7s. 6d.	L'ALSACE, 3s. 6d.	MAX KOLB, 2s. 6d.	ROSE LAING, 3s. 6d. & 5s.
EXQUISITE, 3s. 6d. & 5s.	LA NACRE, 3/6 & 5/-.	MAY ARCHER, 5/- & 7/6.	ROUILLARD, 3s. 6d.
FASTUOSUM, 5s.	LA PERLE DU BRÉSIL, 2s. 6d. and 3s. 6d.	M. ED. MIEG, 7s. 6d.	ROUPELL PARK, 5s.
FAVELLA, 15s.	L'AUBORE, 5s.	MEM DE SA, 10s. 6d.	SALDANHA DA GAMA, 10s. 6d.
F. COOPER, 5s.	L'AUTOMNE, 3s. 6d. & 5s.	MEROÉDES DARGENT, 5s.	SANCHONATHON, 2s. 6d.
FELIX PETIT, 3s. 6d.	LE CAIRE, 5s. & 7s. 6d.	MEYERBEER, 2s. 6d.	SATURNE, 3s. 6d.
FERD. DE LESSEPS, 3s. 6d.	LE CARAVAGE, 3s. 6d.	MINUS ERUBESCOENS, 1s. 6d. and 2s. 6d.	SILVER CLOUD, 2s. 6d.
FERNANDO DE NORONHA, 5s.	LE CREPUSCULE, 15s.	MIRACEMA, 5s.	SIR E. SMITH, 5s.
FLAMMANT ROSE, 5s.	LEONARD BAUSE, 3s. 6d. and 5s.	MISS ELLEN TERRY, 3/6.	SIR HENRY IRVING, 3/6.
GABRIELLE LEMOINIER, 3s. 6d.	LEOPOLD ROBERT, 2s. 6d.	MISS M. VIANNA, 10/6.	SIR J. GOLDSMID, 3s. 6d.
GARNET, 10s. 6d.	LEPESCHKINEI, 3s. 6d.	MITHRIDATE, 3s. 6d.	SIR O. MOSLEY, 3s. 6d.
GASTON CHANDON, 3s. 6d.	LE RESPLENDISSANT, 15s.	M. J. LINDEN, 3s. 6d.	SIR W. BROADBENT, 3/6.
GAZE DE PARIS, 3s. 6d.	LE RÊVE, 21s.	MOSSAMEDES, 21s.	SOFIA, 3s. 6d.
GENERAL, 21s.	LE RUBIS, 7s. 6d.	MOZART, 3s. 6d.	SOUVENIR DE ANTOINE CHANTIN, 5s.
GEORGES BERGER, 5s.	LILLIE BOURKE, 3s. 6d. and 5s.	MR. PIERPOINT MORGAN, 3s. 6d. and 5s.	— DE LA BARONNE A. DE ROTHSHILD, 5s.
GERARD DOW, 3s. 6d. and 5s.	L'INSOLITE, 2/6 & 3/6.	MRS. BAUSE, 10s. 6d.	— DE LILLE, 3s. 6d.
GIREOUD, 10s. 6d.	LORD DERBY, 2/6 & 3/6.	MRS. HARRY VEITCH, 3s. 6d. and 5s.	— DE L. THIBAUT, 10/6.
GRUOK, 3s. 6d.	LORD PENRIYN, 5s.	MRS. ICETON, 5s.	— DE MDLLE. HEN- RIOT, 15s.
GOLDEN QUEEN, 3s. 6d. and 5s.	LOUISE DUPLESSIS, 2s. 6d.	MRS. J. H. VEITCH, 10/6.	— DE PARA, 2s. 6d.
GRENAT ROUGE, 15s.	LOUIS VAN HOUTTE, 3s. 6d. and 5s.	MRS. J. LAING, 7s. 6d.	SPONTINI, 3s. 5d.
HENRY LOVATT, 3/6 & 5/-	LUTEUM AURATUM, 5s.	MRS. JOIOEY, 7s. 6d.	TABORDA, 10s. 6d.
HER MAJESTY, 5/- & 7/6.	LYMINGTON, 2s. 6d.	MRS. LAING, 2s. 6d.	TAMBORIM, 7s. 6d.
HORTULANIA, 15s.	MADAME ALFRED BLEU, 2s. 6d. and 3s. 6d.	MRS. McLEOD, 10s. 6d.	TENNYSON, 3s. 6d.
IBIS ARGENTÉ, 7s. 6d.	— ALFRED MAME, 3/6.	M. WILLAUME, 3s. 6d.	THE MIKADO, 3/6 & 5/-
— ROSE, 7s. 6d.	— ANDRE CHABER, 15s.	NAPOLEON III., 2s. 6d.	TRIOMPHE DE COMTE, 3/6.
— ROUGH, 5s. & 7s. 6d.	— D'HALLORY, 3s. 6d.	ORPHÉE, 3s. 6d. and 5s.	UANAHY, 15s.
ICARUS, 15s.	— ED. PYNAERT, 3/6.	PANTIA RALLI, 5s.	VAN DYCK, 3s. 6d.
IDA, 3s. 6d. and 5s.	— FRITZ KOEHLIN, 2s. 6d. and 3s. 6d.	PASHA, 15s.	VERONA, 10s. 6d.
IGUATU, 10s. 6d.	— GROULT, 3s. 6d.	PHILIPPE SCHULTZ, 3/6.	VILLE DE METZ, 3s. 6d.
ÎLE DE CRÈTE, 7s. 6d.	— I. KOEHLIN, 2s. 6d.	PRINCE ALBERT EDWARD, 3s. 6d.	VILLE DE MULHOUSE, 3/6.
IMPÉRATRICE EUGÉNIE, 2s. 6d.	— J. MENOREAU, 3/6.	— OF WALES, 3s. 6d.	VILLE D'HAMBOURG, 2/6.
ISIS, 2s. 6d. and 3s. 6d.	— J. R. BOX, 2s. 6d.	— SANTAPAH, 10s. 6d.	VIROINALE, 3s. 6d.
ITAMBY, 15s.	— JULES PIOT, 3s. 6d.	PRINCESSE HUSSEIN, 21s.	WEBER, 3s. 6d.
ITAPIPOCA, 10s. 6d.	— LEMOINIER, 3s. 6d.	PRINCESS OF WALES, 3/6.	WIGHTII, 2s. 6d.
JAPURA, 15s.	— MAROHAND, 3s. 6d.	— OF TEOK, 3/6 & 5/-	WILLIAM BULL, 3/6 & 5/-.
JAS. H. LAING, 5s.	— M. CAIUZAC, 5s.	— ROYAL, 5s.	WM. MARSHALL, 5s. and 7s. 6d.
JOHN LAING, 3s. 6d.	— M. DE FLACOURT, 15s.	PROSERPINE, 3s. 6d.	
JOS. CHAMBERLAIN, 5s.	— MIYJANA, 3s. 6d. and 5s.	PULCHELLUM, 7s. 6d.	
JOSEPH CREMAZY, 21s.	— M. SCHIEFFER, 3/6.	PUVIS DE CHAVANNES, 5s.	
		QUADRICOLOR, 2/6 & 3/6.	

CALADIUMS CAN BE SUPPLIED IN DORMANT BULBS FROM OCTOBER TO APRIL.





SINGLE-FLOWERED BEGONIA.



DOUBLE-FLOWERED BEGONIA.

## BEGONIAS.

### HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

### SINGLE-FLOWERED. NAMED.

Selections of good single-flowering named varieties can be made at 12s., 18s. and 24s. per dozen.

### SINGLE-FLOWERED. UNNAMED.

Seedlings of various colours, 4s., 6s. and 9s. per dozen; 25s., 35s. and 50s. per 100.

### DOUBLE-FLOWERED. NAMED.

Named Varieties with double flowers, at 30s., 42s. and 60s. per dozen.

### DOUBLE-FLOWERED. UNNAMED.

Seedlings of various colours, 6s., 9s., 12s. and 18s. per dozen; 45s., 60s. and 75s. per 100.

## BECONIA CRISTATA.

Quite a new break in Begonias; the flowers, which are of various colours and of great substance, have each petal curiously ornamented with a central crest, somewhat in the shape of a cock's comb. Can be supplied in several colours, 2s. 6d. each; 24s. per dozen.



## BEGONIAS, Ornamental Foliaged.

### NEW REX-DECORA HYBRIDS.

The following series of new hybrids are remarkable for the extreme beauty of foliage, the leaves presenting a wealth of rich coloration and markings hitherto not seen among Begonias. To obtain full development of the colours, the plants should be grown in the shade, and not exposed to full light.

**CHARLES GAMER**, leaves of medium size, brownish green centre, surrounded with violet carmine and whitish markings with a zone of green speckled with white; olive brown margin. 3s. 6d.

**GLOIRE DES ARDENNES**, of regular and compact growth, leaves ornamented with a large carmine zone, centre brown; border bright green, speckled with numerous white and purple spots; margin brown. 3s. 6d.

**GOLIATH**, a vigorous variety, centre brownish green, surrounded by a broad whitish zone, tinted with violet carmine; this has a narrow border of green, speckled with white and margined with reddish brown. 3s. 6d.

**LA FRANCE**, a magnificent variety with large leaves brown in the centre, zoned with reddish violet, bordered with white and surrounded with a large green border ornamented with large spots; margined purple brown. 3s. 6d.

**M. ALBERT MAUMENÉ**, an elegant variety with smallish foliage, with the aspect of a mosaic silver and purple-brown in the centre, surrounded with a large zone of clear green, margined brown with numerous white spots, each carrying a small red hair. 3s. 6d.

**MADAME DE STE. VALIÈRE**, large shining leaves, with a large zone of reddish carmine bordered with numerous white and purple points with red hairs, margined dark green. 3s. 6d.

**M. DE STE. VALIÈRE**, centre velvety brown shaded with violet-purple, with a white zone surrounded with dark green, sprinkled with numerous white and purple spots; margin reddish brown. 3s. 6d.

**M. HENRI MARTINET**, compact in habit, leaves reddish bronze with a small brown centre; zone of dark green margined brown, and sprinkled with greyish white spots with red hairs. 3s. 6d.

**REMILLY**, milk white leaves washed with carmine; brown centre surrounded with bright carmine border; very pretty. 3s. 6d.

**RENÉ GARRY-DESLOGES**, the most beautiful of these pretty hybrids, producing immense leaves, the centre brownish black raying into the blade by the nerves; a large zone of deep violet surrounds the centre, and merges into velvety brown border through a lace-like marking of greyish white and green. 5s.

**REVEREND LASCELLES**, large leaf with brown centre shaded violet, surrounded with a large green zone spotted with white and margined violet brown. 3s. 6d.



## BEGONIAS—Ornamental Foliaged.

In handsome named varieties, 12s., 18s. and 30s. per dozen.

## NEW WINTER-FLOWERING BEGONIAS.

**AGATHA**, similar in appearance to *Gloire de Lorraine*, but has larger and richer coloured flowers, and is more compact in growth. Award of Merit, R.H. Soc. 3s. 6d.

**ALBA GRANDIFLORA**, bears a profusion of large white flowers. 3s. 6d. and 5s.

**BUISSON ROSE**, raised from the summer-flowering *B. diversifolia*, crossed with the winter-blooming *B. polyantha*. The plant is of compact growth, the flowers being freely produced from almost every joint in bunches of three and four. The blossoms are of a soft rosy pink colour, with golden anthers. The flowering period is from August to January. 5s.

**CALEDONIA** (The White "*Gloire de Lorraine*"). 3s. 6d.

**CORAIL**, a bright coral-scarlet flowered variety of robust growth. 3s. 6d.

**ENSIGN**, semi-double flowers, light carmine toned with scarlet. Award of Merit, R.H.S. 2s. 6d.

**FULGURANT**, flowers bright scarlet, borne in rigid panicles in a most profuse manner. 3s. 6d.

**IDEALA**, very dwarf and of neat compact habit. The flowers are bright rose carmine and very large. Award of Merit, R.H.S. 5s.

**JULIUS**, large delicate rose pink flowers suffused with white. Award of Merit, R.H.S. 7s. 6d.

**MRS. LEOPOLD DE ROTHSCHILD**, pleasing salmon pink, habit very compact, and flowering earlier than *Gloire de Lorraine*. Has received an Award of Merit from the Royal Horticultural Society. 2s. 6d. and 3s. 6d.

**PERLE LORRIANE**, a charming winter-flowering hybrid with bronzy green foliage; large panicles of white blooms softly shaded with rose. 3s. 6d.

**SOCOTRANA**, a handsome pink-flowered species, with large peltate leaves, 2s. 6d. & 3s. 6d.

**TURNFORD HALL**, an improvement on *Caledonia*. 3s. 6d.

**WINTER CHEER**, very large semi-double flowers of a pleasing shade of rose-carmine. Award of Merit, R.H.S. 3s. 6d.

**WINTER PERFECTION**, semi-double bright rose-pink flowers, lighter towards the centre. Award of Merit, R.H.S. 3s. 6d.

## BEDDING AND SOFT-WOODED PLANTS.

**AGERATUM**, of sorts, 6s. per dozen.

**ALTERNANTHERA**, of sorts, 6s. per dozen.

### CANNAS.

These striking plants combine handsome foliage with gorgeously coloured heads of flower of many beautiful shades, and are most effective for sub-tropical gardening and summer decorative purposes. Selections from the best kinds raised by M. Crozy and others. 9s., 12s., 18s. and 30s. per dozen.

### CANNAS—ORCHID-FLOWERING.

These handsome varieties produce splendid heads of immense flowers, and are of more robust growth than the former. Many grand varieties. 18s., 30s. and 42s. per dozen.

### DAHLIAS.

Bouquet or Pompon Varieties, 9s. & 12s. per doz.  
Cactus-Flowered Varieties, 9s., 12s. and 18s. per doz.

Choice Exhibition Varieties, 9s., 12s. and 18s. per doz.

Choice Exhibition Varieties, Fancy Flowers, 9s., 12s. and 18s. per doz.

Dwarf Bedding Varieties, 9s. and 12s. per doz.

Single-Flowered Dahlias, 6s., 9s. & 12s. per doz.

New varieties at current prices.



CANNAS.

## BEDDING AND SOFT-WOODED PLANTS—continued.



COLEUS.

**MRS. TOLLWORTHY**, yellow ground, suffused with bright crimson and green, a beautiful and effective variety. 1s. 6d.

**NIMROD**, long narrow leaves, irregularly blotched with white, yellow, green, purple and crimson. 1s. 6d.

**POMPADOUR**, rich purplish crimson, spotted and margined with yellow. 1s. 6d.

**VICTOR**, dark crimson ground, blotched with yellow, very robust. 1s. 6d.

In many choice Hybrid Varieties at 9s., 12s. and 18s. per dozen.

## ECHEVERIAS.

**ATROPURPUREA**, 1s.  
**GRANDISEPALA**, 2s. 6d.  
**PRUINOSA**, 2s. 6d.

**BETUSA GLAUCA**, 1s. 6d. & 2s. 6d.  
**SOAPHYLLA**, 2s. 6d.  
**SOHEIDECKERI**, 1s. 6d.

**SECUNDA**, 9d. each; 6s. per doz.  
**OLAUA**, 9d. each; 6s. per doz.

## PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12s. and 18s. per dozen. New Giant Varieties, 3s. 6d. and 5s. each.

## PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. Good Selections made at 30s. and 42s. per dozen.

## COLEUS.

**AYESHA**, rich glowing crimson, blending to purplish maroon, leaves beautifully margined with pale yellow. 1s. 6d.

**CRIMSON GEM**, fine robust habit, very effective. 1s. 6d.

**DECORATOR**, foliage yellow, mottled with crimson, fine habit. 1s. 6d.

**DIANA**, leaves deeply serrated, white ground, margined with green and yellow. 1s. 6d.

**FASCINATION**, broad ovate leaves, beautifully striped with crimson, purple, yellow and green, very effective. 1s. 6d.

**GOLDEN GEM**, rich golden yellow, very effective. 1s. 6d.

**HECTOR**, striped with deep velvety purple crimson, very rich and distinct. 1s. 6d.

**IMPÉRATRICE**, blackish - brown stems, foliage same colour intermixed with yellowish-green, very distinct. 1s. 6d.

**MADAME SALLIÈRE**, broad ovate leaves, centre white, margined with brown and crimson, very distinct. 1s. 6d.

**MRS. DICKSON**, bright magenta foliage, blending to rich crimson, margined with pale green. 1s. 6d.

**MRS. R. H. MAY**, yellow ground, veined and mottled with bright purple, a grand variety. 1s. 6d.



## EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. In variety, 1s. and 1s. 6d. each.

## GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.


Selections of good varieties at 24s. and 30s. per dozen, according to sorts.

## GLOXINIAS.

The handsome and showy flowers of these beautiful bulbous plants render them of the greatest value for the decoration of Stoves and Conservatories. Of easy culture, they can, with judicious treatment, be had in bloom at almost any season of the year; their attractive flowers, being of large and good shape, are admirably adapted for cutting. The colours are most varied, every hue being pure and distinct, while some of the kinds are spotted and maculated in a most pleasing manner.

Choice selections made at 18s., 24s. and 30s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 4s., 6s. and 9s. per dozen; 30s., 40s. and 50s. per 100.



**TYDÆAS.**

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 24s. and 30s. per dozen, according to sorts.



**ACHIMENES.**

These charming free-flowering plants are very suitable for growing in hanging baskets and pots for conservatory decoration, the plentiful manner in which their blossoms are produced and their charming colours making them most desirable. Selections made at 9s., 12s. and 18s. per dozen. When dormant, rhizomes can be supplied as follows:—

12 named varieties, 3 bulbs each sort, 36 bulbs, 6s.  
6   "                   3   "                   18   "   3s. 6d.  
Choice sorts, 6s., 9s. and 12s. per dozen.

# FORCING AND OTHER PLANTS

For Winter and Early Spring Blooming.

All specially grown for forcing and of first quality.

## ANDROMEDAS

**FLORIBUNDA, JAPONICA, SPECIOSA CASSINEFOLIA.** 18s. to 42s. per doz.

## AZALEAS

**ALTACLARENSE**, this desirable hybrid produces an abundance of orange flowers, and is very useful for forcing. 30s. and 42s. per doz.

**ANTHONY KOSTER** and other named sorts, 30s. to 42s. per doz.

**DAVIESII**, large pure white flowers, most useful for cutting. 24s. and 30s. per doz.

**INDIAN**, good plants of choice named varieties. 24s., 30s. and 42s. per doz.

**MOLLIS**, fine hushy plants, full of huds. 18s., 24s., 30s. and 42s. per doz.

**MOLLIS** × **SINENSIS**, a new race of hybrids with brilliant large flowers. Fine plants, well set with buds. 24s., 36s. and 42s. per doz.

**PONTICA** (Hardy Ghent Azalea), the old common yellow variety. Bushy plants, well huddled. 18s. and 30s. per doz.

**RUSTICA FL. PL.**, these are hybrids of *Azalea mollis* crossed with *A. occidentalis*. Strong plants of fine named varieties, well set with buds. 30s. and 42s. per doz.

Other fine named varieties at 24s. to 30s. and 42s. per doz.

## BOUVARDIAS

In fine named varieties, 18s., 24s. and 30s. per doz.

## CAMELLIAS

Fine plants, full of huds, of all the best varieties. 30s., 42s., 60s., 84s. and 105s. per doz.

## TREE CARNATIONS

For Winter blooming, all the best kinds. 18s., 30s., and 42s. per doz.

## DOUBLE FLOWERED CHERRIES

**CERASUS AVIUM FL. PL.** (*Double-flowered Bird Cherry*). 30s. and 42s. per doz.

## CHOISYA TERNATA

A most desirable plant for forcing, producing a profusion of sweet-scented white flowers.

Good plants, well set with huds, 18s., 24s. and 30s. per doz.

## CLETHRA ALNIFOLIA

A most useful plant for forcing, producing graceful spikes of pure white flowers.

18s. and 30s. per doz.

## CYCLAMEN PERSICUM

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty some weeks. 9s. and 12s. per doz. Good flowering plants, 18s., 24s., 30s. and 42s. per doz.

## CYTISUS

**ANDREANUS**, bushy plants, pot grown. 18s., 24s. and 30s. per doz. Dwarf Standards. 30s. and 42s. per doz.

**RACEMOSUS**, good flowering plants. 12s. and 18s. per doz.

## DIELYTRA SPECTABILIS

Strong clumps of this graceful and well-known plant for early forcing. 5s. per doz.

**DEUTZIAS**

**CRENATA ROSEO FL. PL.**, grown in pots. 18s. and 24s. per doz.

**GRACILIS**, grown in pots for forcing. 18s. and 24s. per doz. Strong plants from the open ground. 12s. and 18s. per doz.

**LEMOINEI**, large, pure white flowers. Strong plants, grown in pots. 24s. and 30s. per doz.

**EPACRIS**

All the best kinds. 24s. and 30s. per doz.

**ERICA HYEMALIS**

Most useful for winter flowering. 24s., 30s. and 42s. per doz.

Other sorts. 24s., 30s., 42s. and 60s. per doz.

**GARDENIAS**

Plants well set with buds. 30s. and 42s. per doz.

**HYDRANGEAS**

**PANICULATA GRANDIFLORA**, strong plants. 15s., 24s. and 30s. per doz.

**THOMAS HOGG**, handsome heads of pure white flowers, pot-grown plants. 18s. and 30s. per doz.

**LILACS**

Strong plants grown in pots and well set with buds.

**CHARLES X.**, flowers purplish lilac, but forces white. 30s., 36s. and 42s. per doz.

**MADAME CASIMIR PERRIER**, fine double white. 42s. and 60s. per doz.

**MADAME LEMOINE**, double white. 42s. and 60s. per doz.

**MARIE LEGRAYE**, single white; the best for forcing. 36s. to 60s. per doz.

„ „ dwarf standards, with good heads. 5s. and 7s. 6d. each.

**SOUVR. DE L. SPATH**, purplish red, the best dark variety. 42s. to 60s. per doz.

Other varieties, in good plants set with buds. 42s. to 60s. per doz.

**LILY OF THE VALLEY**

**SELECTED CLUMPS**, 12s. and 15s. per doz.

**SINGLE SELECTED CROWNS**, 5s. 6d. per 100, 50s. per 1,000.

**RETARDED CROWNS**, 8s. per 100.

**MAGNOLIAS**

**LENNÉ, SOULANGEANA, HALLII**, strong pyramidal plants set for bloom. 5s., 7s. 6d. and 10s. 6d. each.

**MALUS FLORIBUNDA**

Good plants grown in pots. These produce their lovely rose-pink flowers in the utmost profusion. 30s. and 42s. per doz.

**PHILADELPHUS HYBRIDUS LEMOINEI**

(THE HYBRID MOCK ORANGE.)

Grown in pots, 30s. per doz. Strong plants from the open ground, 12s., 18s. and 24s. per doz.

**PRUNUS**

**SINENSIS ALBA PLENA** (*Double White Almond*), 18s. and 30s. per doz.

**SINENSIS RUBRA PLENA** (*Double Red Almond*), 18s. and 30s. per doz.

**TRILOBA**, bears a profusion of double light pink flowers. Bushy plants grown in pots, 24s. and 30s. per doz. Dwarf standards, 30s. and 42s. per doz.

**RHODODENDRON**

**CUNNINGHAM'S WHITE**, an excellent early white variety, the best for forcing. Good bushy plants well set with buds, 18s., 24s. and 30s. per doz.

**SPIRÆAS (SHRUBBY)**

**ANTHONY WATERER**, dark crimson flowers, pot-grown plants. 24s. and 30s. per doz.

**CONFUSA**, a lovely white variety. Strong plants grown in pots. 18s., 24s. and 30s. per doz.

**STAPHYLEA COLCHICA**

A most useful plant for forcing, bearing terminal panicles of white flowers. Strong plants, grown in pots and set with buds. 24s. and 30s. per doz.



**VIBURNUM, "GUELDER ROSE"**

**OPULUS** (*Snowball Tree*), strong plants grown in pots and well set. 18s., 24s. and 30s. per doz. Half standards, 24s., 30s. and 42s. per doz.

**PLICATUM**, beautiful umbels of pure white flowers, quite covering the plant; strong plants, grown in pots. 24s. and 30s. per doz. Half standards, 30s. and 42s. per doz.

**WISTARIA SINENSIS**

Nothing can be more handsome than these when in full bloom, their lovely spikes of blue flowers being most attractive. Strong plants grown in pots. 30s. and 42s. per doz.

**STANDARDS**, most effective when in bloom. 42s. and 60s. per doz.

**RETARDED BULBS AND ROOTS.**

Messrs. William Bull & Sons beg to draw attention to the following list of Retarded Bulbs and Roots, which, being all of best quality and selected roots only, cannot fail to give every satisfaction.

**LILY OF THE VALLEY.**

Finest Retarded German Crowns. 8s. per 100, 75s. per 1,000.

These are recommended for flowering from June to December and January, being most reliable, and certain to give satisfaction. The crowns should be potted or boxed as soon as received, placed in a cool frame or other convenient place for a few days, and then removed to a temperature of 50° to 60° Fahr., when they will flower in from 20 to 24 days, giving at the same time an ample supply of foliage.

**LILIUM AURATUM.**

Fine sound Retarded Roots. 12s. and 18s. per dozen.

**LILIUM LONGIFLORUM GIGANTEUM.**

Sound Retarded Bulbs of this useful Lily can be supplied at 12s., 18s. and 30s. per dozen.

**LILIUM SPECIOSUM ALBUM**

The white flowering *Lilium speciosum* or *lanc folium* is exceedingly useful for cutting. Splendid Retarded Bulbs at 24s., 30s. and 42s. per dozen.

**LILIUM SPECIOSUM RUBRUM SUPERBUM.**

Splendid Retarded Bulbs of this, one of the best red varieties of the group. 24s., 30s. and 42s. per dozen.

**AZALEA MOLLIS.**

Retarded plants of these, well budded, can be supplied at 5s., 7s. 6d. and 10s. 6d. each.

**SPIRÆAS.**

	First size Retarded Clumps.							Per doz.	Per 100.
<b>ASTILBOIDES FLORIBUNDA</b>	..	..	..	..	..	..	..	15s.	£5
<b>JAPONICA</b>	..	..	..	..	..	..	..	12s.	£4
<b>— COMPACTA MULTIFLORA</b>	..	..	..	..	..	..	..	12s.	£4
<b>PALMATA</b> , The Pink Spiræa	..	..	..	..	..	..	..	12s.	£4

*NOTE.*—Retarded Lilies can be had in flower in from 10 to 12 weeks, *Azalea mollis* in 3 to 4 weeks, and *Spiræas* in about 5 weeks from time of starting.

**SEA KALE.**

First size Roots, selected, 40s. per 100.

# HARDY NYMPHÆAS.

These lovely aquatics may now be had in so many beautiful varieties and in such varied colours, that they are becoming increasingly popular, and being quite hardy, they can be grown in any situation where a pond or tank 9 inches to 2 feet in depth can be allotted to them. They are best planted in May and the following few months. The prices given are for ordinary sized plants; larger specimens can be supplied at proportionate prices.

	Each—s. d.		Each—s. d.
<b>ALBA</b> , the common white species .....	1 6	<b>MARLIACEA CHROMATELLA</b> , flowers canary yellow, with bright orange stamens, very fragrant .....	3 6
— <b>CANDIDISSIMA</b> , large pure white flowers occasionally flushed with pink .....	2 6	— <b>FLAMMEA</b> , reddish purple, suffused white .....	12 6
— <b>PLENISSIMA</b> , flowers of the purest white .....	3 0	— <b>IGNEA</b> , rich crimson-red, very handsome .....	17 6
<b>ANDREANA</b> , brick red shaded yellow-ochre, stamens rich orange .....	7 6	— <b>RUBRO-PUNCTATA</b> , very large flowers, mauve-red tipped with carmine .....	17 6
<b>ARC-EN-CIEL</b> , a curious variety, the leaves being variegated with several distinct tints; flowers are pale pink splashed with rose .....	15 0	— <b>SANGUINEA</b> , beautiful carmine amarant .....	17 6
<b>ARETHUSA</b> , brilliant crimson-pink; an improved <i>Laydekeri fulgens</i> .....	63 0	<b>ODORATA</b> , flowers pure white .....	2 0
<b>ATROPURPUREA</b> , extra large dark brilliant crimson flowers .....	31 6	— <b>EXQUISITA</b> , flowers deep pink and sweetly scented .....	7 6
<b>AURORA</b> , rose-yellow, changing to deep red .....	5 0	— <b>LUCIANA</b> , small growing variety with rose-pink flowers .....	7 6
<b>CANDIDA</b> , white flowers of medium size .....	3 0	— <b>MINOR (PUMILA)</b> , a miniature variety of the typical <i>N. odorata</i> .....	2 0
<b>CAROLINIANA</b> , clear rose-pink, fragrant .....	7 6	— <b>RUBRA (ROSEA)</b> lovely cup-shaped flowers of a rose-pink colour, fragrant .....	5 0
— <b>NIVEA</b> , white, deliciously fragrant .....	3 6	— <b>SUAVISSIMA</b> , a splendid variety with rose-pink flowers .....	7 6
— <b>PERFECTA</b> , salmon-flesh, large, very fragrant .....	7 6	— <b>SULPHUREA</b> , soft yellow flowers .....	2 6
<b>CHRYSANTHA</b> , yellowish red, stamens bright orange .....	7 6	— <b>GRANDIFLORA</b> , large sulphur yellow flowers, very fragrant .....	3 6
<b>COLOSSEA</b> , magnificent light flesh-pink flowers .....	17 6	<b>PYGMÆA</b> , a small-flowered species, pure white and very fragrant .....	2 6
<b>ELLISIANA</b> , brilliant carmine-purple, orange stamens .....	17 6	— <b>HELVEOLA</b> , flowers light sulphur yellow .....	2 6
<b>FROEBELII</b> , bright carmine-red, paler on the inside of the petals .....	17 6	<b>ROBINSONII</b> , vermilion red, shaded yellow .....	6 0
<b>FULVA</b> , yellowish red flowers .....	7 6	<b>SEIGNOURETII</b> , pale yellow, tinted with carmine and pink .....	5 0
<b>GLADSTONIANA</b> , very large flowers of snowy whiteness; habit very robust ..	5 0	<b>TUBEROSA</b> , a vigorous-growing North American species, with large white flowers .....	2 6
<b>GLOBIOSA</b> , dark, carmine-purple, superb ..	10 6	— <b>RICHARDSONII</b> , a vigorous form; flowers pure white and double .....	3 6
<b>JAMES BRYDON</b> , brilliant rose-crimson; a grand flower .....	42 0	— <b>ROSEA</b> , delicate pink .....	5 0
<b>LAYDEKERI FULGENS</b> , rich crimson flushed with orange .....	10 6	— <b>RUBRA</b> , flowers fragrant, and of an exquisite shade of rosy red with bright red stamens .....	15 0
— <b>LILACEA</b> , rosy lilac .....	6 0	<b>WILLIAM DOOGUE</b> , flowers elegantly formed and of a distinct shade of pink ..	17 6
— <b>PURPURATA</b> , deep rose-carmine, stamens orange-red .....	5 0	<b>WILLIAM FALCONER</b> , the darkest hardy Nymphaea yet raised; flowers are bright garnet-red toned with deep lake .....	52 6
— <b>ROSEA</b> , flowers tender rose, deepening with age to carmine-pink .....	7 6		
<b>LUCIDA</b> , rosy vermilion, very large flowers .....	7 6		
<b>MARLIACEA ALBIDA</b> , large milk-white flowers, very fragrant .....	5 0		
— <b>CARNEA</b> , flowers blush pink .....	7 6		

# ROSES.

## NEW ROSES.

CLASS ABBREVIATIONS.—H.P., *Hybrid Perpetual*; T., *Tea*; H.T., *Hybrid Tea*; N., *Noisette*; H.N., *Hybrid Noisette*; B., *Bourbon*; H.B., *Hybrid Bourbon*; H.C., *Hybrid China*; P., *Polyantha*; M., *Moss*.

- ALICE LINDSELL** (H.T.), creamy white, centre rose, 3s. Standards, 5s.  
**BELLEFEUR** (H.P.), a single-flowered fiery crimson Rose with bright yellow anthers, 2s. 6d.  
**BEN CANT** (H.P.), deep crimson, with darker shadings; fine in form and of sturdy growth, 5s.  
**BOADICEA** (T.), pale pink, tinged with rose and pink; vigorous habit, 3s. 6d.  
**CORALLINA** (T.) deep rosy crimson; very beautiful when in bud, 1s. 6d.  
**DOROTHY PERKINS** (Wichur), a most charming Rambler Rose, large clusters of soft rosy pink flowers; very double and fragrant, 2s. 6d., 3s. 6d. and 5s.  
**DUCHESS OF PORTLAND** (H.T.), a pale yellow flower of good form, 3s. 6d. Standards, 4s. 6d.  
**EDITH DOMBRAIN** (H.T.), white, sometimes tinted with pink; large and full, 3s. Standards, 5s.  
**ENGLAND'S GLORY** (H.T.), a seedling from *Gloire de Dijon*, flesh colour, centre satiny pink, 2s. 6d., 3s. 6d. and 5s.  
**FIELD-MARSHAL** (Clbg. China), a climbing variety of the Crimson Chinese Rose. Flowers deep blood crimson, shaded amaranth. Splendid companion to *Maréchal Niel*, 7s. 6d.  
**GLADYS HARKNESS** (H.T.), large fragrant salmon-pink flowers of good shape, 1s. 6d. Standards, 2s. 6d.  
**GOLDELSE** (H.T.), deep golden yellow, 2s. 6d.  
**GOLDEN QUEEN** (Clbg. N.), seedling from *Rêve d'Or*, but flowers a deeper shade of golden yellow, 7s. 6d.  
**IRISH BEAUTY** (H.T.), large single flowers, pure white, 2s. Standards, 3s.  
**IRISH GLORY** (H.T.), single silvery pink flowers, reverse crimson, 2s. 6d. Standards, 3s. 6d.  
**LADY BATTEBSEA** (H.T.), rose crimson shaded orange, deepening to rose, 2s.  
**LADY MARY CORY** (T.), deep golden yellow, 1s. 6d. Standards, 2s. 6d.  
**LADY MOYRA BEAUCLERK** (H.T.), bright rosy madder, with light reflections, 2s. 6d. Standards, 3s. 6d.  
**LADY ROBERTS** (T.), fine flower of good shape, reddish apricot, 3s. 6d.  
**LADY WATERLOW** (H.T.), pale salmon-rose edged carmine, large semi-double flowers, 3s. 6d. and 5s.  
**LEUCHTSTERN** (Poly.), very attractive corymbs of single bright rose flowers with distinct white eye, 1s. 6d., 2s. 6d. and 3s. 6d.  
**LONGWORTH BEAUTY** (T.), apricot yellow, margins of petals pink, good grower, 5s.  
**LONGWORTH FAIRY** (T.), robust grower, with very deep pink flowers, 5s. Standards, 7s. 6d.  
**MADAME C. MONNIER** (T.), rosy flesh, lit up in centre with golden yellow and orange, 2s. 6d.  
**MILDRED GRANT** (H.T.), blush white shaded pink; fine for exhibition, 3s. 6d. Standards, 5s.  
**MILTON** (H.P.), bright carmine, shaded velvety crimson, silvery reflex, 3s. 6d.  
**MISS MARIE CORELLI** (H.P.), large deep salmon-pink flowers; fine for exhibition, 2s. 6d.  
**MRS. ALLEN CHANDLER** (Bour.), very vigorous pure white double Rose of great fragrance, 5s. Standards, 7s. 6d.  
**MRS. B. R. CANT** (T.), deep rose, centre silvery rose, 2s.  
**PINK ROAMER** (Wichur), bright single pink flowers with white centre, 1s. 6d., 2s. 6d. and 3s. 6d.  
**PSYCHE RAMBLER**, a pale salmon pink companion to *Crimson Rambler*, 2s. 6d., 3s. 6d. and 5s.  
**QUEEN ALEXANDRA**, a hybrid Rambler Rose with deep rose flower, centre fading to white, 2s. 6d.  
**QUEEN OF SWEDEN AND NORWAY** (T.), flowers imbricated and variable in colour, fawn white to orange salmon, 5s. Standards, 7s. 6d.  
**ROBERT SCOTT** (H.T.), rosy pink, softening to flesh on exterior petals, 2s. 6d. Standards, 3s.  
**SOLEIL D'OR** (*Hybrid between Persian Yellow and Antoine Ducher*), orange yellow shaded with rose and red; autumn flowering, 2s. 6d.  
**SOUVENIR DE PIERRE NOTTING** (T.), fine large flower, apricot yellow, shaded orange, 3s. 6d.  
**SULPHUREA** (T.), bright sulphur yellow with dark foliage, 2s.  
**THE ALEXANDRA** (T.), pale buff with orange yellow centro and shaded apricot, 2s.  
**WALTHAM RAMBLER**, bears a profusion of large panicles of rosy pink single flowers, 3s. 6d. and 5s.



## ROSES.

CLASS ABBREVIATIONS.—H.P., *Hybrid Perpetual*; T., *Tea*; H.T., *Hybrid Tea*; N., *Noisette*; H.N., *Hybrid Noisette*; B., *Bourbon*; H.B., *Hybrid Bourbon*; H.C., *Hybrid China*; P., *Polyantha*; M., *Moss*.

HABIT OF GROWTH: vig., *Vigorous*; rob., *Robust*; mod., *Moderate*.

Name.	Class.	Description.	Stds. and Half Stds.	Dwfs.	Habit of growth
ABEL CARRIÈRE .....	H.P.	maroon, scarlet, large, good form .....	s. d.	s. d.	
ABEL GRAND .....	H.P.	silvery rose, clear in colour, large, and very sweet .....	2 0	1 0	vig.
AGLAIA .....	P.	semi-double pale yellow flowers borne in clusters .....	2 0	1 0	vig.
AIMÉE VIBERT .....	N.	large clusters of small pure white flowers ..	2 0	1 0	vig.
ALEXANDRA .....	T.	orange buff, shaded apricot .....	2 6	1 6	vig.
ALFRED COLOMB .....	H.P.	bright red globular flowers .....	2 0	1 0	vig.
ALFRED K. WILLIAMS .....	H.P.	carmine-red, large, grand for exhibition ..	2 0	1 0	vig.
ALICE LINDSELL .....	H.T.	see page 105.			
ALISTER STELLA GRAY .....	N.	pale yellow, centre changing to white .....	1 0	1 0	vig.
AMAZONE .....	T.	deep yellow, good buds .....	3 0	1 6	vig.
ANNA OLIVIER .....	T.	rosy flesh, base of petals darker .....	2 6	1 6	vig.
ANTOINE RIVOIRE .....	H.T.	flesh white, salmon centre .....	2 0	1 0	vig.
ARMOSA .....	B.	soft pink, very double, medium size .....	1 0	1 0	mod.
AUGUSTINE GUINOISSEAU .....	H.T.	a light sport from <i>La France</i> , exquisitely tinted .....	2 0	1 0	vig.
AURORA .....	H.T.	slamon-pink, very fragrant .....	2 0	1 0	vig.
BARONESS ROTHCHILD .....	H.P.	delicate pink, suffused with white, superb ..	2 0	1 0	vig.
BEAUTÉ INCONSTANTE .....	T.	coppery red, shaded carmine and yellow .....	1 6	1 6	vig.
BEAUTY OF GLAZENWOOD .....		syn. <i>Fortune's Yellow</i> .			
BEAUTY OF WALTHAM .....	H.P.	rosy crimson, medium size, full .....	2 0	1 0	vig.
BELLEFLEUR .....	H.P.	see page 105.			
BELLE LYONNAISE .....	T.	pale lemon, large, full, and of fine form ....	2 6	1 6	vig.
BEN CANT .....	H.P.	see page 105.			
BESSIE BROWN .....	H.T.	flowers creamy white, immense size .....	2 6	2 0	vig.
BLACK PRINCE .....	H.P.	dark crimson, shaded with purple .....	2 0	1 0	vig.
BLAIRH No. 2 .....	H.C.	rosy blush, suitable for wall or pillar .....	1 0	1 0	rob.
BLANCHE MOREAU .....	M.	pure white Moss Rose .....	2 0	1 0	vig.
BOADICEA .....	T.	see page 105.			
BOULE DE NEIGE .....	H.P.	pure white, medium size, perfect form ....	2 0	1 0	vig.
BOUQUET D'OR .....	N.	yellow, coppery in the centre .....	2 6	1 6	vig.
BRIDESMAID .....	T.	a beautiful pink Rose .....	2 6	1 6	vig.
BRIGHTNESS OF CHESHUNT .....	H.P.	vivid red; an abundant bloomer .....	1 0	1 0	rob.
CAMILLE BERNARDIN .....	H.P.	pale crimson, with lilac shade .....	2 0	1 0	vig.
CAMOENS .....	H.T.	bright satin-rose, with yellow base, very free ..	1 6	1 6	mod.
CAPTAIN CHRISTY .....	H.T.	soft flesh colour, deeper centre .....	2 0	1 0	vig.
— CLIMBING .....	H.T.	a climbing variety of the preceding .....	1 0	1 0	vig.
CAPTAIN HAYWARD .....	H.P.	bright carmine-crimson .....	2 0	1 0	vig.
CAROLINE TESTOUT .....	H.T.	bright rose, full and very sweet .....	2 0	1 0	vig.
CATHERINE MERMET .....	T.	large fleshy rose flower of perfect form ....	2 6	1 6	vig.
CECILE BRUNNER .....	Poly.	light pink .....	1 0	1 0	mod.
CELINA .....	M.	purple-crimson, pretty in bud .....	1 0	1 0	vig.
CELÈNE FORESTIER .....	N.	yellow, darker in centre, free .....	2 6	1 6	vig.
CHARLES DARWIN .....	H.P.	deep crimson, shaded with violet .....	2 0	1 0	vig.
CHARLES LAMB .....	H.P.	bright rose, good shape, and free .....	2 0	1 0	vig.
CHARLES LAWSON .....	H.C.	bright rosy carmine, large and double .....	1 0	1 0	rob.
CHARLES LEBEVRE .....	H.P.	bright crimson, shaded purple .....	2 0	1 0	vig.
CHESHUNT HYBRID .....	H.T.	cherry-carmine, large, and fine for pillars ..	2 0	1 0	rob.
CLAIRE JACQUIER .....	Mult.	small naukeen-yellow flowers .....	1 6	1 6	vig.
CLARA WATSON .....	H.T.	pearly white, tinted with pale rosy peach ..	2 6	1 6	vig.
CLEOPATRA .....	T.	pale pink, edged deep pink .....	2 6	1 6	vig.
CLO .....	H.P.	flesh colour, shaded rosy pink .....	2 0	1 0	vig.
CLOTH OF GOLD .....	N.	deep yellow, sulphur edges .....	1 6	1 6	vig.
CORALLINA .....	T.	see page 105.			
COMTE DE RAIMBAUD .....	H.P.	clear crimson, large and full .....	2 0	1 0	vig.
COMTESSE DE NADAILLAC .....	T.	flesh rose, base orange yellow .....	2 6	1 6	mod.

Name.	Class.	Description.	Stds. and Half Stds.	Dwts.	Habit of growth
COUNTLESS OF CALEDON .....	H.T.	pale rose, darker centre .....	s. d. 2 0	s. d. 1 0	vig.
— OXFORD .....	H.P.	bright carmine, shaded purple .....	2 0	1 0	vig.
— CLIMBING .....	H.P.	climbing sport of the preceding .....	..	1 0	vig.
— ROSEBERRY .....	H.P.	reddish salmon, smooth, shell-like petals .....	2 0	1 0	vig.
CRIMSON RAMBLER .....	P.	large trusses of rich crimson flowers .....	..	1/6 to 7/6	7/6
CRISTATA .....	M.	bright rosy pink .....	..	1 0	vig.
CROWN PRINCE .....	H.P.	purple, shaded crimson, large and double .....	2 0	1 0	vig.
DANMARK .....	H.T.	in the way of <i>La France</i> , but deeper colour .....	..	1 0	vig.
DAWN .....	H.T.	rosy pink, semi-double flowers .....	..	1 0	vig.
DEVENNE LAMY .....	H.P.	carmine-red, large, full, and fine, globular form .....	..	1 0	mod.
DEVONIENSIS .....	T.	creamy white, large and full .....	2 6	1 6	mod.
— CLIMBING .....	T.	flowers same as old variety, very vigorous .....	2 6	1 6	rob.
DOCTEUR ANDRÉ .....	H.P.	brilliant red, good form .....	2 0	1 0	vig.
DOROTHY PERKINS .....	Wich.	see page 105.	..	..	..
DR. SEWELL .....	H.P.	crimson-scarlet, shaded with purple; distinct .....	2 0	1 0	vig.
DUCHESS D'AUERSTADT .....	T.	deep apricot-yellow, a good climber .....	2 6	1 6	vig.
DUCHESS OF ALBANY .....	H.T.	a deep-coloured sport from <i>La France</i> .....	2 0	1 0	vig.
— BEDFORD .....	H.P.	rich velvety crimson, suffused scarlet .....	2 0	1 0	mod.
— PORTLAND .....	H.T.	see page 105.	..	..	..
DUKE OF ALBANY .....	H.P.	vivid crimson, changing to velvety black .....	2 0	1 0	vig.
— CONNAUGHT .....	H.P.	rich velvety crimson .....	2 0	1 0	vig.
— EDINBURGH .....	H.P.	fine vermilion, large and good form .....	2 0	1 0	vig.
— FIFE .....	H.P.	crimson-scarlet sport from <i>Etienne Levet</i> .....	2 0	1 0	mod.
— TECK .....	H.P.	crimson-scarlet, large and very free .....	2 0	1 0	vig.
— WELLINGTON .....	H.P.	bright crimson, medium size .....	2 0	1 0	vig.
DUPUY JAMAIN .....	H.P.	bright cerise, large and good form .....	2 0	1 0	vig.
EARL DUFFERIN .....	H.P.	velvety crimson shaded with maroon, large and full .....	2 0	1 0	vig.
EARL OF PEMBROKE .....	H.P.	pale crimson, with a shade of violet; excellent .....	2 0	1 0	vig.
EDITH DOMBRAIN .....	H.T.	see page 105.	..	..	..
EDOUARD MORREN .....	H.P.	deep rose, large, and very double .....	1 6	1 0	vig.
ELECTRA .....	Poly.	clusters of yellow flowers .....	..	2 6	vig.
EMILIE PLANTIER .....	H.N.	pale yellow, passing to flesh-white .....	..	1 6	vig.
EMPERESS ALEXANDRA OF RUSSIA .....	T.	rich lake-red, shaded orange .....	..	1 6	vig.
ENGLAND'S GLORY .....	H.T.	see page 105.	..	..	..
ERNEST METZ .....	T.	bright carmine-rose .....	2 6	1 6	vig.
ETIENNE LEVET .....	H.P.	carmine, large, full, and exquisitely formed .....	2 0	1 0	mod.
ETOILE DE LYON .....	T.	deep yellow, large and very double .....	2 6	1 6	vig.
ETOILE D'OR .....	Poly.	pale yellow, darker centre .....	..	1 0	mod.
EUPHYROSYNE .....	P.	bright rose, semi-double flowers .....	..	1 6	vig.
FIELD-MARSHAL .....	Cl.C.	see page 105.	..	..	..
FISHER HOLMES .....	H.P.	deep rich crimson, full and good form .....	2 0	1 0	vig.
FORTUNE'S YELLOW, syn. <i>Beauty of Glazenwood</i> .....	N.	buff, striped with crimson; a good climbing variety, semi-double .....	..	1 6	rob.
FRANÇOIS MICHELON .....	H.P.	beautiful rich rose, reverse of petals silvery .....	2 0	1 0	vig.
GÉNÉRAL JACQUEMINOT .....	H.P.	brilliant crimson-scarlet .....	2 0	1 0	vig.
GEORGE NABONNAND .....	T.	pale rosy pink, tinted yellow; very free .....	..	1 6	vig.
GEORGES PERNET .....	Poly.	rosy peach with yellow shading, a pretty variety .....	..	1 0	mod.
GLADYS HARKNESS .....	H.T.	see page 105.	..	..	..
GLOIRE DE DIJON .....	T.	fawn, shaded with salmon, very large .....	2 6	1 6	rob.
GLOIRE DE MAROOTIN .....	H.P.	brilliant red or scarlet, an excellent climber .....	2 0	1 0	vig.
GLOIRE DE MOUSSEUS .....	M.	pale rose, very large and double .....	..	1 0	vig.
GLOIRE DES POLYANTHA .....	Poly.	bright rose, very pretty .....	..	1 0	mod.
GLOIRE LYONNAISE .....	H.T.	chrome-yellow, medium size .....	2 0	1 0	vig.
GLORY OF CHESHUNT .....	H.P.	large bright crimson flowers .....	..	1 0	rob.
GOLDEISE .....	H.T.	see page 105.	..	..	..
GOLDEN GATE .....	T.	creamy white, centre soft golden yellow .....	..	1 6	vig.
GOLDEN QUEEN .....	Cl.N.	see page 105.	..	..	..
GRACE DARLINO .....	H.T.	creamy white, tinted pinkish peach .....	2 0	1 0	vig.
GROSS ERNST LUDWIG .....	T.	the Red <i>Maréchal Niel</i> .....	..	1 6	vig.
GROSSHERZOGIN VICTORIA MELITA .....	H.T.	creamy white, with yellow centre .....	..	1 6	vig.
GRUSS AN TEPLITZ .....	H.T.	bright scarlet-crimson, strong grower .....	..	1 0	vig.
GUSTAVE PIGANEAU .....	H.P.	carmine-lake, excellent shape .....	2 0	1 0	mod.

Name.	Class.	Description.	Stds. and Half Stds.	Dwfs.	Habit of growth.
GUSTAVE REGIS .....	H.T.	canary-yellow, deeper centre, long buds ..	2 6	1 6	vig.
HEINRICH SCHULTHEIS .....	H.P.	delicate pinkish rose, large and full .....	2 0	1 0	vig.
HER MAJESTY .....	H.P.	bright satiny pink, very full .....	2 0	1 0	vig.
HOMER .....	T.	blush, edged deep rose .....	2 6	1 6	vig.
HORACE VERNET .....	H.P.	velvety crimson, shaded purple, fine .....	2 0	1 0	mod.
INNOCENTE PIROLA .....	T.	creamy white, exquisite form; very free ..	2 6	1 6	vig.
IRISH BEAUTY .....	H.T.	see page 105.			
— GLORY .....	H.T.	see page 105.			
ISABELLA SPRUNT .....	T.	small sulphur-yellow flowers .....	2 6	1 6	vig.
JAUNE DESPREZ .....	N.	pale yellow, tinged rose .....	..	1 6	vig.
J. B. M. CAMM .....	H.B.	pale salmon-pink, with darker centre .....	..	3 0	vig.
JEAN DUCHER .....	T.	salmon-yellow, centre peach, large and full ..	2 6	1 6	vig.
JEAN SOUPERT .....	H.P.	rich velvety purple, shaded carmine .....	2 0	1 0	vig.
JEANNIE DICKSON .....	H.P.	rosy pink, edged silvery pink .....	2 0	1 0	vig.
JOHANNA SEBUS .....	H.T.	satiny rose, tinted yellow .....	..	1 6	vig.
JOHN BRIGHT .....	H.P.	rich glowing crimson .....	2 0	1 0	vig.
JOHN HOPPER .....	H.P.	deep rose, back of petals lilac .....	2 0	1 0	vig.
JULES FINGER .....	T.	very bright red, darker centre .....	2 6	1 6	vig.
JAMES MARGOTTIN .....	H.P.	bright rose, large and full .....	2 0	1 0	vig.
— CLIMBING .....	H.P.	a climbing variety of the preceding .....	..	1 0	rob.
JULIE DE MERSANT .....	M.	rose, slightly striped white, good buds ....	..	1 0	vig.
KAISERIN AUGUSTA VICTORIA .....	H.T.	greenish white, with yellow centre, large and full .....	2 6	1 6	vig.
— CLIMBING .....	H.T.	a strong growing variety .....	..	1 6	vig.
KILLARNEY .....	H.T.	flesh colour, shaded white, and suffused with pink, blooms large, buds long and pointed, distinct and good .....	2 6	1 6	vig.
LA DUCHESSE DE MORNAY .....	H.P.	beautiful rose, reverse of petals silvery, large, full, fine globular form .....	2 0	1 0	vig.
LADY BATTERSEA .....	H.T.	see page 105.			
— CLANMORRIS .....	H.T.	creamy white, salmon centre, margined pink ..	..	2 6	vig.
— HELEN STEWART .....	H.P.	bright crimson .....	2 0	1 0	vig.
— MARY CORY .....	T.	see page 105.			
— MARY FITZWILLIAM .....	H.T.	delicate flesh, large and full .....	2 6	1 6	mod.
— MOYRA BEAUCLEERK .....	H.T.	see page 105.			
— ROBERTS .....	T.	see page 105.			
— WATERLOW .....	H.T.	see page 105.			
LA FRAICHEUR .....	H.T.	very bright rosy pink, silvery back, pointed bud, moderately full, very distinct .....	..	1 6	mod.
LA FRANCE .....	H.T.	silvery white, rose reverse .....	2 0	1 0	vig.
— CLIMBING .....	H.T.	climbing variety of the preceding .....	..	1 6	vig.
LAMARQUE .....	N.	white, lemon centre, a first-class Rose for climbing .....	2 6	1 6	vig.
LANGWORTH BEAUTY .....	T.	see page 105.			
— FAIRY .....	T.	see page 105.			
LEONIE LAMESCH .....	Poly.	bright copper-red, with golden centre .....	..	1 6	mod.
LEUCHSTERN .....	Poly.	see page 105.			
LIBERTY .....	H.T.	brilliant velvety crimson .....	..	1 6	vig.
L'IDEAL .....	N.	reddish yellow, edged copper and gold .....	2 6	1 6	vig.
L'INNOCENCE .....	H.T.	pure white, large and full .....	..	1 6	vig.
LITTLE GEM .....	M.	miniature double crimson Moss Rose .....	..	1 0	mod.
LOUIS VAN HOUTTE .....	H.P.	reddish scarlet and amaranth, shaded with purple, large, full, and of fine form; very sweet .....	2 0	1 0	vig.
LUCIOLE .....	T.	rose, tinted saffron-yellow, good shape and habit .....	..	1 6	vig.
MABEL MORRISON .....	H.P.	white, flushed pink .....	..	1 0	vig.
MA CAPUCINE .....	T.	bronzey yellow, small, not quite full; distinct rosy carmine, shaded vermilion rose .....	2 6	1 6	mod.
MADAME ABEL CHATENAY .....	H.T.	large creamy white; a good pillar Rose .....	..	1 6	vig.
— ALFRED CARRIÈRE .....	H.P.	salmon-yellow, reverse pale rose .....	2 6	1 6	vig.
— BERARD .....	T.	pale yellow, large and globular form .....	2 6	1 6	vig.
— CAROLINE KUSTER .....	N.	salmon, shaded orange .....	2 6	1 6	vig.
— CHARLES .....	T.	see page 105.			
— C. MONNIER .....	T.	rosy purple, with pale yellow base .....	2 6	1 6	vig.
— CUSIN .....	H.P.	light rosy pink, large, of excellent quality ..	2 0	1 0	vig.
— DELVILLE .....	T.	salmon-white, bordered pink .....	3 0	1 6	vig.
— DE WATTEVILLE .....	H.P.	bright glossy rose, shaded silver .....	2 0	1 0	vig.



Name.	Class	Description.	Stds. and Half Stds.	Dwfs.	Habit of growth
			s. d.	s. d.	
MADAME EUOÈNE VERDIER	T.	deep golden-yellow	..	1 6	vig.
— FAUCOT	T.	bright buff-yellow	2 6	1 6	vig.
— GABRIEL LUIZET	H.P.	silvery pink, large and full	2 0	1 0	vig.
— HENRI PEREIRE	H.P.	bright red, with deep scarlet shading	..	1 0	vig.
— HIPPOLYTE JAMAIN	H.P.	delicate bluish, very large and full	1 6	1 0	vig.
— HOSTE	T.	pale yellow, large petals	2 6	1 6	vig.
— ISAAC PEREIRE	H.B.	carmine, flowers extra large	2 0	1 0	vig.
— JULES FINGER	H.T.	creamy white ground	..	1 6	vig.
— LACHARME	H.P.	white, centre shaded light rose	2 0	1 0	vig.
— LAMBAUD	T.	bright red, base coppery yellow	2 6	1 6	vig.
— MAROOTTIN	T.	citron-yellow, deeper centre, fine	2 6	1 6	vig.
— MARIE VERDIER	H.P.	satin rose, large and full	2 0	1 0	vig.
— VICTOR VERDIER	H.P.	cherry red, extra fine	2 0	1 0	vig.
MADLE. ANNIE WOOD	H.P.	clear red, large and full	2 0	1 0	vig.
— EUGÈNE VERDIER	H.P.	bright salmon, very fragrant	2 0	1 0	vig.
MAONA CHARTA	H.P.	bright pink, shaded carmine	2 0	1 0	vig.
MAMAN COCHET	T.	carmine, shaded yellow	..	1 6	vig.
MA PAQUERETTE	Poly.	small double white flowers	..	1 0	vig.
MARCHIONESS OF DOWNSHIRE	H.P.	satin-pink, suffused rose	2 0	1 0	vig.
— OF LONDONDERRY	H.P.	ivory-white flowers, very fragrant	2 0	1 0	vig.
MARÉCHAL NIEL	N.	deep yellow, deliciously scented	2 6	1 6	rob.
MARIE BAUMANN	H.P.	large fiery red flowers	2 0	1 0	vig.
MARIE VAN HOUTTE	T.	lemon yellow, edged rose	2 6	1 6	vig.
MARQUIS OF SALISBURY	H.T.	bright red, long buds	..	1 0	vig.
MARQUISE DE CASTELLANE	H.P.	bright rose, fine form	1 6	1 0	vig.
MAURICE BERNARDIN	H.P.	rich crimson, shaded violet	2 0	1 0	mod.
MEDEA	T.	lemon yellow, lighter centre	..	1 6	vig.
MERVEILLE DE LYON	H.P.	white, tinged rose	2 6	1 0	vig.
META	T.	crushed strawberry, tinged yellow	..	1 6	mod.
MIGNONETTE	Poly.	small double flowers, delicate pink	..	1 0	vig.
MILDRED GRANT	H.T.	see page 105.			
MILTON	H.P.	see page 105.			
MISS EDITH GIFFORD	T.	creamy white, good form	2 6	1 6	vig.
MISS ELLEN WILLMOTT	H.T.	flesh white, yellow base	..	1 6	vig.
MISS ETHEL BROWNLOW	T.	salmon-pink, tinted yellow	2 6	1 6	vig.
MISS MARIE CORELLI	H.P.	see page 105.			
M. E. Y. TEAS	H.P.	deep cherry red	1 6	1 0	mod.
M. PAUL NERON	H.P.	deep rose, large and full	2 0	1 0	vig.
MRS. ALLEN CHANDLER	B.	see page 105.			
MRS. B. R. CANT	T.	see page 105.			
MRS. COCKER	H.P.	beautiful soft pink	..	1 0	rob.
MRS. EDWARD MAWLEY	T.	bright carmine, shaded salmon	2 6	2 0	vig.
MRS. FRANK CANT	H.P.	clear pink, base of petals deeper	..	1 0	vig.
MRS. GEORGE DICKSON	H.P.	satiny pink, free-flowering	2 0	1 0	vig.
MRS. HARKNESS	H.P.	pure blush, almost white, very fragrant	2 0	1 0	vig.
MRS. HARRY TURNER	H.P.	dazzling crimson - scarlet, shaded rich maroon	2 0	1 0	vig.
MRS. JOHN LAING	H.P.	large soft pink flowers, well shaped	2 0	1 0	vig.
MRS. PAUL	B.	blush-white, shaded peach	2 0	1 0	vig.
MRS. R. G. SHARMAN	H.P.	deep rose-pink, with paler base	2 0	1 0	vig.
MRS. RUMSEY	H.P.	light pink, very free-flowering	2 0	1 0	vig.
MRS. W. J. GRANT (syn.) Belle Siebrecht	H.T.	bright rosy pink, large and of beautiful form	..	1 6	vig.
— CLIMBING	H.T.	a climbing variety of the preceding	..	2 0	vig.
MURIEL GRAHAM	T.	pale cream, flushed rose	2 6	1 6	vig.
NIPHETOS	T.	pure white, large and double, forces well	2 6	1 6	mod.
— CLIMBING	T.	a vigorous - growing sport of this well- known Rose	2 6	1 6	vig.
OPHRIE	N.	coppery yellow, fine climbing Rose	..	1 6	vig.
PAPA GONTIER	T.	rosy crimson, long buds, excellent for cutting	..	1 6	vig.
PAFILLON	N.	bronzy salmon-red, semi-double flowers	..	1 6	vig.
PAUL NERON	H.P.	deep rose, very large	1 6	1 0	vig.
PERLE DES JARDINS	T.	bright orange-yellow, large and full	2 6	1 6	vig.
— CLIMBING	T.	a climbing variety of this fine yellow Rose	2 6	1 6	rob.
PERLE D'OR	Poly.	yellow, with darker centre, very free flowering	..	1 0	mod.

Name.	Class.	Description.	Stds. and Half Stds.	Dwfs.	Habit of growth.
PERLE DES ROUGES .....	Poly.	rich deep crimson, small and double .....	<i>s. d.</i> ..	<i>s. d.</i> 1 0	mod.
PERPETUAL WHITE MOSS ..	M.	very pretty in bud .....	..	1 0	vig.
PIERRE NOTTING .....	H.P.	very dark red, tinted violet .....	1 6	1 0	vig.
PINK ROAMER .....	Wich.	see page 105.			
PRESIDENT .....	T.	large pale rose flowers .....	2 6	1 6	vig.
PRIDE OF REIGATE .....	H.P.	a striped sport from <i>Countess of Oxford</i> .....	..	1 0	vig.
PRIDE OF WALTHAM .....	H.P.	delicate flesh, shaded bright rose .....	2 0	1 0	vig.
— CLIMBING .....	H.P.	a climbing variety of the preceding .....	..	1 0	rob.
PRINCE ARTHUR .....	H.P.	rich scarlet, shaded crimson .....	2 0	1 0	vig.
— CAMILLE DE ROHAN ..	H.P.	velvety crimson-maroon, shaded blood-red ..	2 0	1 0	vig.
PRINCESS BEATRICE .....	T.	pale yellow, edged pink, centre golden yellow	2 6	1 6	mod.
— LOUISE VICTORIA ..	H.P.	flesh colour, a fine climbing Rose .....	..	1 0	rob.
— OF WALES .....	T.	rosy yellow, large and distinct .....	2 6	1 6	vig.
PRINCESSE DE SAGAN .....	T.	deep velvety crimson, very free .....	..	1 0	mod.
PSYCHE RAMBLER .....	H.Pol.	see page 105.			
PURITY .....	H.B.	pure white, with faintly flushed centre .....	..	1 6	vig.
QUEEN ALEXANDRA .....	Poly.	see page			
QUEEN OF QUEENS .....	H.P.	pink, with blush edges .....	..	1 0	vig.
— CLIMBING .....	H.P.	a climbing variety of the preceding .....	..	1 0	vig.
— SWEDEN AND NORWAY .....	T.	see page 105.			
REINE BLANCHE .....	M.	large, pure white .....	..	1 0	vig.
— MARIE HENRIETTE ..	H.T.	reddish crimson, good pillar Rose .....	2 6	1 6	rob.
RÊVE D'OR .....	N.	deep yellow, good pillar Rose .....	2 6	1 6	rob.
REYNOLDS HOLE .....	H.P.	deep maroon, flushed scarlet .....	2 0	1 0	vig.
ROBERT SCOTT .....	H.T.	see page 105.			
RUBENS .....	T.	white, shaded rose, large and full .....	2 6	1 6	vig.
RUOOSA .....		see page 105.			
SALET .....	P.M.	pale pink, of medium size .....	..	1 0	vig.
SAFRANO .....	T.	fawn colour, beautiful in bud .....	2 6	1 6	vig.
SENATEUR VAISSE .....	H.P.	scarlet-crimson, beautiful shape .....	2 0	1 0	vig.
SIR GARNET WOISELEY ..	H.P.	rich vermilion, shaded bright carmine ..	2 0	1 0	vig.
SIR ROWLAND HILL .....	H.P.	deep port-wine colour, shaded blackish maroon .....	2 0	1 0	vig.
SOLEIL D'OR .....	H.T.	see page 105.			
SELFATERRE .....	N.	bright sulphur, large and full .....	..	1 6	vig.
SOMBREUIL .....	T.	white, large and very double, good form, an abundant bloomer .....	..	1 6	vig.
SOUVENIR DE CATHERINE GUILLLOT .....	T.	coppery carmine, shaded orange in centre ..	..	1 6	vig.
— D'ELSIE VARDON .....	T.	flesh white, edged with salmon .....	2 6	1 6	mod.
— DE LA MALMAISON ..	B.	pale flesh colour, large and double .....	2 0	1 6	rob.
— CLIMBING .....	B.	a climbing variety of the preceding .....	..	1 6	vig.
— DE MADAME EUGÈNE VERDIER .....	H.T.	white, shaded with yellow .....	2 6	1 6	vig.
— DE PIERRE NOTTING ..	T.	see page 105.			
— DE S. A. PRINCE .....	T.	pure white sport from <i>Souvenir d'un Ami</i> ..	2 6	1 6	vig.
— DE THÉRÈSE LEVET ..	T.	deep rose crimson .....	..	1 6	vig.
— D'UN AMI .....	T.	deep rose, large and full .....	2 6	1 6	vig.
— DU PRÉSIDENT CARNOT	H.T.	rosy flesh shaded white, long buds .....	2 6	1 6	vig.
STAR OF WALTHAM .....	H.P.	rich rosy crimson .....	2 0	1 0	vig.
SULPHURKA .....	T.	see page 105.			
SULTAN OF ZANZIBAR .....	H.P.	blackish maroon, edged scarlet .....	2 0	1 0	vig.
SUNRISE .....	T.	reddish carmine, shaded apricot .....	2 0	1 0	vig.
SUNSET .....	T.	deep orange-yellow, medium size .....	2 6	1 6	vig.
SUZANNE M. RODOCANACHI	H.P.	rosy cerise, soft and beautiful in colour ..	2 0	1 0	vig.
SWEET BRIARS .....		see page 111.			
THALIA .....	P.	white with yellow base .....	..	2 0	vig.
THE ALEXANDRA .....	T.	see page 105.			
THE BRIDE .....	T.	creamy white sport of <i>Catherine Mermel</i> ..	2 6	1 6	vig.
THE METEOR .....	H.T.	rich velvety crimson .....	..	1 0	vig.
TOM WOOD .....	H.P.	cherry red, well-shaped flowers .....	2 0	1 0	rob.
TRIOMPHÉ DES NOISETTES ..	N.	clusters of bright rose flowers .....	..	1 6	vig.
ULRICH BRUNNER .....	H.P.	large carmine-rose flowers .....	2 0	1 0	vig.
ULSTER .....	H.P.	bright salmon, of great substance .....	2 0	1 6	vig.
VICTOR HUO .....	H.P.	brilliant crimson, shaded black .....	2 0	1 0	vig.
VICTOR VERDIER .....	H.P.	rose, shaded carmine .....	2 0	1 0	vig.
— CLIMBING .....	H.P.	climbing variety of the preceding .....	..	1 0	rob.

Name.	Class.	Description.	Stds. and Half Stds.	Dwfs.	Habit of growth.
VISCOUNTESS FOLKESTONE..	H.T.	creamy pink, with salmon centre.....	s. d. 2 0	s. d. 1 0	vig.
WALTHAM CLIMBER No. 3	H.T.	dark crimson seedling from <i>Gloire de Dijon</i>	..	1 0	vig.
WALTHAM RAMBLER.....	P.	see page 105.	..	..	..
WHITE BARONESS .....	H.P.	pure white sport from <i>Baroness Rothschild</i> ..	..	1 0	vig.
WHITE BATH .....	M.	pure white, beautiful in bud.....	..	1 0	vig.
WHITE LADY .....	H.T.	a light sport from <i>Lady Mary Fitzwilliam</i> ..	..	1 0	mod.
WHITE MAMAN COCHET ..	T.	white, sometimes tinted .....	2 6	1 6	vig.
WHITE MARÉCHAL NIEL ..	N.	white, with lemon centre .....	..	1 6	vig.
WHITE PET .....	Poly.	white, sometimes tinged with rose .....	..	1 0	vig.
— CLIMBING .....	Poly.	a climbing variety of the preceding.....	..	1 0	vig.
W. A. RICHARDSON .....	N.	deep orange-yellow with pale edges .....	2 6	1 6	vig.
WILLIAM F. BENNETT ....	T.	deep velvety crimson .....	..	1 6	vig.
XAVIER OLIVO .....	H.P.	velvety black, shaded fiery red.....	2 0	1 0	mod.

## RUGOSA ROSES.

1s., 1s. 6d. and 2s. 6d. each.

- ATROPURPUREA**, deepest single crimson. 2s.  
**BELLE POITEVINE**, double rose, very sweet and free-flowering.  
**BLANCHE DOUBLE DE COUBERT**, semi-double, purest white, large flowers.  
**CALOCARPA**, single rosy pink, medium size, flowering in large trusses, rich scarlet berries.  
**DELICATA**, semi-double, soft rose.  
**FIMBRIATA**, semi-double, rosy white, with fimbriated edges.  
**MADAME GEORGES BRUANT**, semi-double, white, very free.  
**MRS. ANTHONY WATERER**, fine crimson, semi-double, sweetly scented.  
**ROSE APPLES**, semi-double, pale carmine-rose, dark crimson berries, continuous bloomer.  
**RUGOSA**, large, single, crimson.  
 — **ALBA**, pure white, large single flowers.  
**SOUVENIR DE CH. COCHET**, rosy pink, semi-double.  
 — **DE PHILEMON COCHET**, double white, anemone shaped.

## LORD PENZANCE'S HYBRID SWEET BRIARS.

1s., 1s. 6d. and 2s. 6d. each.

- AMY ROBSART**, lovely deep rose, of true Sweet Briar type, an abundant bloomer, robust and free.  
**ANNE OF GEIERSTEIN**, dark crimson, large foliage, good grower.  
**BRENDA**, maiden's blush or peach, the contrast and effect of the bright golden anthers add a peculiar charm to this variety.  
**CATHERINE SEYTON**, pleasing soft rosy pink, the bright golden anthers being very prominent, free flowering, perpetual autumnal bloomer.  
**EDITH BELLENDEN**, pale rose, flowering profusely in clusters at the end of the shoots.  
**FLORA McIVOR**, pure white, blushed with rose.  
**GREEN MANTLE**, bright rich pink, with band of white; autumnal bloomer.  
**JEANNIE DEANS**, semi-double, large scarlet-crimson, flowering freely in clusters, foliage of a deep healthy-looking green, and very strong growing.  
**JULIE MANNERING**, soft porcelain-pink; the prettiest of all the pink varieties, very free flowering.  
**LORD PENZANCE**, beautiful soft tint of copper with a peculiar metallic lustre; the base of each petal is a bright yellow; very free flowering, with a delicious perfume from foliage and flower. A cross between *Sweet Briar* and *Austrian Copper*.  
**LADY PENZANCE**, soft shade of fawn or écru, passing to a lovely emerald-yellow in the centre, a good grower and abundant bloomer, very sweet-scented; this variety is a seedling from *Sweet Briar* × *Harrisonii*.  
**LUCY ASHTON**, pretty white blooms with pink edges, not so large as some others, wonderfully free flowering; good grower, with rather erect shoots; foliage very sweet.  
**LUCY BERTRAM**, deep crimson, the richest colour of all, pure white centre; autumnal bloomer.  
**MEG MERRILIES**, gorgeous crimson, very free flowering, seeds abundantly, has a wonderfully robust habit, large foliage; one of the best.  
**MINNA**, pure white, opening with a tint of palest blush, bushy habit, foliage like a Scotch Briar.  
**ROSE BRADWARDINE**, beautiful clear rose, perfect in shape, very profuse, strong robust habit.  
*Any varieties not contained in this List can be supplied at current prices.*

## PRICES OF ROSES.

STANDARDS AND HALF-STANDARDS, in splendid variety, with good heads and stems .. .. .	Per doz.	s. d.		Per 100.	
		£	s. d.	£	s. d.
.. .. .	21s. & 24	0	8 8	0	0
DWARF H.P.'s in best varieties .. .. .	9s. & 12	0	3 10	0	0
DWARF TEAS .. .. .	12s. to 30	0	—	—	—
DWARFS, in pots, best varieties .. .. .	12s. to 42	0	—	—	—



## GRAPE VINES.

The Canes supplied are of matured growth, and have all been grown from eyes. The Fruiting sizes are of superlative quality.

Planting Canes, in pots..... 5s. and 7s. 6d. each.  
Fruiting Canes, extra strong and fine ..... 10s. 6d. and 15s. each.

NAME.	Colour.	Description.
ALICANTE .....	black	large bunches of olive shaped berries. A late keeper.
ALNWICK SEEDLING .....	black	a very fine grape.
BARBAROSSA .....	black	a fine late variety; large bunches.
BLACK PRINCE .....	black	a rich sugary grape; does well in a cool house.
BUCKLAND SWEETWATER .....	white	one of the best early white grapes.
DUKE OF BUCCLEUCH .....	white	large berries; does well with <i>Black Hamburgh</i> .
FOSTER'S SEEDLING .....	white	an excellent early variety.
FRONTIGNAN GRIZZLY .....	red	a richly flavoured grape of great piquaney.
GOLDEN QUEEN .....	amber	large bunches of firm juicy berries.
GROS COLMAR .....	black	an excellent late grape, with large round berries.
HAMBURGH BLACK .....	black	none better for general use.
LADY DOWNE'S SEEDLING .....	black	a fine late grape.
MADRESFIELD COURT .....	black	large bunches of fine oval berries.
MRS. PRINCE'S BLACK MUSCAT .....	black	large bunches of medium size berries.
MUSCADINE, ROYAL .....	white	an excellent early variety; very hardy.
MUSCAT OF ALEXANDRIA .....	white	a fine late keeping variety.
MUSCAT HAMBURGH .....	black	requires more heat than <i>Black Hamburgh</i> , Muscat flavour.
TOKAY WHITE .....	white	large compact bunches, berries tender and juicy.

All other varieties can be supplied.

## FRUIT TREES.

All of the best Quality at prices as below.

The prices are for single plants, except otherwise stated.

NAME.	DWARFS.			STANDARDS.	
	Fine full Trained Trees.	Untrained.	Pyramidal.	Fine full trained trees with clean straight stems.	Untrained.
APPLES .....	3s. 6d. & 5s.	1s. & 1s. 6d.	1s. 6d. to 3s. 6d.	..	2s. 6d. to 5s.
APRICOTS .....	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	2s. 6d. to 5s.
CHERRIES .....	3s. 6d. & 5s.	1s. to 3s. 6d.	3s. 6d. to 7s. 6d.	10s. 6d.	2s. 6d. to 5s.
CURRENTS .....	..	4s. & 6s. doz.	9s. to 12s. doz.	..	..
FIGS .....	3s. 6d. & 5s.	..	3s. 6d. to 10s. 6d.	..	..
GOOSEBERRIES .....	..	6s. & 9s. doz.	9s. & 12s. doz.	..	..
MULBERRIES .....	5s. & 7s. 6d.	..	2s. 6d. to 7s. 6d.	..	5s. to 10s. 6d.
NECTARINES .....	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	3s. 6d. to 7s. 6d.
NUTS AND FILBERTS ..	..	6s. to 18s. doz.	..	..	..
PEACHES .....	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	3s. 6d. to 7s. 6d.
PEARS .....	3s. 6d. & 5s.	1s. 6d. to 3s. 6d.	2s. 6d. to 7s. 6d.	10s. 6d.	3s. 6d. to 7s. 6d.
PLUMS .....	3s. 6d. & 5s.	1s. to 2s. 6d.	2s. 6d. to 7s. 6d.	10s. 6d.	3s. 6d. to 7s. 6d.

RASPBERRIES, Good Canes 2s. 6d. and 3s. 6d. dozen; 15s. and 21s. per 100.

## STRAWBERRIES.

In small 60 pots for Forcing and Planting.

The following varieties are specially recommended:—

	Per 100		Per 100		Per 100
A. F. BARRON .....	15/-	KING OF THE EARLIES .....	15/-	RICHARD GILBERT .....	15/-
AUGUSTE NICAISE .....	15/-	LA GRASSE SUCRE .....	15/-	ROYAL SOVEREIGN .....	15/-
BRITISH QUEEN .....	15/-	LATEST OF ALL .....	15/-	SCARLET QUEEN .....	15/-
CLIMAX (New) .....	30/-	LAXTON'S No. 1 .....	15/-	SENSATION .....	15/-
COMMANDER .....	15/-	LEADER .....	15/-	SIR C. NAPIER .....	15/-
COMPETITOR .....	15/-	LORD SUFFIELD .....	15/-	SIR J. PAXTON .....	15/-
DR. HOOG .....	15/-	LADY SUFFIELD .....	20/-	ST. ANTOINE DE PADOUE	
EMPRESS OF INDIA .....	15/-	MENTMORE .....	15/-	(Perpetual) .....	15/-
FILLBASKET .....	15/-	MONARCH .....	15/-	St. JOSEPH (Perpetual) ..	15/-
FROOMORE LATE PINE ..	15/-	NOBLE .....	15/-	THE LAXTON (New)	
GIDON'S LATE PROLIFIC	20/-	PRESIDENT .....	15/-	10/- per doz.	60/-
GUNTON PARK .....	15/-	PRINCE OF WALES .....	15/-	TRAFALGAR (New) .....	20/-
JOHN RUSKIN .....	15/-	PRINCESS OF WALES .....	15/-	VICOMTESSE H. DE THURY	15/-
KEEN'S SEEDLING .....	15/-	QUEEN OF DENMARK .....	15/-	WATERLOO .....	15/-

All other sorts supplied at current prices.



## **FLORAL FURNISHING AND DECORATING.**

We have pleasure in drawing the attention of Patrons to our **FLORAL FURNISHING & DECORATING DEPARTMENT**, and to intimate that we are prepared to undertake **FLORAL DECORATIONS** to any extent.

A special feature is made of **ORCHIDS** from our Renowned Collection when required.

Our **WINTER GARDEN**, the largest in London, contains a magnificent Collection of Specimen Palms, Tree Ferns, &c., which are at the disposal of our Patrons.

Special attention is paid to **ARTISTIC FLORAL DESIGNS AND TABLE DECORATIONS**, and the execution of all Decorations and General Florists, Work entrusted to our care is conducted under our personal supervision.

# INDEX.

	PAGE		PAGE		PAGE
ARELIA .. .. .	40	BILLBERGIA .. .. .	5 & 15	CLAVIJA .. .. .	15
ABROMA .. .. .	13	— NOBILIS .. .. .	5	CLEMATIS .. .. .	30 & 37
ABUTILON .. .. .	13 & 30	BLANDFORDIA .. .. .	30	CLERODENDRON .. .. .	15
ACACIA .. .. .	30	BLECHNUM .. .. .	83 & 87	CLETIRA .. .. .	37 & 101
ACALYPHA .. .. .	13	BORONIA .. .. .	30 & 101	CLIANTHUS .. .. .	30
ACANTHUS .. .. .	13 & 43	BOUGAINVILLEA .. .. .	8 & 15	CLIMBING PLANTS .. .. .	25
ACER .. .. .	40	BOUVARDIA .. .. .	30 & 101	CLIVIA .. .. .	30
ACHIMENES .. .. .	100	BOWENIA .. .. .	74	COBEEA .. .. .	30
ACINETA .. .. .	51	BOWIEA .. .. .	30	COCCOLOBA .. .. .	15
ADA .. .. .	51	BOWKERIA .. .. .	30	COCHILODA .. .. .	54
ADANSONIA .. .. .	13 & 72	BRASSAVOLA .. .. .	52	COCHLIOSTEMMA .. .. .	15
ADIANTUM .. .. .	83 & 87	BRASSIA .. .. .	52	COCOS .. .. .	74
ÆCHMEA .. .. .	13	BRASSO-CATTLEYA .. .. .	52	CØLIA .. .. .	54
ÆGLE .. .. .	13	BRASSO-LÆLIA .. .. .	52	CØLOGYNE .. .. .	54
ÆRIDES .. .. .	51	BREDIA .. .. .	30	COFFEA .. .. .	15 & 72
ÆSCHYNANTHUS .. .. .	13	BROUGHTONIA .. .. .	52	COLA .. .. .	15 & 72
AGAPANTHUS .. .. .	27 & 30	BROWNEA .. .. .	15	COLAX .. .. .	54
AGAPETES .. .. .	27	BRUGMANSIA .. .. .	30	COLEUS .. .. .	30 & 99
AGATHEA .. .. .	30	BRUNFELSIA .. .. .	15	COMBRETUM .. .. .	15
AGLAONEMA .. .. .	3 & 13	BRUNSVIGIA .. .. .	15	COMPARETTIA .. .. .	54
ALBERTA MAGNA .. .. .	30	BULBOPHYLLUM .. .. .	52	COREOPSIS .. .. .	37 & 45
ALLAMANDA .. .. .	13	BURCHELLIA .. .. .	15	CORNUS .. .. .	40
ALOCASIA .. .. .	13	BURLINGTONIA .. .. .	52	CORREA .. .. .	30
ALOE .. .. .	36	CACTUS .. .. .	36	CORYNOSTYLIS .. .. .	15
ALPINIA .. .. .	13	CALADIUM .. .. .	94 & 95	CORYPHA .. .. .	74
ALSOPHILA .. .. .	87	CALAMUS .. .. .	74	CRATÆGUS .. .. .	41
ALTHEA, vide HIBISCUS .. .. .	41	CALANTHE .. .. .	52	CRINUM .. .. .	15, 30 & 41
AMARYLLIS .. .. .	3	CALLA .. .. .	30	CROSSANDRA .. .. .	15
AMASONIA .. .. .	13	CALLIPHURRIA .. .. .	15	CROTON .. .. .	15 & 17
AMOMUM .. .. .	13	CALODENDRON .. .. .	39 & 72	CRYPTANTHUS .. .. .	7 & 17
AMORPHOPHALLUS .. .. .	13 & 30	CALYCANTHUS .. .. .	40	CUPANIA .. .. .	17
AMPELOPSIS .. .. .	40	CAMELLIA .. .. .	30, 36 & 101	CURCULIOO .. .. .	17
AMYGDALUS .. .. .	40	CAMOËNSIA MAXIMA .. .. .	5	CYANOPHYLLUM .. .. .	17
ANCYLOGYNE .. .. .	13	CAMPANULA .. .. .	30 & 44	CYANOTIS .. .. .	17
ANDROMEDA .. .. .	37, 49 & 101	CANNA .. .. .	98	CYATHEA .. .. .	79 & 87
ANDROPOGON .. .. .	13	CAPPARIS .. .. .	15	CYCAS .. .. .	74
ANEMIA .. .. .	80 & 83	CARAQUATA .. .. .	15	CYCLAMEN .. .. .	101
ANEMIDICTION .. .. .	83	CAREX .. .. .	15 & 30	CYCLANTHUS .. .. .	74
ANORECUM .. .. .	51	CARISSA .. .. .	30 & 73	CYCNOCHEES .. .. .	54
ANGULO .. .. .	51	CARLUDOVICA .. .. .	74	CYDONIA .. .. .	41
ANECTOCHEILUS .. .. .	13 & 51	CARNATIONS .. .. .	27	CYMBIDIUM .. .. .	55 & 56
ANONA .. .. .	13, 72 & 73	CARPENTERIA .. .. .	37	CYPERUS .. .. .	17
ANTHURIUM .. .. .	3 & 13	CARYOTA .. .. .	74	CYPRIPEDIUM .. .. .	56 & 58
ANTIOONUM .. .. .	13	CATAKIDPOZAMIA .. .. .	74	— HARDY VARIETIES .. .. .	45
APHELANDRA .. .. .	13	CATALPA .. .. .	40	CYRTANTHUS .. .. .	31
APHELEXIS .. .. .	30	CATASETUM .. .. .	52	CYRTODEIRA .. .. .	17
ARALIA .. .. .	13, 30 & 40	CATTLEYA .. .. .	52 to 54	CYRTOMUM .. .. .	87
ARAUCHARIA .. .. .	30	CECROPIA .. .. .	15 & 73	CYRTOPODIUM .. .. .	58
ARAUJA .. .. .	13	CENTRADENIA .. .. .	15	CYRTOSPERMA .. .. .	17
ARDISIA .. .. .	13	CERATODZAMIA .. .. .	74	CYTISUS .. .. .	31, 41 & 101
ARECA .. .. .	74	CEREUS .. .. .	30 & 36	DEMONOROPS .. .. .	74
ARISTOLOCHIA .. .. .	13	CEROPEGIA .. .. .	7 & 15	DAILIAS .. .. .	98
ARPOPHYLLUM .. .. .	51	— WOODI .. .. .	7	DALECHAMPIA .. .. .	17
ARTOCARPUS .. .. .	13 & 73	CESPEDEZIA DISCOLOR .. .. .	1	DAPHNE .. .. .	31 & 41
ARUNDO .. .. .	40	CESTRUM .. .. .	27 & 30	DAVALLIA .. .. .	85 & 87
ASPARAGUS .. .. .	27 & 30	CHAMÆCLADON .. .. .	15	DAVIDSONIA .. .. .	17 & 73
ASPIDISTRA .. .. .	30	CHAMÆROPS .. .. .	74	DENDROHUM .. .. .	58 & 59
ASPIDUM .. .. .	83 & 87	CHAMERANTHEMUM .. .. .	15	DENDROCHILUM .. .. .	59
ASPLENIUM .. .. .	83 & 87	CHEILANTHES .. .. .	83 & 85	DESFONTAINEA .. .. .	41
ATACCIA .. .. .	15	CHIRITA .. .. .	15	DESMODIUM .. .. .	17 & 41
AVERRHOA .. .. .	15 & 72	CHOISYA .. .. .	37	DEUTZIA .. .. .	41 & 102
AZALEA .. .. .	30, 40, 101 & 103	CHOROEZEMA .. .. .	30	DEYEUZIA .. .. .	27
BAMBUSA .. .. .	40	CHRYSANthemum .. .. .	37	DIANELLA .. .. .	27 & 31
BARLERIA .. .. .	15	CHYSIS .. .. .	54	DICHEA .. .. .	59
BEAUMONTIA .. .. .	15	CIBOTIUM .. .. .	85 & 87	DICHORISANDRA .. .. .	17
BEGONIAS .. .. .	97 & 98	CIENTKOWSKIA .. .. .	15	DICKSONIA .. .. .	79, 80 & 87
BELOPERONE .. .. .	15	CINCHONA .. .. .	15 & 72	DIEFFENBACHIA .. .. .	17
BERBERIDOPSIS .. .. .	30	CINNAMOMUM .. .. .	15, 30 & 72	DIELYTRA .. .. .	41 & 101
BERBERIS .. .. .	40	CIRRHOPE TALUM .. .. .	54	DIMORPHOTHECA .. .. .	31
BERTOLONIA .. .. .	15	CISSUS .. .. .	15 & 30	DIOON .. .. .	75
BIGNONIA .. .. .	15, 30 & 40	CITRUS .. .. .	30	DIOSCOREA .. .. .	17



# INDEX—continued.

	PAGE		PAGE		PAGE
DIPLADENIA .. .. .	17	GREVILLEA .. .. .	31	LESCHENAULTIA .. .. .	31
DISA .. .. .	59	GRIFFINIA .. .. .	9	LESPEDeza .. .. .	41
DOODIA .. .. .	87	GYMNOGRAMMA .. .. .	85 & 86	LEYCESTERIA .. .. .	41
DORSTENIA .. .. .	17	HABENARIA .. .. .	60	LIBONIA .. .. .	21 & 31
DORYOPTERIS .. .. .	85	HABROTHAMNUS (CESTRUM) .. .. .	30	LIOUALA .. .. .	77
DRACENA .. .. .	17, 19 & 31	HÆMANTHUS .. .. .	21, 29 & 31	LILACS .. .. .	37 & 102
DRACONTIUM .. .. .	19	HARDENBERGIA .. .. .	31	LILIUMS .. .. .	49, 50 & 103
DRACOPHYLLUM .. .. .	31	HARDY NYMPHÆAS .. .. .	104	LIMATODIS .. .. .	62
DRIMOPSIS .. .. .	19	HARDY PERENNIALS .. .. .	43	LIPARIS .. .. .	62
ECHEVERIA .. .. .	99	HARDY PLANTS .. .. .	37 to 43	LIVISTONA .. .. .	77
ECHINOCACTUS .. .. .	36	HEDERA .. .. .	41	LOBELIA .. .. .	39, 41 & 46
ELAPHOOLOSSUM .. .. .	85	HEDYCHIUM .. .. .	31	LOMARIA .. .. .	86 & 88
ENCEPHALARTOS .. .. .	75	HEDYSARUM .. .. .	41	LOMATIA .. .. .	31
ENCHOLIRION .. .. .	19 & 72	HELICONIA .. .. .	21	LONGICERA .. .. .	31
EPACRIS .. .. .	31 & 102	HÆMIGRAPHIS .. .. .	21	LOWIA .. .. .	21
EPIDENDRUM .. .. .	60	HERBACEOUS PLANTS .. .. .	43	LUCULLA .. .. .	31
EPIPHYLLUM .. .. .	1 & 36	HIBBERTIA .. .. .	31	LYCASTE .. .. .	62
— DELICATUM .. .. .	1	HIBISCUS .. .. .	21, 31 & 41	LYCOPodium (SELAGINELLA) .. .. .	89
EPITHEMNUM .. .. .	19 & 73	HIDALGOA .. .. .	31	LYGODIUM .. .. .	86
ERANTHEMUM .. .. .	19	HIPPEASTRUM, <i>vide</i> AMARYLLIS .. .. .	3	MACADAMIA .. .. .	31
ERIOBOTRYA .. .. .	31	HOFFMANNIA .. .. .	21	MACKAYA .. .. .	31
ERIOPSIS .. .. .	60	HOPLOPHYTUM .. .. .	21	MACLURA .. .. .	41
ERIOSTEMON .. .. .	31	HOULETTIA .. .. .	60	MACROZAMIA .. .. .	77
ERYTHINA .. .. .	31	HOYA .. .. .	21	MAGNOLIA 21, 31, 39, 41 & 102	
ERYTHROXYLON .. .. .	19 & 72	HUMEA .. .. .	31	MALUS .. .. .	102
EUADENIA .. .. .	19	HURA .. .. .	21 & 73	MANDEVILLA .. .. .	31
EUCALYPTUS .. .. .	31	HYDRANGEA .. .. .	37, 41 & 102	MANETTIA .. .. .	21
EUCHARIS .. .. .	19	HYDROCOTYLE .. .. .	21	MARANTA .. .. .	2, 9 & 21
EUCODONIA .. .. .	100	HYMENOCALLIS .. .. .	21	— INSIGNIS .. .. .	2
EUENIA .. .. .	7, 19, 31 & 72	HYPERICUM .. .. .	41	— PICTA .. .. .	9
EULALIA .. .. .	41	HYPOLYTRUM .. .. .	9	— TIORINA .. .. .	2
EULOPHIA .. .. .	60	IMANTOPHYLLUM .. .. .	29 & 31	MARCGRAVIA .. .. .	23
EULOPHIELLA .. .. .	60	IMPATIENS .. .. .	21	MARICA .. .. .	31
EUPATORIUM .. .. .	31 & 45	INDIGOFERA .. .. .	31	MARSILEA .. .. .	31 & 73
EUPHORBIA .. .. .	19 & 36	IPOMEEA .. .. .	21	MASDEVALLIA .. .. .	62 to 64
EURYA .. .. .	31	IPSEA .. .. .	60	MAXILLARIA .. .. .	64
EURYCLES .. .. .	19	IRIS .. .. .	37	MEDICINAL PLANTS .. .. .	72 & 73
EUTERPE .. .. .	75	ISMENE .. .. .	31	MEDINILLA .. .. .	23
EVODIA .. .. .	19	IXORA .. .. .	21	MELASTOMA .. .. .	23
EXACUM MACRANTHUM .. .. .	7	JACARANDA .. .. .	21	MESOSPIDIUM .. .. .	64
EXOSTEMMA .. .. .	19	JACOBINIA .. .. .	21	MESUA .. .. .	23 & 73
FERNS .. .. .	79 to 88	JASMINUM .. .. .	9, 21 & 31	METROSIDEROS .. .. .	33
FIGUS .. .. .	9, 19, 31 & 73	JATROPIA .. .. .	21	MEYENIA .. .. .	23
FITTONIA .. .. .	19	JONESTIA .. .. .	21	MICROLEPIA .. .. .	86
FOOD FOR PLANTS .. .. .	Cover	JUSTICIA .. .. .	21	MICROSTYLIS .. .. .	65
FORCINO PLANTS .. .. .	101 & 102	KEMPERFERIA .. .. .	21	MILTONIA .. .. .	65 & 66
FRANCISCEA (BRUNFELSIA) .. .. .	15	KALANCHOE .. .. .	31	MIMOSA AROENTEA .. .. .	11
FRANCOA .. .. .	31	KALMIA .. .. .	41	MITRARIA .. .. .	33
FREMONTIA .. .. .	41	KARATAS .. .. .	21	MONSTERA .. .. .	23
FRUIT TREES .. .. .	112	KENDRICKIA WALKERI .. .. .	9	MONTBRETIA .. .. .	41
FUCHSIA .. .. .	2, 92 & 93	KENNEDYA .. .. .	31	MORMODES .. .. .	65
GARCINIA .. .. .	19 & 73	KENTIA .. .. .	75	MUSA .. .. .	23, 33 & 72
GARDENIA .. .. .	19 & 102	KERFERSTEINIA .. .. .	60	MUSSEADA .. .. .	23
GENETYLLIS .. .. .	31	KICKXIA .. .. .	21 & 73	MUTISIA .. .. .	33
GEONOMA .. .. .	75	KILLINGIA .. .. .	21	MYRSIPHYLLUM .. .. .	33
GERANIUM .. .. .	45 & 46	KOLREUTERIA .. .. .	41	MYRTUS .. .. .	33
GERBERA .. .. .	31	LACHENALIA .. .. .	31	NAGELIA, <i>vide</i> GESNERA .. .. .	100
GESNERA .. .. .	19 & 100	LÆLIA .. .. .	61 & 62	NANODES .. .. .	65
GLEICHENIA .. .. .	85	— HYBRIDS .. .. .	60	NEPENTHES .. .. .	23
GLOBBA .. .. .	19	LÆLIO-CATTLEYA .. .. .	60 & 61	NEPHELIUM .. .. .	23 & 73
GLONERIA .. .. .	19	LAGERSTRÆMIA .. .. .	31	NEPHRODIUM .. .. .	86 & 88
GLORIOSA .. .. .	21	LAMPROCOCCUS .. .. .	21	NEPHROLEPIS .. .. .	86
GLOXINIA .. .. .	100	LANDOLPHIA .. .. .	21 & 72	NEPHTHYTIS .. .. .	23
GMLINA .. .. .	9 & 21	LAPAOERIA .. .. .	29 & 31	NERINE .. .. .	29 & 33
GOETHEA .. .. .	21	LAPORTEA .. .. .	21	NERIUM .. .. .	33
GONIOPELEIUM .. .. .	85	LASLANDRA .. .. .	31	NEW PLANTS .. .. .	1 & 2
GONOLOBUS .. .. .	31	LASTREA .. .. .	86 & 88	NIDULARIUM .. .. .	11 & 23
GOODYERA .. .. .	60	LATANIA .. .. .	77	NYMPHÆAS .. .. .	104
GRAMMATOPHYLLUM .. .. .	60	LEDENBERGIA .. .. .	21	OHNA .. .. .	23
GRAPE VINES .. .. .	112	LEEA .. .. .	21	ODONTODENIA .. .. .	23
GREENHOUSE PLANTS .. .. .	27 to 35	LEPTOTES .. .. .	62	ODONTOLOSSUM .. .. .	65 to 69

# INDEX—continued.

	PAGE		PAGE		PAGE
OFFICIAL PLANTS ..	72 & 73	PROMENEA ..	70	STANGERIA ..	77
OLEA ..	33	PRUNUS ..	39, 41 & 102	STANHOPEA ..	70
ONCIDIUM ..	69	PSIDIUM ..	24 & 73	STAPELIA GIGANTEA ..	11
OPHIPOGON ..	33	PSYCHOTRIA ..	24	STAPIYLEA ..	39 & 102
OPHISMENUS ..	23	PTERIS ..	86 & 88	STENANDRUM ..	24
OPUNTIA ..	36	PTYCHOSPERMA ..	77	STENOSPERMATIUM ..	24
ORCHIDS ..	51	PULTENEA ..	33	STEPHANOTIS ..	24
ORNITHIDIUM ..	69	PUNICA ..	33 & 41	STEUDNERA ..	24
OSMUNDA ..	88	PUYA ..	24	STEVENSONIA ..	77
OXALIS ..	23	PYRUS ..	41	STOVE PLANTS ..	3 to 24
OXERA ..	23	RANDIA ..	24	STRAWBERRIES ..	112
PEGNIA ..	39	RAVENALA ..	24	STRELITZIA ..	24
PALISOTA ..	23	REIDIA ..	24	STREPTOCARPUS ..	24
PALMS, CYCADS, &c. ..	74 to 77	REINWARDTIA ..	33	STREPTOSOLEN ..	33
PALUMBINA ..	69	RENANTHERA ..	70	STROBILANTHES ..	24
PANAX ..	23	RESTREPIA ..	70	STYRAX ..	43
PANORATIUM ..	23	RETARDED BULBS AND ROOTS ..	103	SUCCULENT PLANTS ..	36
PANDANUS ..	23	RHAPIS ..	77	SWAINSONIA ..	33
PANICUM, <i>vide</i> OPHISMENUS ..	23	RHEUM ..	39 & 41	SYNGONIUM ..	24
PASSIFLORA ..	23 & 33	RHODOCHITON ..	33	SYRINGA ..	37, 43 & 102
PAULLINIA ..	23	RHODODENDRON ..	35, 43 & 102	TABERNEMONTANA ..	24
PAVETTA ..	23	RHOPALA ..	33	TACCA ..	24
PAVONIA ..	23	RHYNCOSPERMUM ..	33	TACSONIA ..	24, 29 & 33
PELARGONIUMS ..	2, 89 to 91	RICHARDIA ..	33	TAPEINOTIS ..	24
PELLIONIA ..	23	ROCHEA ..	33	TECOMA ..	29 & 33
PENTADESMA ..	23 & 72	RODRIGUEZIA ..	70	TERMINALIA ..	24
PENTAS ..	23	ROOIERA ..	24 & 33	THEA ..	33 & 73
PENTSTEMON ..	45 & 99	ROHEA ..	24	THEOBROMA ..	24 & 72
PEPERGMA ..	23	RONDELETIA ..	24	THIBAUDIA ..	33
PERESKIA ..	36	ROSES ..	105 to 111	THRINAX ..	77
PERISTERIA ..	69	RUBUS ..	11	THUNBERGIA ..	24
PERSEA ..	23 & 72	RUELLIA ..	24	THUNIA ..	71
PILEOCOMA ..	33	SABAL ..	77	THYRSACANTHUS ..	24
PHAIUS ..	69 & 70	SACCHARUM ..	24 & 73	TILLANDSIA ..	11 & 24
PHALENOPSIS ..	70	SACCOLABIUM ..	70	TODEA ..	88
PHALANGIUM ..	33	SAINTPAULIA ..	24	TOXICOPHILÆA ..	24
PHILADELPHUS ..	39, 41 & 102	SALVIA ..	33 & 49	TRACHELOSPERMUM ..	33
PHILAGERIA ..	33	SANCHEZIA ..	24	TRADESCANTIA ..	24
PHILESTIA ..	33	SANSEVEIRA ..	24	TREE FERNS ..	79
PHILODENDRON ..	23	SARCOCYLUS ..	70	TRIMANDRA ..	33
PHLOX ..	41 & 46	SARCOPODIUM ..	70	TRICHOMANES ..	88
PHOENIX ..	77	SARRACENIA ..	33	TRICHOPILIA ..	71
PHYLLANTHUS ..	23	SCINUS ..	33	TRITOMA ..	48
PHYLLOCACTUS ..	36	SCHISMATOLOTTIS ..	24	TROPEOLUM ..	29 & 48
PHYLLOTENIUM ..	23	SCHIZOPHRAGMA ..	43	TROPICAL FRUITS ..	72 & 73
PILEA ..	23	SCHUBERTIA (ARAUJA) ..	13	TURREA ..	33
PILUMNA ..	70	SCINDAPSUS ..	24	TYDÆA ..	100
PIMELIA ..	33	SCUTELLARIA ..	24	URCECHARIS ..	24
PIMENTA ..	23 & 72	SEAFORTHIA ..	77	URCEOLINA ..	24
PINANGA ..	77	SEDUM ..	48	UROSKINNERA ..	24
PIPER ..	23, 72 & 73	SELAGINELLA ..	11 & 89	UTRICULARIA ..	24
PISTACIA ..	33 & 73	SELLIGUEA ..	101	VALLOTA ..	29 & 33
PTICAINRIA ..	24	SEMPERIVIVUM ..	48	VANDA ..	71
PLANT FOOD ..	Cover	SENEGIO ..	48	VANILLA ..	24, 71 & 73
PLATYCERIUM ..	86 & 88	SHRUBS, <i>vide</i> HARDY PLANTS ..	37	VERONICA ..	29 & 50
PLATYCLINIS (DENDROCHILUM) ..	59	SKIMMIA ..	43	VIBURNUM ..	39, 43 & 103
PLATYLOMA ..	86 & 88	SMILAX ..	24 & 73	VINCA ..	24, 43 & 50
PLEIONE ..	70	SOBRALIA ..	70	VINES ..	112
PLEOPELTIS ..	86	SOLANDRA ..	24	VITIS ..	33
PLEROMA ..	11	SOLANUM ..	24 & 33	VRIESIA ..	11 & 24
PLEUROTHALLIS ..	70	SOLLYA ..	33	WALLICHA ..	77
PLUMBAGO ..	24 & 33	SOPHRONITIS ..	70	WEIGELA ..	43
POOSTEMON ..	24 & 73	SPARMANNIA ..	24	WISTARIA ..	39, 43 & 103
POINSETTIA ..	23	SPATHIPHYLLUM ..	24	WITSENIA ..	33
POLYGONUM ..	47	SPATHODEA ..	24	XANTHOCERAS ..	43
POLYPODIUM ..	82 & 86	SPATHOLOTTIS ..	70	XYLOPHYLLA ..	24
POLYSTICHUM ..	86 & 88	SPECIMEN PLANTS ..	74 & 79	YUCCA ..	33
PORTLANDIA ..	24	SPHEROGYNE ..	24	ZAMIA ..	77
POTHOS ..	24	SPHEROSTEMA ..	24	ZINGIBER ..	24 & 72
PRIMULA ..	33 & 47	SPIREAS ..	39, 43, 48, 102 & 103	ZYGOPETALUM ..	71
PRITCHARDIA ..	77	STADMANIA ..	21		



# BULL'S FOOD FOR PLANTS.

**ONCE TRIED ALWAYS USED. Because—**  
**HIGHLY CONCENTRATED. ODOURLESS.**  
**SAFE AND RELIABLE. CAUSES NO FUNGUS.**  
**QUICK IN ACTION. LASTING IN EFFECT.**  
**Therefore the Cheapest and Best.**

## ANALYSTS' REPORT

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

**CANNON & NEWTON,**

Analytical and Consulting Chemists, 39, Mincing Lane, London, E.C.

## DIRECTIONS FOR USE.

**For MAKING A VINE BORDER.**—Use 56 lbs. to a ton or cubic yard of loam.

**For MAKING BORDERS for PEACHES, NECTARINES, FIGS, &c.**—28 lbs. to the ton or cubic yard.

**For TOP DRESSING VINE BORDERS.**—Mix about 2 lbs. to a barrow-load of good loam, spreading to a depth of 2 to 3 inches. If roots are not too near the surface, about 1 lb. to the square yard may be forked in, instead of top dressing. As soon as the berries are making good headway, give a slight sprinkling over the surface, and repeat about every fortnight or three weeks as occasion requires.

**For VINES IN POTS.**—Sprinkle a dessertspoonful on the surface as soon as the berries begin to swell freely, well mulching over a little later, following with an occasional sprinkling of the Food as progress is made.

**For POT PLANTS AND BULBS.**—Sprinkle on the surface of the soil about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

**For CHRYSANTHEMUMS.**—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

**For ROSES, SHRUBS, &c., in Pots.**—Use about a tablespoonful to a 12-inch pot several times during the season.

**For STRAWBERRIES in the open.**—Well fork into the ground before planting 14 lbs. to the rod, giving several surface applications after the fruit has set.

**For TOMATOES, CUCUMBERS, &c.**—Mix 2 lbs. to the barrow-load of compost, applying a surface dressing several times to assist growth of the fruit.

**For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.**—Apply about 4 oz. to the square yard as often as occasion may require, raking and watering it in.

**For LAWNS.**—Scatter broadcast at the rate of 2 oz. to the square yard, and well water.

**For GENERAL POTTING Purposes.**—Mix 2 lbs. to the barrow-load of compost.

20/- per cwt.; £18 per ton; 56 lbs. 12/6; 28 lbs. 7/6; 14 lbs. 4/6.

Also in Tins, containing about 1½ lb., at 1/- Larger Size (about 5 lbs.) 2/6.

MANUFACTURED SOLELY BY

**WILLIAM BULL & SONS,**  
**ESTABLISHMENT FOR NEW & RARE PLANTS,**  
**KING'S ROAD, CHELSEA, LONDON, S.W.**



ROYAL WARRANT HOLDERS  
TO HIS MAJESTY THE KING

# **WILLIAM BULL & SONS'**

## **Catalogue**

OF

# **PLANTS**

---

New Plant, Seed and Bulb Merchants,  
KING'S ROAD,  
CHELSEA, LONDON, S.W.